

EU **DECLARATION** of Conformity (DOC)

Our mission is as it has always been :

Eliminating LTIs (i.e., lost-time injuries) for seaborne workforces.

Scandia Gear is heavily invested in ensuring that our products' CE certifications are both comprehensive and up-to-date.

To us, product and regulatory details are critical to workplace safety.

The new EU PPE Regulation 2016/425 requires that manufacturers make available to wearers and users a DOC for every item of CE-certified PPE (personal protective equipment) produced.

A DOC is a legally-binding document that confirms that a product meets the requirements of applicable safety directives.

Scandia's DOC contains the following information :

- Name/address of manufacturer
- Model and/or serial number of equipment
- List of relevant directives
- List of applicable standards (including amendments and effective dates)
- Declaration statement
- Certificate number
- Name, address, and number of the Notified body responsible for certification
- Name and position of signee
- Signature
- Date

Please see the following page for this product's DOC.

If you have any questions, please contact Scandia's Sales Department.



V.le Sarca 336 - I 20126 Milano
Tel./Fax +39 0266104876 (4 linee r.a.) - E-mail: italcert@italcert.it

ATTESTATO DI CERTIFICAZIONE CE
PPE/AT n° 439-01 Prot. 3278/01
(in accordo all'Articolo 10 della Direttiva 89/686/CEE)

1 - FABBRICANTE/MANDATARIO

Ragione Sociale o Marchio

DPI S.r.l.

Indirizzo della Sede Legale

Via di Cervara, 42 - 00155 - Roma (Rm)

2 - CARATTERISTICHE DEL DISPOSITIVO DI PROTEZIONE INDIVIDUALE

- DPI per le vie respiratorie - filtri antigas e combinati serie 200, 230, DIRIN 230, DIRIN 300, DIRIN 500, elencati nelle tabelle riportate alle pagine da 2 a 5 del presente Attestato di Certificazione CE, di cui ai relativi Attestati di Certificazione CE.

3 - MODIFICHE

- La marcatura e le istruzioni per l'uso sono state modificate in conformità ai requisiti previsti dalla norma EN 141 - febbraio 2000.

4 - VALUTAZIONE E IDONEITÀ

Vista la documentazione tecnica fornita dal Fabbricante e il Rapporto di Prova n° PPE/RP 588-01 allegato, che dettaglia l'esito delle prove addizionali effettuate in accordo alla norma EN 141 - febbraio 2000, le modifiche descritte sopra non influenzano i requisiti essenziali di salute e sicurezza di cui alla Direttiva 89/686/CEE, Articolo 3 e Allegato II, e successive modificazioni (Direttive 93/95/CEE, 93/68/CEE e 96/58/CE).

Indicazioni particolari: è esclusa dal presente Attestato di Certificazione CE la verifica delle prestazioni dei filtri combinati dopo la prova facoltativa di intasamento (Rif. punto 7.14 EN 141 - febbraio 2000) poiché non richiesta e non prevista nella documentazione tecnica di cui al punto 4.

NOTE:

- Le istruzioni per l'uso sono state verificate ed approvate unicamente nella versione in lingua italiana e per gli aspetti ed informazioni relativi ai DPI in esame.
- Il presente Attestato di Certificazione CE integra gli Attestati di Certificazione CE relativi ai DPI di cui al punto 2.

5 - ALLEGATI

Rapporto di Prova

Disegni dei DPI

Istruzioni per l'uso

pag. 1 ÷ 7

pag. 8 ÷ 21

pag. 22 ÷ 25

Milano, 2001-10-30

ITALCERT

Ing. Franco Gattafoni
Direttore

Il rilascio e l'utilizzo del presente Attestato di Certificazione CE è subordinato all'osservanza di quanto previsto nei documenti "Condizioni generali per la certificazione di dispositivi di protezione individuale" e "Piano della qualità per dispositivi di protezione individuale"



tribunale di Milano n. 323728/8057/28
reg. soc. c.c.i.a. Milano n. 1387323
cod. fisc./p.iva 10598330156



L'uso del marchio di accreditamento
indica l'accreditamento del sistema/schema
coperto dal certificato N. 023A

PPE/AT n° 439-01 Prot. 3278/01 – Pag. 2 di 5

- Filtri antigas / combinati serie "200", con raccordo filettato speciale, da utilizzarsi in coppia su semimaschere modello Polimask 100/2 e Polimask 2000 β eta, oppure su maschera intera C 607 Twin, prodotte dalla ditta DPI S.r.l., secondo la tabella seguente.

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|---------------|-----------------|--|--|------------------|
| 4340.1001 | 200 A1 | Filtro antigas EN 141 A1 | 931067 | BIA |
| 4340.1002 | 200 B1 | Filtro antigas EN 141 B1 | 931067 | BIA |
| 4340.1003 | 200 E1 | Filtro antigas EN 141 E1 | 931067 | BIA |
| 4340.1004 | 200 K1 | Filtro antigas EN 141 K1 | 931067 | BIA |
| 4340.1012 | 200 A1-P3 | Filtro combinato EN 141 A1 P3 | 941065 | BIA |
| 4340.1013 | 200 B1-P3 | Filtro combinato EN 141 B1 P3 | 941065 | BIA |
| 4340.1014 | 200 E1-P3 | Filtro combinato EN 141 E1 P3 | 941065 | BIA |
| 4340.1015 | 200 K1-P3 | Filtro combinato EN 141 K1 P3 | 941065 | BIA |
| 4340.3215 | 200 EFVS A1-P1 | Filtro combinato EN 141 A1 P1 | PPE/AT 012-95 102/95 | ITALCERT |
| 4340.3216 | 200 A1B1 | Filtro combinato EN 141 A1 B1 | PPE/AT 023-95 242/95 | ITALCERT |
| 4340.1021 | 200 A1B1E1K1 | Filtro antigas EN 141 A1 B1 E1 K1 | PPE/AT 416-01 1061/01 | ITALCERT |
| 4340.1020 | 200 A1B1E1K1-P3 | Filtro combinato EN 141 A1 B1 E1 K1 P3 | PPE/AT 416-01 Est. 01-04/01 1061/01 | ITALCERT |

- Filtri antigas / combinati serie "230", con raccordo filettato speciale, da utilizzarsi singoli su semimaschere modello Polimask 230 e Polimask 2000 γ amma, prodotte dalla ditta DPI S.r.l., secondo la tabella seguente. I filtri possono essere utilizzati singoli anche su maschere intere e semimaschere (in particolare semimaschere modello Polimask 330 e Polimask 2000 α lfa, prodotte dalla ditta DPI S.r.l.) con raccordo filettato conforme alla norma UNI EN 148-1 luglio 2000 [148-1:1999] mediante un adattatore cod. 4338.3220 di cui all'Attestato di Certificazione CE PPE/AT n° 282-98 Prot. 1822/98 emesso da ITALCERT.

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|---------------|----------------|-----------------------------------|---------------------------------------|------------------|
| 4340.5100 | 230 A1 | Filtro antigas EN 141 A1 | 951023 | BIA |
| 4340.5101 | 230 B1 | Filtro antigas EN 141 B1 | 951023 | BIA |
| 4340.5102 | 230 E1 | Filtro antigas EN 141 E1 | 951023 | BIA |
| 4340.5103 | 230 K1 | Filtro antigas EN 141 K1 | 951023 | BIA |
| 4340.5105 | 230 A2 | Filtro antigas EN 141 A2 | 951022 | BIA |
| 4340.5113 | 230 B2 | Filtro antigas EN 141 B2 | 951022 | BIA |
| 4340.5114 | 230 E2 | Filtro antigas EN 141 E2 | 951022 | BIA |
| 4340.5115 | 230 K2 | Filtro antigas EN 141 K2 | 951022 | BIA |

Il rilascio e l'utilizzo del presente Attestato di Certificazione CE è subordinato all'osservanza di quanto previsto nei documenti "Condizioni generali per la certificazione di dispositivi di protezione individuale" e "Piano della qualità per dispositivi di protezione individuale"

PPE/AT n° 439-01 Prot. 3278/01 – Pag. 3 di 5

Segue Filtri antigas / combinati serie "230".

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|-----------|-----------------|--|---------------------------------------|-----------|
| 4340.5127 | 230 EFVS A1-P1 | Filtro combinato EN 141 A1 P1 | PPE/AT 011-95 101/95 | ITALCERT |
| 4340.5104 | 230 A1P2 | Filtro combinato EN 141 A1 P2 | 951024 | BIA |
| 4340.5110 | 230 B1P2 | Filtro combinato EN 141 B1 P2 | 951024 | BIA |
| 4340.5111 | 230 E1P2 | Filtro combinato EN 141 E1 P2 | 951024 | BIA |
| 4340.5112 | 230 K1P2 | Filtro combinato EN 141 K1 P2 | 951024 | BIA |
| 4340.5106 | 230 A2P2 | Filtro combinato EN 141 A2 P2 | 951025 | BIA |
| 4340.5107 | 230 B2P2 | Filtro combinato EN 141 B2 P2 | 951025 | BIA |
| 4340.5108 | 230 E2P2 | Filtro combinato EN 141 E2 P2 | 951025 | BIA |
| 4340.5109 | 230 K2P2 | Filtro combinato EN 141 K2 P2 | 951025 | BIA |
| 4340.5118 | 230 A1P3 | Filtro combinato EN 141 A1 P3 | 941033 | BIA |
| 4340.5119 | 230 B1P3 | Filtro combinato EN 141 B1 P3 | 941033 | BIA |
| 4340.5120 | 230 A2P3 | Filtro combinato EN 141 A2 P3 | 941032 | BIA |
| 4340.5121 | 230 B2P3 | Filtro combinato EN 141 B2 P3 | 941032 | BIA |
| 4340.5125 | 230 A1B1 | Filtro antigas EN 141 A1 B1 | PPE/AT 022-95 241/95 | ITALCERT |
| 4340.5122 | 230 A2B2-P3 | Filtro combinato EN 141 A2 B2 P3 | PPE/AT 074-95 655/95 | ITALCERT |
| 4340.5129 | 230 B1E1K1 | Filtro antigas EN 141 B1 E1 K1 | PPE/AT 219-97 621/97 | ITALCERT |
| 4340.5124 | 230 A2B2E2K1 | Filtro antigas EN 141 A2 B2 E2 K1 | PPE/AT 001-94 Est. 01-02/95 103/95 | ITALCERT |
| 4340.5123 | 230 A2B2E2K1-P3 | Filtro combinato EN 141 A2 B2 E2 K1 P3 | PPE/AT 001-94 Est. 03-02/95 105/95 | ITALCERT |

- Filtri antigas / combinati serie "DIRIN 230", con raccordo filettato conforme alla norma UNI EN 148-1 luglio 2000 [148-1:1999], da utilizzarsi singoli su semimaschere o maschere intere, secondo la tabella seguente.

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|-----------|----------------|-----------------------------|--------------------------------|-----------|
| 4341.0600 | DIRIN 230 A2 | Filtro antigas EN 141 A2 | 941059 | BIA |
| 4341.0601 | DIRIN 230 B2 | Filtro antigas EN 141 B2 | 941059 | BIA |
| 4341.0602 | DIRIN 230 E2 | Filtro antigas EN 141 E2 | 941059 | BIA |
| 4341.0603 | DIRIN 230 K2 | Filtro antigas EN 141 K2 | 941059 | BIA |
| 4341.0619 | DIRIN 230 A2B2 | Filtro antigas EN 141 A2 B2 | PPE/AT 024-95 243/95 | ITALCERT |

Il rilascio e l'utilizzo del presente Attestato di Certificazione CE è subordinato all'osservanza di quanto previsto nei documenti "Condizioni generali per la certificazione di dispositivi di protezione individuale" e "Piano della qualità per dispositivi di protezione individuale"

PPE/AT n° 439-01 Prot. 3278/01 – Pag. 4 di 5

Segue Filtri antigas / combinati serie "DIRIN 230".

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|-----------|-----------------------|--|---------------------------------------|-----------|
| 4341.0620 | DIRIN 230 A2P2 | Filtro combinato EN 141 A2 P2 | 941058 | BIA |
| 4341.0621 | DIRIN 230 B2P2 | Filtro combinato EN 141 B2 P2 | 941058 | BIA |
| 4341.0622 | DIRIN 230 E2P2 | Filtro combinato EN 141 E2 P2 | 941058 | BIA |
| 4341.0623 | DIRIN 230 K2P2 | Filtro combinato EN 141 K2 P2 | 941058 | BIA |
| 4341.0625 | DIRIN 230 A2P3 | Filtro combinato EN 141 A2 P3 | 941034 | BIA |
| 4341.0626 | DIRIN 230 B2P3 | Filtro combinato EN 141 B2 P3 | 941034 | BIA |
| 4341.0628 | DIRIN 230 E2P3 | Filtro combinato EN 141 E2 P3 | PPE/AT 136-96 381/96 | ITALCERT |
| 4341.0629 | DIRIN 230 K2P3 | Filtro combinato EN 141 K2 P3 | PPE/AT 136-96 Est. 01-04/96 382/96 | ITALCERT |
| 4341.0634 | DIRIN 230 Hg-P3 | Filtro combinato EN 141 Hg P3 | PPE/AT 063-95 573/95 | ITALCERT |
| 4341.0627 | DIRIN 230 A2B2P3 | Filtro combinato EN 141 A2 B2 P3 | 941035 | BIA |
| 4341.0630 | DIRIN 230 A2B2P2 | Filtro combinato EN 141 A2 B2 P2 | 931121 | BIA |
| 4341.0631 | DIRIN 230 A2B2E2K1 | Filtro antigas EN 141 A2 B2 E2 K1 | PPE/AT 001-94 366/94 | ITALCERT |
| 4341.0632 | DIRIN 230 A2B2E2K1-P3 | Filtro combinato EN 141 A2 B2 E2 K1 P3 | PPE/AT 001-94 Est. 02-02/95 104/95 | ITALCERT |

- Filtri antigas / combinati serie "DIRIN 300", con raccordo filettato conforme alla norma UNI EN 148-1 luglio 2000 [148-1:1999], da utilizzarsi singoli su semimaschere (*) o maschere intere, secondo la tabella seguente.

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|-----------|--------------------|----------------------------------|--------------------------------|-----------|
| 4341.1530 | DIRIN 300 mkII A2 | Filtro antigas EN 141 A2 | 941044 | BIA |
| 4341.1531 | DIRIN 300 mkII B2 | Filtro antigas EN 141 B2 | 941044 | BIA |
| 4341.1532 | DIRIN 300 mkII E2 | Filtro antigas EN 141 E2 | 941044 | BIA |
| 4341.1533 | DIRIN 300 mkII K2 | Filtro antigas EN 141 K2 | 941044 | BIA |
| 4341.1601 | DIRIN 300 A2P2 | Filtro combinato EN 141 A2 P2 | 931116 | BIA |
| 4341.1602 | DIRIN 300 B2P2 | Filtro combinato EN 141 B2 P2 | 931116 | BIA |
| 4341.1603 | DIRIN 300 E2P2 (*) | Filtro combinato EN 141 E2 P2 | 931116 | BIA |
| 4341.1604 | DIRIN 300 K2P2 | Filtro combinato EN 141 K2 P2 | 931116 | BIA |
| 4341.0111 | DIRIN 300 A2B2-P2 | Filtro combinato EN 141 A2 B2 P2 | PPE/AT 064-95 574/95 | ITALCERT |

(*) I filtri contrassegnati con asterisco (*) possono essere impiegati solo su maschera intera.

Il rilascio e l'utilizzo del presente Attestato di Certificazione CE è subordinato all'osservanza di quanto previsto nei documenti "Condizioni generali per la certificazione di dispositivi di protezione individuale" e "Piano della qualità per dispositivi di protezione individuale"

PPE/AT n° 439-01 Prot. 3278/01 – Pag. 5 di 5


- Filtri antigas / combinati serie "DIRIN 500", con raccordo filettato conforme alla norma UNI EN 148-1 luglio 2000 [148-1:1999], da utilizzarsi singoli su maschere intere, secondo la tabella seguente.

| Codice | Modello | Designazione (EN 141:2000) | Attestato di Certificazione CE | emesso da |
|---------------|---------------------------|--|---------------------------------------|------------------|
| 4341.1701 | DIRIN 500 mkII A2 (*) | Filtro antigas EN 141 A2 | 941045 | BIA |
| 4341.1702 | DIRIN 500 mkII B2 | Filtro antigas EN 141 B2 | 941045 | BIA |
| 4341.1703 | DIRIN 500 mkII E2 | Filtro antigas EN 141 E2 | 941045 | BIA |
| 4341.1704 | DIRIN 500 mkII K2 | Filtro antigas EN 141 K2 | 941045 | BIA |
| 4341.1710 | DIRIN 500 mkII A2P3 (*) | Filtro combinato EN 141 A2 P3 | 931128 | BIA |
| 4341.1711 | DIRIN 500 mkII B2P3 | Filtro combinato EN 141 B2 P3 | 931128 | BIA |
| 4341.1712 | DIRIN 500 mkII E2P3 | Filtro combinato EN 141 E2 P3 | 931128 | BIA |
| 4341.1713 | DIRIN 500 mkII K2P3 | Filtro combinato EN 141 K2 P3 | 931128 | BIA |
| 4341.1716 | DIRIN 500 NO-P3 | Filtro combinato EN 141 NO P3 | PPE/AT 122-96 256/96 | ITALCERT |
| 4341.1888 | DIRIN 500 AX-B2 | Filtro antigas EN 141 B2 (**) | PPE/AT 205-97 371/97 | ITALCERT |
| 4341.1731 | DIRIN 500 B2-Hg-P3 | Filtro combinato EN 141 B2 Hg P3 | PPE/AT 055-95 541/95 | ITALCERT |
| 4341.1887 | DIRIN 500 mkII A2B2E2K2P3 | Filtro combinato EN 141 A2 B2 E2 K2 P3 | 931127 | BIA |

(*) I filtri contrassegnati con asterisco (*) possono essere impiegati anche su semimaschera.

(**) Ai fini di questo Attestato di Certificazione CE si riporta unicamente la designazione secondo la norma di riferimento.

Il rilascio e l'utilizzo del presente Attestato di Certificazione CE è subordinato all'osservanza di quanto previsto nei documenti "Condizioni generali per la certificazione di dispositivi di protezione individuale" e "Piano della qualità per dispositivi di protezione individuale"





V.le Sarca 336 - I 20126 Milano
Tel./Fax +39 0266104876 (4 linee r.a.) - E-mail: italcert@italcert.it

EC TYPE EXAMINATION CERTIFICATE
PPE/AT n° 439-01/E Prot. 3278/01
(in accordance with Art. 10 of Directive 89/686/EEC)

1 - MANUFACTURER / APPLICANT

Name or trade mark

DPI S.r.l.

Legal address

Via di Cervara, 42 - 00155 - Roma (Rm)

2 - CHARACTERISTICS OF PPE

- Respiratory protection equipment - gas and combined filters series 200, 230, DIRIN 230, DIRIN 300, DIRIN 500, as listed in the tables in pages 2 to 5, the EC type examination Certificate of which being listed in the same tables.

3 - MODIFICATIONS

- The marking and the informations supplied by the Manufacturer have been modified in compliance to the requirements in EN 141 - february 2000 standard.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer and the annexed Test report n° PPE/RP 588-01, which details the result of the additional tests carried out in accordance with EN 141 - february 2000 standard, the above modifications don't affect the basic health and safety requirements as specified by the Directive 89/686/EEC, Art. 3 and Annex II and subsequent modifications (Directives 93/95/EEC, 93/68/EEC and 96/58/EC).

Particular information: it is excluded from this EC Type Examination Certificate the verification of the performances of the combined filters after the optional clogging test (Ref. point 7.14 EN 141 - february 2000) as non-requested and non-included in the technical documentation in point 4.

NOTE:

- The "User Information" was approved only in the italian version and as far as the PPE under test were concerned.
- The present EC Type Examination Certificate completes the EC Type Examination Certificates as far as the PPE in point 2 are concerned.

5 - ANNEXES

Test Report

Drawings about modifications

User's manual

pages 1 + 7

pages 8 + 21

pages 22 + 25

Milan, 2001-10-30

ITALCERT

Ing. Franco Gattafoni
Direttore

*The issuing and use of the present Certificate is subordinated to the observance of the documents
"General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*



tribunale di Milano n. 323728/8057/28
reg. soc. c.c.i.a. Milano n. 1387323
cod. fisc./p.iva 10598330156



L'uso del marchio di accreditamento
indica l'accreditamento del sistema/schema
coperto dal certificato N. 023A

PPE/AT n° 439-01/E Prot. 3278/01 – Page 2 of 5

- Gas / combined filters series "200", with special threaded connection, to be used twin with half masks model Polimask 100/2 and Polimask 2000 β eta, or with full face mask model C 607 Twin, manufactured by DPI S.r.l., as in the following table.

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|-----------------|---------------------------------------|--|-----------|
| 4340.1001 | 200 A1 | Gas filter EN 141 A1 | 931067 | BIA |
| 4340.1002 | 200 B1 | Gas filter EN 141 B1 | 931067 | BIA |
| 4340.1003 | 200 E1 | Gas filter EN 141 E1 | 931067 | BIA |
| 4340.1004 | 200 K1 | Gas filter EN 141 K1 | 931067 | BIA |
| 4340.1012 | 200 A1-P3 | Combined filter EN 141 A1 P3 | 941065 | BIA |
| 4340.1013 | 200 B1-P3 | Combined filter EN 141 B1 P3 | 941065 | BIA |
| 4340.1014 | 200 E1-P3 | Combined filter EN 141 E1 P3 | 941065 | BIA |
| 4340.1015 | 200 K1-P3 | Combined filter EN 141 K1 P3 | 941065 | BIA |
| 4340.3215 | 200 EFVS A1-P1 | Combined filter EN 141 A1 P1 | PPE/AT 012-95 102/95 | ITALCERT |
| 4340.3216 | 200 A1B1 | Combined filter EN 141 A1 B1 | PPE/AT 023-95 242/95 | ITALCERT |
| 4340.1021 | 200 A1B1E1K1 | Gas filter EN 141 A1 B1 E1 K1 | PPE/AT 416-01 1061/01 | ITALCERT |
| 4340.1020 | 200 A1B1E1K1-P3 | Combined filter EN 141 A1 B1 E1 K1 P3 | PPE/AT 416-01 Est. 01-04/01 1061/01 | ITALCERT |

- Gas / combined filters series "230", with special threaded connection, to be used singles with half masks model Polimask 230 and Polimask 2000 γ amma, manufactured by DPI S.r.l., as in the following table. The filters can be used single also with full face masks and half masks (in particular half masks model Polimask 330 and Polimask 2000 α lfa, manufactured by DPI S.r.l.), using an adaptor code 4338.3220 the EC Type Examination Certificate of which being PPE/AT n° 282-98/E Prot. 1822/01 issued by ITALCERT.

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|--------|---------------------------|---------------------------------|-----------|
| 4340.5100 | 230 A1 | Gas filter EN 141 A1 | 951023 | BIA |
| 4340.5101 | 230 B1 | Gas filter EN 141 B1 | 951023 | BIA |
| 4340.5102 | 230 E1 | Gas filter EN 141 E1 | 951023 | BIA |
| 4340.5103 | 230 K1 | Gas filter EN 141 K1 | 951023 | BIA |
| 4340.5105 | 230 A2 | Gas filter EN 141 A2 | 951022 | BIA |
| 4340.5113 | 230 B2 | Gas filter EN 141 B2 | 951022 | BIA |
| 4340.5114 | 230 E2 | Gas filter EN 141 E2 | 951022 | BIA |
| 4340.5115 | 230 K2 | Gas filter EN 141 K2 | 951022 | BIA |

*The issuing and use of the present Certificate is subordinated to the observance of the documents
"General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

Follows gas / combined filters series "230".

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|-----------------|---------------------------------------|---------------------------------------|-----------|
| 4340.5127 | 230 EFVS A1-P1 | Combined filter EN 141 A1 P1 | PPE/AT 011-95 101/95 | ITALCERT |
| 4340.5104 | 230 A1P2 | Combined filter EN 141 A1 P2 | 951024 | BIA |
| 4340.5110 | 230 B1P2 | Combined filter EN 141 B1 P2 | 951024 | BIA |
| 4340.5111 | 230 E1P2 | Combined filter EN 141 E1 P2 | 951024 | BIA |
| 4340.5112 | 230 K1P2 | Combined filter EN 141 K1 P2 | 951024 | BIA |
| 4340.5106 | 230 A2P2 | Combined filter EN 141 A2 P2 | 951025 | BIA |
| 4340.5107 | 230 B2P2 | Combined filter EN 141 B2 P2 | 951025 | BIA |
| 4340.5108 | 230 E2P2 | Combined filter EN 141 E2 P2 | 951025 | BIA |
| 4340.5109 | 230 K2P2 | Combined filter EN 141 K2 P2 | 951025 | BIA |
| 4340.5118 | 230 A1P3 | Combined filter EN 141 A1 P3 | 941033 | BIA |
| 4340.5119 | 230 B1P3 | Combined filter EN 141 B1 P3 | 941033 | BIA |
| 4340.5120 | 230 A2P3 | Combined filter EN 141 A2 P3 | 941032 | BIA |
| 4340.5121 | 230 B2P3 | Combined filter EN 141 B2 P3 | 941032 | BIA |
| 4340.5125 | 230 A1B1 | Gas filter EN 141 A1 B1 | PPE/AT 022-95 241/95 | ITALCERT |
| 4340.5122 | 230 A2B2-P3 | Combined filter EN 141 A2 B2 P3 | PPE/AT 074-95 655/95 | ITALCERT |
| 4340.5129 | 230 B1E1K1 | Gas filter EN 141 B1 E1 K1 | PPE/AT 219-97 621/97 | ITALCERT |
| 4340.5124 | 230 A2B2E2K1 | Gas filter EN 141 A2 B2 E2 K1 | PPE/AT 001-94 Est. 01-02/95 103/95 | ITALCERT |
| 4340.5123 | 230 A2B2E2K1-P3 | Combined filter EN 141 A2 B2 E2 K1 P3 | PPE/AT 001-94 Est. 03-02/95 105/95 | ITALCERT |

- Gas / combined filters series "DIRIN 230", with standardized threaded connection in compliance with EN 148-1 february 1999 standard, to be used single with half masks or full face masks, as in the following table.

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|----------------|---------------------------|---------------------------------|-----------|
| 4341.0600 | DIRIN 230 A2 | Gas filter EN 141 A2 | 941059 | BIA |
| 4341.0601 | DIRIN 230 B2 | Gas filter EN 141 B2 | 941059 | BIA |
| 4341.0602 | DIRIN 230 E2 | Gas filter EN 141 E2 | 941059 | BIA |
| 4341.0603 | DIRIN 230 K2 | Gas filter EN 141 K2 | 941059 | BIA |
| 4341.0619 | DIRIN 230 A2B2 | Gas filter EN 141 A2 B2 | PPE/AT 024-95 243/95 | ITALCERT |

*The issuing and use of the present Certificate is subordinated to the observance of the documents
"General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

PPE/AT n° 439-01/E Prot. 3278/01 – Page 4 of 5

Follows gas / combined filters series "DIRIN 230".

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|-----------------------|---------------------------------------|---------------------------------------|-----------|
| 4341.0620 | DIRIN 230 A2P2 | Combined filter EN 141 A2 P2 | 941058 | BIA |
| 4341.0621 | DIRIN 230 B2P2 | Combined filter EN 141 B2 P2 | 941058 | BIA |
| 4341.0622 | DIRIN 230 E2P2 | Combined filter EN 141 E2 P2 | 941058 | BIA |
| 4341.0623 | DIRIN 230 K2P2 | Combined filter EN 141 K2 P2 | 941058 | BIA |
| 4341.0625 | DIRIN 230 A2P3 | Combined filter EN 141 A2 P3 | 941034 | BIA |
| 4341.0626 | DIRIN 230 B2P3 | Combined filter EN 141 B2 P3 | 941034 | BIA |
| 4341.0628 | DIRIN 230 E2P3 | Combined filter EN 141 E2 P3 | PPE/AT 136-96 381/96 | ITALCERT |
| 4341.0629 | DIRIN 230 K2P3 | Combined filter EN 141 K2 P3 | PPE/AT 136-96 Est. 01-04/96 382/96 | ITALCERT |
| 4341.0634 | DIRIN 230 Hg-P3 | Combined filter EN 141 Hg P3 | PPE/AT 063-95 573/95 | ITALCERT |
| 4341.0627 | DIRIN 230 A2B2P3 | Combined filter EN 141 A2 B2 P3 | 941035 | BIA |
| 4341.0630 | DIRIN 230 A2B2P2 | Combined filter EN 141 A2 B2 P2 | 931121 | BIA |
| 4341.0631 | DIRIN 230 A2B2E2K1 | Gas filter EN 141 A2 B2 E2 K1 | PPE/AT 001-94 366/94 | ITALCERT |
| 4341.0632 | DIRIN 230 A2B2E2K1-P3 | Combined filter EN 141 A2 B2 E2 K1 P3 | PPE/AT 001-94 Est. 02-02/95 104/95 | ITALCERT |

- Gas / combined filters series "DIRIN 300", with standardized threaded connection in compliance with EN 148-1 february 1999 standard, to be used single with half masks (*) or full face masks, as in the following table.

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|--------------------|---------------------------------|---------------------------------|-----------|
| 4341.1530 | DIRIN 300 mkII A2 | Gas filter EN 141 A2 | 941044 | BIA |
| 4341.1531 | DIRIN 300 mkII B2 | Gas filter EN 141 B2 | 941044 | BIA |
| 4341.1532 | DIRIN 300 mkII E2 | Gas filter EN 141 E2 | 941044 | BIA |
| 4341.1533 | DIRIN 300 mkII K2 | Gas filter EN 141 K2 | 941044 | BIA |
| 4341.1601 | DIRIN 300 A2P2 | Combined filter EN 141 A2 P2 | 931116 | BIA |
| 4341.1602 | DIRIN 300 B2P2 | Combined filter EN 141 B2 P2 | 931116 | BIA |
| 4341.1603 | DIRIN 300 E2P2 (*) | Combined filter EN 141 E2 P2 | 931116 | BIA |
| 4341.1604 | DIRIN 300 K2P2 | Combined filter EN 141 K2 P2 | 931116 | BIA |
| 4341.0111 | DIRIN 300 A2B2-P2 | Combined filter EN 141 A2 B2 P2 | PPE/AT 064-95 574/95 | ITALCERT |

(*) The filters marked with and asterisk (*) can be used only with a full face mask.

*The issuing and use of the present Certificate is subordinated to the observance of the documents
"General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

- Gas / combined filters series "DIRIN 500", with standardized threaded connection in compliance with EN 148-1 february 1999 standard, to be used single with full face masks (*), as in the following table.

| Code | Model | Designation (EN 141:2000) | EC Type Examination Certificate | issued by |
|-----------|---------------------------|---------------------------------------|---------------------------------|-----------|
| 4341.1701 | DIRIN 500 mkII A2 (*) | Gas filter EN 141 A2 | 941045 | BIA |
| 4341.1702 | DIRIN 500 mkII B2 | Gas filter EN 141 B2 | 941045 | BIA |
| 4341.1703 | DIRIN 500 mkII E2 | Gas filter EN 141 E2 | 941045 | BIA |
| 4341.1704 | DIRIN 500 mkII K2 | Gas filter EN 141 K2 | 941045 | BIA |
| 4341.1710 | DIRIN 500 mkII A2P3 (*) | Combined filter EN 141 A2 P3 | 931128 | BIA |
| 4341.1711 | DIRIN 500 mkII B2P3 | Combined filter EN 141 B2 P3 | 931128 | BIA |
| 4341.1712 | DIRIN 500 mkII E2P3 | Combined filter EN 141 E2 P3 | 931128 | BIA |
| 4341.1713 | DIRIN 500 mkII K2P3 | Combined filter EN 141 K2 P3 | 931128 | BIA |
| 4341.1716 | DIRIN 500 NO-P3 | Combined filter EN 141 NO P3 | PPE/AT 122-96 256/96 | ITALCERT |
| 4341.1888 | DIRIN 500 AX-B2 | Gas filter EN 141 B2 (**) | PPE/AT 205-97 371/97 | ITALCERT |
| 4341.1731 | DIRIN 500 B2-Hg-P3 | Combined filter EN 141 B2 Hg P3 | PPE/AT 055-95 541/95 | ITALCERT |
| 4341.1887 | DIRIN 500 mkII A2B2E2K2P3 | Combined filter EN 141 A2 B2 E2 K2 P3 | 931127 | BIA |

(*) The filters marked with and asterisk (*) can be used also with a half mask.

(**) For the purpose of this EC Type Examination Certificate it is indicated only the designation in compliance with the reference standard.

*The issuing and use of the present Certificate is subordinated to the observance of the documents
"General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

