



Scandia[®]

ROTTERDAM SINGAPORE HOUSTON DUBAI

www.scandiagear.com



CONTENT

Workwear	12	Personal protection	88
Coveralls	16	Eyewear	92
Jackets	25	Head / Face protection	99
Trousers	31	Ear protection	113
Work shirts	38	Respiratory protection	118
Uniform wear	42	Fall protection	124
Galley Wear	46	Fall protection	126
Thermal	49	Body protection	136
Distinction	50	Miscellaneous	141
Off-duty	54	Bags & storage	142
Jackets	58	Footwear	148
Sweaters & Fleece	59	Low shoes	152
Shirts	61	High shoes	156
Polo shirts	64	Boots	157
Gloves	66	Accessories	160
All-round	70	Lifesaving	164
Liquid-tight	73	Immersion suits	168
Cold-resistant	75	Maintenance	170
Chemical-resistant	78	Storage	172
Cut-resistant	80	Safety kits	174
Heat-resistant	82	Introduction	5
Impact-resistant	84	Norms & standards	182
Anti-vibration	85	Sizes & measurement	190
Electrical-resistant	86	Index	197
Accessories	87	Contact	198



For five decades, our unwavering dedication to protecting those who brave the high seas has driven us to become experts in the design, production, and delivery of safety apparel and PPE to the maritime, offshore, and cruise industries. As a family business, we are passionately invested in the safety and wellbeing of our long-standing clients and committed to outfitting and equipping their crews with the very best safety gear.

Our extensive range of essential safety products encompasses everything from coveralls, footwear, and gloves, to galley wear, personal protective equipment, off-duty leisure wear, and more – all designed with strength, style, durability, and compliance with applicable norms and standards in mind. We take pride in offering competitive pricing, rapid worldwide delivery from stock, and excellent after-sales service, so that you can have complete confidence in the quality of our products.

At Scandia Gear, we understand that the safety of the environment is just as important as the safety of our customers. That's why we're committed to promoting a socially responsible supply chain, and doing our part to protect the ecosystems that surround us. When it comes to safety, we believe that there can be no compromises – and we're proud to uphold that principle with every product we produce.

Wherever you are at sea, from Rotterdam to Singapore, Houston to Dubai, you can count on Scandia Gear to provide you with the safety gear you need to get the job done right. We are more than just maritime outfitters – we are a symbol of safety and protection, proudly serving the maritime industry since 1974.

We are Scandia Gear.

Find out about our newest products:
www.scandiagear.com









SCANRALLY REFLECT WOMEN
Women's Boiler Suit, page 18



SCANRALLY REFLECT
Boiler Suit, page 17

SCANNERO
S3 Leather Safety Shoe, page 152





SCANVEDETTE PRO
Softshell Jacket, page 26

SCANTEE
T-shirt, page 61



SCANRIX FR/AS 001
Padded Rain Parka, page 28

SCANRIX FR/AS 002
Padded Rain Trousers, page 33

SCANBDRY
Body Dry Thermal Wear, page 49

SCANRAIDER
S3 Summer Rigger Boot, page 157



Product code: 1010.50

ScanEssence Reflect **Boiler Suit — UV protection**



FEATURES

Reflective striping 25 mm (1.0 in): shoulders, arms and legs
Storage: flashlight
Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)
Adjustable at: waist and wrists
Velcro strip for rank or name badge
Two-way YKK zipper closure
100% fine cotton twill with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Khaki
Orange
Red
Royal Aqua
Eco Green
Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1010.57

ScanBaseball Reflect **Boiler Suit — UV protection**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Knitted cuffs for extra comfort
Storage: mobile phone/walkie-talkie, flashlight, and pen
Pockets: chest (x 1 zipped), sleeve, side (x 2, open access), and seat (x 2)
Two radio/gas loops
Adjustable at: waist
Recycled polyester Velcro strips for rank and name badges
Recycled polyester Coats premium sewing thread
Recycled polyester YKK two-way zipper closure
50% recycled cotton, 50% responsible cotton with UV protection

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

White

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Product code: 1005.01

ScanRally **Boiler Suit — UV protection**



FEATURES

Storage: mobile phone/walkie-talkie, flashlight, and pen
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2) Please note: only the yellow ScanRally includes ID-loops on right chest pocket
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Two-way YKK zipper closure
100% fine cotton twill with UV protection
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Yellow
Orange
Royal Aqua
Navy
Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves

Product code: 1010.01

ScanRally Reflect **Boiler Suit — UV protection**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders, legs, and back
3M reflective striping 25 mm (1.0 in): arms
Equipped for use with kneepads
Storage: mobile phone/walkie-talkie, flashlight, and pen
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2) Please note: only the white ScanRally Reflect includes ID-loops on right chest pocket
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Two-way YKK zipper closure
100% fine cotton twill with UV protection
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

SIZES

XS – S – M – L – XL – 2XL – 3XL
G/L (Grand/Large upon request)

COLOURS

White
Khaki
Orange
Red
Sky Blue
Royal Aqua
Navy
Eco Green
Bottle Green
Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2023, Class R (high visibility)
AS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves

Product code: 1011.01

ScanRally Reflect Women **Women's Boiler Suit — UV protection**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders, legs, and back
3M reflective striping 25 mm (1.0 in): arms
Equipped for use with kneepads
Storage: mobile phone/walkie-talkie, flashlight, and pen
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Two-way YKK zipper closure
100% fine cotton twill with UV protection
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2023, Class R (high visibility)
AS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves

Also available in other colours, upon request

Product code: 1012.01

ScanTropic Reflect **Boiler Suit — Heat-regulating**



FEATURES

Designed for hot climates and engine rooms
Mesh Moisture Management at back pleats
3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Storage: flashlight and pen
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Two-way YKK zipper closure
Lightweight 100% fine cotton with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Red
Navy
Bottle Green
Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves

Product code: 1010.55

ScanAlliance **Boiler Suit — UV protection**



FEATURES

Fluo reflective striping 50 mm (2.0 in): shoulders, arms, waist and legs
Storage: flashlight
Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)
Adjustable at waist and wrists
Two-way YKK zipper closure
100% fine cotton twill with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

ScanAlliance will be discontinued once our existing inventory is sold

Product code: 1035.42

ScanAlliance FR **Offshore Boiler Suit — Multi-Hazard**



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms, legs, waist and back
Equipped for use with kneepads
Storage: mobile phone/walkie-talkie, flashlight and pen
Pockets: chest, sleeve, side (x 2, open access), seat (x 2) and inner
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Two-way Aramid zipper closure
99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua
Navy

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)
Bodyburn rate 7%
NFPA 70E – ASTM F1959 (arc flash)
HRC 2 / ATPV 9.4 cal/cm2
ASTMF1506
ANSI 107:2015 (high visibility)

AS/NZS 1906.4:2010, Class R+F (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 A2 (welding)
EN ISO 11612:2015, A1 A2 B1 C1 E2 F1 (flame resistant)
EN 1149-5:2018 (anti-static)
EN 13034:2005+A1:2009, Type 6 (chemical protection)
IEC 61482-2:2009, Class 1 (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)

Product code: 1035.12

ScanPyro AS ZP Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Storage: flashlight (x 2)
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), cargo, seat (x 2), and inner
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure
99% mercerized cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Red

NORMS

CE Certified
EEN ISO 13688:2013+A1:2021 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 61482-2:2020, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)
AS/NZS 1906.4:2010, Class R (high visibility)

Product code: 1035.40

ScanGlobal Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant fluo reflective perforated striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Storage: mobile phone/walkie-talkie, flashlight, and pen
Pockets: chest, sleeve, side (x2, open access), seat (x 2) and inner
Two radio/gas loops
Adjustable at: wrists, legs, and waist
Velcro strips for rank and name badges
Two-way Aramid zipper closure
Chemical, oil, and stain-resistant
99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange
Navy

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)
Bodyburn rate 7%
NFPA 70E – ASTM F1959 (arc flash)
HRC 2 / ATPV 9.4 cal/cm2
ASTMF1506

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 A2 (welding)
EN ISO 11612:2015, A1 A2 B1 C1 E1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13034:2005+A1:2009, Type 6 (chemical protection)
IEC 61482-2:2009, Class 1 (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)

Limited availability. Superseded by ScanAlliance FR

Product code: 1035.48

ScanRadix Inherent FR Boiler Suit — Multi-Hazard, Inherent FR



FEATURES

Superior wicking properties and soft handfeel
Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms, legs and back
Pockets: chest (x1 Napoleon, concealed, zipped, x1 covered), sleeve, side (x2, open access) and seat (x1)
Adjustable at: wrists, legs, and waist
FR Velcro strips for rank and name badges
Two-way Aramid zipper closure
Stitching yarn: FR Aramid thread
50% Modacrylic, 32% cotton, 9% polyamide, 8% polyarylate, 1% anti-static
7.6 oz/yd (215 gsm)

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)
Bodyburn rate 3,5%
NFPA 70E – ASTM F1959 (arc flash)
HRC 2 / ATPV 9.9 cal/cm2
ASTM F1506

AS/NZS 1906.4:2010, Class R & Class NF (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 A2 B1 C1 F1 (flame resistant)
EN 1149-5:2018 (anti-static)
EN 61482-2:2020 (electric arc), APC 1
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

Please note this article is only available upon request

Product code: 1035.16

ScanPyro Tropic AS ZP Offshore Boiler Suit — Heat-regulating



FEATURES

Designed for hot climates and engine rooms
Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Mesh Moisture Management at back pleats
Storage: flashlight (x 2)
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), seat (x 2), and inner
Two radio/gas loops
Adjustable at wrists, waist and legs
Velcro strips for rank and name badges
Two-way YKK zipper closure
99% cotton with UV protection, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White
Orange
Red
Royal Aqua
Navy
Bottle Green

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high-visibility)
AS/NZS 4399:2020 UPF rating 50+ (UV protection)

Product code: 1035.17

ScanPyro Tropic AS ZP Women Offshore Boiler Suit — Heat-regulating



FEATURES

Designed for hot climates and engine rooms
Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back
Equipped for use with kneepads
Mesh Moisture Management at back pleats
Storage: flashlight (x 2)
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), seat (x 2), and inner
Two radio/gas loops
Adjustable at wrists, waist and legs
Velcro strips for rank and name badges
Two-way YKK zipper closure
99% cotton with UV protection, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

White
Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high-visibility)
AS/NZS 4399:2020 UPF rating 50+ (UV protection)

Product code: 1036.07



ScanPyro Anchor Pro 003 Winter Offshore Boiler Suit — Multi-Hazard

FEATURES

Thermal insulation to -20°C (-4°F)
Lined and padded body, sleeves, and legs
Ultra soft down feel padding for optimal comfort
Flame-resistant reflective striping 50 mm (2.0 in): waist, shoulders, arms, legs, and back
Equipped for use with kneepads
Flame-resistant knitted cuffs for extra protection against wind
Storage: flashlight and pen
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner
Two radio/gas loops
Adjustable at: wrists
Velcro strips for rank and name badges
Two-way YKK zipper closure
Shell: 99% cotton, 1% carbon fiber
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber
Lining: 55% modacrylic, 45% cotton
Padding: 100% modacrylic

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1035.30

ScanPyro Anchor Pro Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
Equipped for use with kneepads
Storage: flashlight and pen
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner
Two radio/gas loops
Adjustable at: wrists, waist and legs
Velcro strips for rank and name badges
Two-way YKK zipper closure
Shell: 99% cotton, 1% carbon fiber
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1036.44



ScanTriple HV 003 Thermal Offshore Boiler Suit — Multi-Risk

FEATURES

Thermal insulation to -39°C (-38,2°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
Flame-resistant / anti-static fleece lining
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs and back
Equipped for use with kneepads
Flame-resistant knitted cuffs for extra protection against wind
Storage: mobile phone / walkie talkie and flashlight
Pockets: chest (x 1), side (x 2, slanted and covered), cargo (x 2), seat (x 2 covered), hammer (x 1) and inner (x 3)
Two radio/gas loops
Detachable hood, compatible with safety helmet
Velcro strips for rank and name badges
Two-way YKK zipper closure on front
Adjustable at: wrist, waist and legs
Side seam zippers
5000mm water column
5000mvp breathable
Shell: 98% polyester, 2% carbon fiber
Knitted lining: 60% modacrylic, 40% cotton
Fleece lining: 60% modacrylic, 40% cotton
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red
High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
EN 343:2019, Class 3-1-X (foul weather)
EN 1149-5:2018 (anti-static)
STANDARD 100 by OEKO-TEX® Class II

ScanTriple HV 003 colour combination High-Viz Yellow & Red will be discontinued once our existing inventory is sold

Product code: 1030.04



ScanArctic Waterproof Winter Boiler Suit — High-Viz

FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
3M reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back
Equipped for use with kneepads
Knitted cuffs for extra protection against wind
Storage: flashlight
Pockets: chest (x 2), side (x 2, slanted and covered), sleeve (x 1), seat (x 2 covered), hammer pocket (x 1) and inner (x 2)
Radio / gas loop
Hood compatible with safety helmet
Velcro strips for rank and name badges
Two-way YKK zipper closure on front
Ankle to knee YKK zippers
Shell: 100% polyester Oxford / PU-coated (breathable)
Lining body: 100% polyester teddy
Lining sleeves, legs and pocketing: 100% recycled polyester
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy
High-Viz Orange & Grey

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN 342:2017, Icler 0.413 (B) 3 W (cold weather)
EN 343:2019, Class 4-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)

Product code: 1018.01



ScanCambrian High-pressure Boiler Suit

FEATURES

Protects against hydraulic fluid and the hazards of high-pressure cleaning
Water- and dirt-repellent shell
Adjustable ventilation under arms
Storage (waterproof): walkie-talkie, flashlight
Pockets: left leg (zipped), chest (zipped), sleeve (ID card) and leg (x 1)
Waterproof cuffs, adjustable with Velcro
Light weight shell fabric with Dynema® fiber
Reinforced knees
Adjustable hood with room for hearing protection
Striped fabric clearly identifies protected areas

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Grey

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)

We recommend wearing this in combination with our ScanCalverley high-pressure waterproof protective boots (see section Footwear - Boots)

Special item: please allow up to 14 working days for delivery

Product code: 1035.05



ScanPyro AS 001 Offshore Jacket — Multi-Hazard

FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, and back
Pockets: chest (x 2, slanted, concealed, zipped), and sleeve
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
YKK zipper closure on front
99% cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 61482-2:2020, APC=1 ATPV=6,1 cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Type R (high-visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Designed to be worn in combination with ScanPyro AS 002

Product code: 1035.32



ScanPyro Anchor Pro 001 Offshore Jacket — Multi-Hazard, High-Viz

FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back
Pockets: chest (x 2) and sleeve
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure on front
Shell: 99% mercerized cotton, 1% carbon fiber
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanPyro Anchor Pro 001 Jacket in combination with ScanPyro Anchor Pro 002 Trousers together conforms to class 3 protection
EN 1149-5:2018 (anti-static)
IEC61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV Protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

Designed to be worn in combination with ScanPyro Anchor Pro 002

Product code: 1035.14

ScanVedette Pro Softshell Jacket — Multi-Hazard, High-Viz

FEATURES

Durable water repellent (DWR)/ PFC free
Inner fleece with anti-static finish
Zipped pockets: chest (x1 Napoleon), waist (x2)
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, sleeves, shoulders
Two radio/gas loops
Adjustable at: wrists
Flame-resistant zipper closure on front
10.000mm water column
5000mvp breathable
Shell fabric: 100% Polyester / PU-membrane, 350 gsm
Backing fabric: 60% Modacrylic, 38% Co, 2% Carbon, fleece 200 gsm

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C2 F2 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
EN 1149-5:2018 (anti-static)
EN 61482-2:2020, APC=1 ATPV=16 cal/cm²
ELIM=16 cal/cm² (electric arc)
EN ISO 13034: 2005+A1:2009, Type 6 PB (chemical protection)
OEKO-TEX® Standard 100 Class II

ANSI 107:2020, Type R Class 2 (high-visibility)

Product code: 1057.03

ScanConverter HV Waterproof multi season 3-in-1 jacket — High-Viz

FEATURES

Waterproof breathable polyester (PFC free) outer jacket with removable fleece jacket
Fleece jacket with anti-pilling and anti-static finish
Pockets outerjacket: chest (x 1), waist (x 2), inner (x 1)
Pockets fleece jacket: waist (x 2)
3M reflective striping 50 mm (2.0 in): 2 stripes at front and back, 2 stripes on the sleeve
Radio/gas loop
Detachable hood, compatible with safety helmet
Key hanger
Velcro strips for rank and name badges
Adjustable at: sleeves and bottom
YKK zipper closure on front
Waterproof zipper pockets on outer jacket
Taped seams
5000mm water column
5000mvp breathable
Shell fabric: 100% Polyester / PU-coated
Fleece fabric: 100% Polyester polar fleece (anti-pilling + antistatic finish)

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019, Class 3-1-X (foul weather)
EN 14058:2017 (23XWP) (cold weather)
EN ISO 20471:2013+EN ISO 20471:2013/A1:2016, Class 2 (high-visibility)

ANSI 107:2015 Type R, Class 2, non-FR (high-visibility)

Product code: 1030.01

ScanPolar HV 001 Waterproof Winter Jacket — High-Viz

FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/air velocity 0.4 m/s)
Pockets: chest (x 2), waist (x 2), inner (x 2)
Radio/gas loop
Hood compatible with safety helmet
3M reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back
Knitted cuffs for extra protection against wind
Velcro strips for rank and name badges
Adjustable at: wrists and waist
Two-way YKK zipper closure on front
Windstopper
Shell: 100% polyester Oxford / PU-coated (breathable)
Lining body: 100% polyester teddy
Lining sleeves and pocketing: 100% recycled polyester
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy
High-Viz Orange & Grey

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN 342:2017, Icler 0.454 (B)-3-W (cold weather)
EN 343:2019, Class 4-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanPolar HV 001 Jacket in combination with ScanPolar HV 002 Trousers together conforms to class 3 protection

Designed to be worn in combination with ScanPolar HV 002

Product code: 1036.40

ScanTriple HV 001 Thermal Offshore Jacket — Multi-Risk

FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/air velocity 0.4 m/s)
Flame-resistant / anti-static fleece lining
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back
Flame-resistant knitted cuffs for extra protection against wind
Detachable hood, compatible with safety helmet
Storage: mobile phone / walkie-talkie
Pockets: chest (x 1), waist (x 2), inner (x 3)
Two radio/gas loops
Adjustable at: wrists and waist
Velcro strips for rank and name badges
Two-way YKK zipper closure on front
5000mm water column
5000mvp breathable
Shell: 98% polyester, 2% carbon fiber
Knitted lining: 60% modacrylic, 40% cotton
Fleece lining: 60% modacrylic, 40% cotton
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red
High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 14116:2015 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanTriple HV 001 Jacket in combination with ScanTriple HV 002 Trousers together conforms to class 3 protection
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
EN 343:2019, Class 3-1-X (foul weather)
EN 1149-5:2018 (anti-static)
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanTriple HV 002

ScanTriple HV 001 colour combination High-Viz Yellow & Red will be discontinued once our existing inventory is sold

Product code: 1037.20

ScanRix FR/AS 001 Padded Rain Parka — Multi-Risk



FEATURES

Flexible and strong shell fabric
Flame-resistant reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back
Flame-resistant knitted cuffs for extra protection against wind
Reflective striping 15 mm (0.6 in): collar
Tuck-in hood compatible with safety helmet
Adjustable at: waist
Pockets: waist (x 2, concealed), inner (x 1)
Two-way zipper closure on front
3000mm water column
Shell: 50% anti-static polyester, 50% flame-resistant PU
Lining: 100% flame-resistant cotton
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019, Class 3-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanRix FR/AS 001 Parka in combination with ScanRix FR/AS 002 Trousers together conforms to class 3 protection
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)
EN 1149-5:2018 (anti-static)

Designed to be worn in combination with ScanRix FR/AS 002

Product code: 1037.08

ScanRain Reflect FR/AS 001 Rain Jacket — Multi-Risk



FEATURES

Flexible and strong shell fabric
Flame-resistant reflective striping 50 mm (2.0 in): hood, chest, shoulders, arms, and back
Hood compatible with safety helmet
Adjustable at: wrists
Pockets: waist (x 2, covered)
Flame-resistant YKK zipper closure
3000mm water column
50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red
High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019, Class 3-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
Wearing ScanRain FR/AS 001 Jacket in combination with ScanRain FR/AS 003 Bib & Brace together conforms to class 3 protection
EN ISO 14116:2015, Index 1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13034:2005 +A1:2009 - type 6 in combination with Trousers
ScanRain Reflect FR AS 003 (liquid chemicals)

Designed to be worn in combination with ScanRain Reflect FR/AS 003

Product code: 1045.20

ScanRain HDR 001 Rain Jacket — Heavy Duty Performance



FEATURES

Hot frequency welded seams for heavy duty performance: waterproof, windproof, foul weather protection
Durable and flexible PVC/PU
Fuel and oil resistant according to EN 343
Tuck-in hood compatible with safety helmet
Raglan sleeves
Adjustable at: wrists
Pockets: waist (x2, covered)
15 mm (0.6 in) reflective striping: collar, waist, and cuffs
YKK zipper closure
3000mm water column
50% PVC, 30% recycled polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019 Class 4-1 (foul weather)

Designed to be worn in combination with ScanRain HDR 003

Product code: 1045.10

ScanShower Rain Suit — Lightweight with Reflective Striping



FEATURES

Jacket:
– Tuck-in hood compatible with safety helmet
– Mesh ventilation at back
– Reflective striping 50 mm (2.0 in): chest and arms
– Pockets: waist (x 2, covered)
– Elasticised wind cuffs at wrists

Trousers:

– Reflective striping: legs
– Elasticised waist
– Pockets: side (x 2, open access)
– Adjustable at legs

3000mm water column
65% recycled polyester, 35% PVC
Sales quantity: 12 sets per size

SIZES

S/M – L/XL – 2XL/3XL

COLOURS

Fluo Orange

NORMS

–

Product code: 1059.01

ScanFleece High Viz Triple Layer Jacket



FEATURES

Breathable and insulated
Elasticized cording prevents garment from shifting
Stitched reflective striping
Pockets: chest (covered)
Windproof and water repellent
Anti-pilling fabric
Fabric: polyester micro fleece
Shell: PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Orange

NORMS

CE Certified
EN ISO 13688 (general requirements)
EN ISO 20471:2013, Class 3 (high-visibility)

Product code: 1020.41

ScanVibe Work Jacket



FEATURES

Pockets: chest (x 1 phone), waist (x 2 zipped, slanted) and sleeve (x 1)
Two radio/gas loops
Loop with D-ring
Headphone port / inside headphone holders
Adjustable at: wrist and waist
65% cotton, 35% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Navy

NORMS

–

Designed to be worn in combination with ScanClipper or ScanCargo

Product code: 1055.04

ScanSignal **Signal Safety Vest — High-Viz**



FEATURES

Reflective striping shoulders (50 mm / 2.0 in) and chest (60 mm / 2.36 in)
Adjustable PET polyester velcro front closure
Pocket: chest
Storage: mobile phone/walkie talkie and pen
70% PET polyester, 30% polyester

SIZES

XS/S - M/L - XL/2XL

COLOURS

High-Viz Yellow

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)

ANSI 107:2020 Type R, Class 2, non-FR (high-visibility)

Product code: 1055.01

ScanSignet FR AS **Signal Vest — Multi-Risk**



FEATURES

Flame-retardant
Anti-static
Quilted reflective stripes
Fabric contains carbon wire
Adjustable Velcro closures
100% Oxford polyester signal vest with PU coating

SIZES

M - L - XL - 2XL - 3XL - 4XL

COLOURS

High-Viz Yellow
High-Viz Orange

NORMS

CE Certified
EN ISO 1149-5:2008 (anti-static)
EN ISO 14116:2008 (flame-retardant)
EN ISO 20471:2013, Class 2 (high-visibility)

Product code: 1055.17

ScanAlliance 002 **Offshore Trousers — UV protection**



FEATURES

Fluo reflective reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
100% fine cotton twill with UV protection

SIZES

S - M - L - XL - 2XL - 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010 Type R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Designed to be worn in combination with ScanAlliance 001

ScanAlliance 002 will be discontinued once our existing inventory is sold

Product code: 1035.08

ScanPyro AS 002 **Offshore Trousers — Multi-Hazard**



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side (x 2), seat (x 2) and cargo
99% cotton, 1% carbon fiber

SIZES

XS - S - M - L - XL - 2XL - 3XL

COLOURS

Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 61482-2:2020, APC=1 ATPV=6,1 cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010 (high-visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

Designed to be worn in combination with ScanPyro AS 001

Product code: 1035.34

ScanPyro Anchor Pro 002 Offshore Trousers — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
Shell: 99% mercerized cotton, 1% carbon fiber
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015, Class 1 A1 (welding)
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
Wearing ScanPyro Anchor Pro 002 Trousers in combination with ScanPyro Anchor Pro 001 Jacket together conforms to class 3 protection
EN1149-5:2018 (anti-static)
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)
EN 13758-2:2003+A1:2006, 50+ (UV Protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

Designed to be worn in combination with ScanPyro Anchor Pro 001

Product code: 1035.46

ScanAlliance FR 002 Offshore Trousers — Multi-Risk



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x 2), cargo
99% mercerized cotton, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 (high visibility)

AS/NZS 4399:1996, UPF rating 50+ (UV protection)
AS/NZS 1906.4:2010 Type R (high visibility)

Designed to be worn in combination with ScanAlliance FR 001

ScanAlliance FR 002 will be discontinued once our existing inventory is sold

Product code: 1036.42

ScanTriple HV 002 Thermal Offshore Brace Trousers — Multi-Risk



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
Flame-resistant / anti-static lining
Flame-resistant reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Pockets: side (x 2, slanted and covered), cargo (x 2), seat (x 2) and hammer (x 1)
Elasticised waist for optimal fit
(Removable) elasticised suspenders
Adjustable at: legs
Side seam zippers
5000mm water column
5000mvp breathable
Shell: 98% polyester, 2% carbon fiber
Lining: 60% modacrylic, 40% cotton
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red
High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 14116:2015 (flame-resistant)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
Wearing ScanTriple HV 002 Trousers in combination with ScanTriple HV 001 Jacket together conforms to class 3 protection
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)
EN 343:2019, Class 3-1-X (foul weather)
EN 1149-5:2018 (anti-static)
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanTriple HV 001

ScanTriple HV 002 colour combination High-Viz Yellow & Red will be discontinued once our existing inventory is sold

Product code: 1037.22

ScanRix FR/AS 002 Padded Rain Trousers — Multi-Risk



FEATURES

Flexible and strong shell fabric
Flame-resistant reflective striping 50 mm (2.0 in): legs
Pockets: side (x 2, slanted, concealed), seat (covered)
Elasticised waist with detachable elastic suspenders
Adjustable at: legs
Side seam zippers
3000mm water column
Shell: 50% anti-static polyester, 50% flame-resistant PU
Lining: 100% flame-resistant cotton
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019, Class 3-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
Wearing ScanRix FR/AS 002 Trousers in combination with ScanRix FR/AS 001 Parka together conforms to class 3 protection
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)
EN 1149-5:2018 (anti-static)

Designed to be worn in combination with ScanRix FR/AS 001

Product code: 1030.15

ScanPolar HV 002 Waterproof Winter Trousers — High-Viz



FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)
Pockets: side (x 2, slanted and covered), seat (x 2, covered) and hammerpocket (x 1)
3M reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Elasticized waist with detachable elasticised suspensers
Adjustable at: legs
Ankle to knee side seam zippers
Shell: 100% polyester Oxford / PU-coated (breathable)
Lining: 100% recycled polyester
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy
High-Viz Orange & Grey

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN 342:2017, Icler 0.454 (B)-3-W (cold weather)
EN 343:2019, Class 4-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
Wearing ScanPolar HV 002 Trousers in combination with ScanPolar HV 001 Jacket together conforms to class 3 protection

Designed to be worn in combination with ScanPolar HV 001

Product code: 1037.09

ScanRain Reflect FR/AS 003 Rain Trousers Bib & Brace — Multi-Risk



FEATURES

Flexible and strong shell fabric
Flame-resistant reflective striping 50 mm (2.0 in): legs
Elasticised waist at back
Elastic shoulder straps with snap-click buckles
Pocket: front (covered)
Adjustable at: legs
3000mm water column
50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red
High-Viz Yellow & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019, Class 3-1-X (foul weather)
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)
Wearing ScanRain FR/AS 003 Bib & Brace in combination with ScanRain FR/AS 001 Jacket together conforms to class 3 protection
EN ISO 14116:2015, Index 1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13034:2005 +A1:2009 – type 6 in combination with Jacket ScanRain Reflect FR AS 001 (liquid chemicals)

Designed to be worn in combination with ScanRain Reflect FR/AS 001

Product code: 1045.22

ScanRain HDR 003 Rain Trousers Bib & Brace — Heavy Duty Performance



FEATURES

Hot frequency welded seams for heavy duty performance: waterproof, windproof, foul weather protection
Durable and flexible PVC/PU
15 mm (0.6 in) reflective striping: pocket and legs
Elasticised waist at back
Elastic shoulder straps with snap-click buckles
Pocket: front (covered)
Adjustable at: legs
3000mm water column
50% PVC, 30% recycled polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 343:2019 Class 4-1 (foul weather)

Designed to be worn in combination with ScanRain HDR 001

Product code: 1020.45

ScanClipper Bib & Brace Trousers



FEATURES

Pockets: side (x 2 slanted), seat (x 2 covered), front (x 1 covered) cargo (x 1), phone (x 1) and hammer (x 1)
Storage: flashlight
Elastic shoulder straps with snap-click buckles
Reinforced knees
Equipped for use with kneepads
Adjustable at waistband
Belt loop with D-ring
Triple stitched side seams
Shell fabric: 65% cotton, 35% polyester
Contrast fabric: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Navy

NORMS

–

Designed to be worn in combination with ScanVibe

Product code: 1020.20

ScanCargo Multi-Pocket Trousers



FEATURES
Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)
Storage: flashlight
Equipped for use with kneepads
Adjustable at waist
Belt loop with D-ring
Triple stitched side seams
65% cotton, 35% polyester

SIZES
28" – 46"

COLOURS
Navy

NORMS
–

Product code: 2014.30

ScanSierra Reflect 002 Offshore Trousers



FEATURES
3M reflective striping 50 mm (2.0 in): legs
Equipped for use with kneepads
Storage: flashlight
Pockets: side and seat (x2), cargo
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Navy

NORMS
CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Designed to be worn in combination with ScanSierra Reflect 001 L/S

Please note this article is only available upon request

Product code: 1020.23

ScanCargo 005 Multi-Pocket Shorts



FEATURES
Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)
Storage: flashlight
Adjustable at waist
Belt loop with D-ring
Triple stitched side seams
65% cotton, 35% polyester

SIZES
28" – 40"

COLOURS
Navy

NORMS
–

Product code: 2021.10

ScanUtility Canvas Belt



FEATURES
Plastic buckle with clam-style closure
Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)
100% polyester

SIZES
95 cm (37.4 in)
110 cm (43.3 in)
130 cm (51.2 in)
145 cm (57.1 in)

COLOURS
High-Viz Yellow
Navy

NORMS
–

Product code: 1035.44

ScanAlliance FR 001 **Work Shirt — Multi-Risk**



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist
Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
99% mercerized cotton, 1% carbon fiber with UV protection

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 (high visibility)

AS/NZS 4399:1996, UPF rating 50+ (UV protection)
AS/NZS 1906.4:2010 Type R (high visibility)

Designed to be worn in combination with ScanAlliance FR 002

ScanAlliance 001 FR will be discontinued once our existing inventory is sold

Product code: 1055.15

ScanAlliance 001 **Work Shirt — UV Protection**



FEATURES

Fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist
Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
100% fine cotton twill with UV protection

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 40+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010 Type R (high visibility)
AS/NZS 4399:1996, UPF rating 50+ (UV protection)

Designed to be worn in combination with ScanAlliance 002

ScanAlliance 001 will be discontinued once our existing inventory is sold

Product code: 2014.25

ScanSierra Reflect 001 L/S **Work Shirt**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders and arms
Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Velcro strips for rank and name badges
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES

S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Navy

NORMS

CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Designed to be worn in combination with ScanSierra Reflect 002

Please note this article is only available upon request

Product code: 2014.13

ScanSierra 001 L/S **Work Shirt**



FEATURES

Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Radio/gas loop
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES

S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Navy

NORMS

CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 2014.14

ScanSierra 001 S/S **Work Shirt**



FEATURES

Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Radio/gas loop
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES

S – M – L – XL – 2XL – 3XL – 4XL

COLOURS

Navy


NORMS

CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note this article is only available upon request

Product code: 2014.18



ScanSierra Women L/S Work Shirt

FEATURES
Pockets: chest (x2, pleated and covered)
Pen pocket opening
Radio/gas loop
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES
S – M – L – XL – 2XL – 3XL – 4XL


COLOURS
Navy

NORMS
CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note this article is only available upon request

Product code: 1021.35



ScanTurtle Turtleneck with zipper

FEATURES
Quick dry fabric
Moisture absorbing
Comfortable to bare skin due to cotton inside
High-Visibility
58% cotton, 42% polyester

SIZES
S – M – L – XL – 2XL – 3XL – 4XL


COLOURS
High-Viz Yellow

NORMS
–

ScanTurtle will be discontinued once our existing inventory is sold

Product code: 2014.19

NO IMAGE AVAILABLE



ScanSierra Women S/S Work Shirt

FEATURES
Pockets: chest (x2, pleated and covered)
Pen pocket opening
Radio/gas loop
Velcro strips for rank and name badges
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry on low heat
100% fine cotton twill with UV protection

SIZES
S – M – L – XL – 2XL – 3XL – 4XL


COLOURS
Navy

NORMS
CE-certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note this article is only available upon request

Product code: 1021.94



ScanPique HV Tropic Dry Fit Polo Shirt - High-Viz

FEATURES
Ultra-lightweight quick dry fabric
Heat-seal reflective striping 50 mm (2.0 in)
UPF 50+
Domestic wash at 40°C (104°F)
Ribbed cuffs & collar
Buttoned placket
100% polyester


SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
High-Viz Yellow

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)
EN 13758-2:2003+A1:2006, 50+ (UV protection)

ANSI 107:2020 Type R, Class 2 (high-visibility)

Product code: 1035.70



ScanPhoenix Work Shirt — Multi-Hazard

FEATURES
Pockets: chest (x 2), pen pocket opening, and sleeve
Radio/gas loop
Kent collar
99% cotton, 1% carbon fiber with UV protection

SIZES
S – M – L – XL – 2XL – 3XL – 4XL


COLOURS
Navy

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996, UPF rating 50+ (UV protection)

ScanPhoenix will be discontinued once our existing inventory is sold

Product code: 1031.02



ScanNato 150 **Nato Ribbed Jumper**


FEATURES
Crew neck
Pocket: chest with flap
Velcro strip for rank or name badge
Polyester / cotton shoulder and sleeve patches
Pen pocket on sleeve
Epaulets can be affixed to shoulders
50% wool, 50% anti-pilling acrylic

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

Product code: 1032.07



ScanPilot Advanced L/S **Uniform Shirt**

FEATURES
Easy-to-iron finish
Lightweight cotton polyester
Tailored fit
Top fused, stand-up collar
Pockets: chest (x2, pleated and covered)
Pen pocket opening
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry low heat
60% cotton, 40% polyester


SIZES
XS – S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
White

NORMS
–

Please note: the design of our ScanPilot L/S has been updated. We will begin shipping this new design ScanPilot Advanced L/S following the sale of our existing inventory.

Product code: 2021.01



ScanTie **Officers Tie**

FEATURES
Width: 7.5 cm (2.95 in)
100% polyester microfiber

SIZES
One size

COLOURS
Black

NORMS
–

Other colours upon request

Product code: 1032.06



ScanPilot Women L/S **Uniform Shirt**


FEATURES
Lightweight cotton polyester
Top fused, stand-up collar
Pockets: chest (x2, pleated and covered)
Pen pocket opening
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry low heat
60% cotton, 40% polyester

SIZES
XS – S – M – L – XL – 2XL – 3XL

COLOURS
White

NORMS
–

Product code: 2021.05



ScanConveyance **Reversible Leather Belt**


FEATURES
Coated split cow leather on both sides
Reversible by means of a twistable buckle to show either a black or a brown side

SIZES
One size

COLOURS
Black and brown

NORMS
–

Product code: 1032.08



ScanPilot Advanced S/S **Uniform Shirt**

FEATURES
Easy-to-iron finish
Lightweight cotton polyester
Tailored fit
Top fused, stand-up collar
Pockets: chest (x2, pleated and covered)
Pen pocket opening
Epaulets can be affixed to shoulders
Domestic wash: 60°C / 140°F and tumble dry low heat
60% cotton, 40% polyester

SIZES
XS – S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
White

NORMS
–

Please note: the design of our ScanPilot S/S has been updated. We will begin shipping this new design ScanPilot Advanced S/S following the sale of our existing inventory.

Product code: 2014.12

ScanSafari Stretch 001 L/S Uniform Shirt



FEATURES

Stretch fabric for enhanced comfort and movement
Tailored fit
Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Epaulets can be affixed to shoulders
Domestic wash: 40°C / 104°F and tumble dry low
80% cotton, 18% polyester, 2% spandex

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Please note: the design of our ScanSafari L/S has been updated. We will begin shipping this new design ScanSafari Stretch 001 L/S following the sale of our existing inventory.

Product code: 2014.17

ScanSafari Stretch Women L/S Uniform Shirt



FEATURES

Stretch fabric for enhanced comfort and movement
Tailored fit
Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Epaulets can be affixed to shoulders
Domestic wash: 40°C / 104°F and tumble dry low
80% cotton, 18% polyester, 2% spandex

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Also available with short sleeves

Please note: the design of our ScanSafari Women L/S has been updated. We will begin shipping this new design ScanSafari Stretch Women L/S following the sale of our existing inventory.

Product code: 2014.21

ScanSafari Tropic 001 S/S Uniform Shirt



FEATURES

Designed to be worn in hot climates
Pockets: chest (x2, pleated and covered) and sleeve
Pen pocket opening
Epaulets can be affixed to shoulders
65% cotton, 35% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS 4399:2020 UPF rating 50+ (UV protection)

Please note: the design of our ScanSafari Tropic 001 S/S has been updated. We will begin shipping this new design following the sale of our existing inventory.

Product code: 2015.13

ScanSafari Stretch 002 Uniform Trousers



FEATURES

Stretch fabric for enhanced comfort and movement
Pockets: side (x2, slanted) and seat (x2, welted)
Domestic wash: 40°C / 104°F and tumble dry low
80% cotton, 18% polyester, 2% spandex

SIZES

44 – 58 (EU)
28"/29" – 42" (UK/USA)

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Please note: the design of our ScanSafari 002 has been updated. We will begin shipping this new design ScanSafari Stretch 002 following the sale of our existing inventory.

Product code: 2015.15

ScanSafari Stretch 005 Uniform Shorts



FEATURES

Stretch fabric for enhanced comfort and movement
Pockets: side (x2, slanted) and seat (x2, welted)
Domestic wash: 40°C / 104°F and tumble dry low
80% cotton, 18% polyester, 2% spandex

SIZES

44 – 58 (EU)
28"/29" – 42" (UK/USA)

COLOURS

Khaki

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 13758-2:2003+A1:2006, 50+ (UV protection)
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Please note: the design of our ScanSafari 005 has been updated. We will begin shipping this new design ScanSafari stretch 005 following the sale of our existing inventory

Product code: 2021.03

ScanGarrison Woven Web Belt



FEATURES

Metal buckle with clam-style closure
Adjustable length
70% polyester, 30% cotton

SIZES

One size

COLOURS

Khaki

NORMS

–

*Can be ordered with embossed company logo
Also available in navy, upon request*

Product code: 1510.11

ScanCuisine Advanced 001 Chef Coat — Flame-resistant, Antibacterial , Stretch



FEATURES

Flame-resistant and antibacterial protection
Stretch fabric for increased freedom of movement
Single breasted centre front closure with press buttons
Stand-up collar
Pockets: chest (1x), arm (1x with thermometer divider)
French cuffs
Navy details on shoulder and cuffs
Tailored fit
Domestic wash: 60°C/140°F and tumble dry low heat
80% cotton, 18% polyester, 2% spandex

SIZES

44 - 64 (EU)
34" - 54" (UK/USA)

COLOURS

White

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanCuisine Advanced 002, ScanNaperon Bib Advanced, ScanSkull Advanced or ScanDana Advanced

Please note: the design of our ScanCuisine 001 has been updated. We will begin shipping this new design ScanCuisine Advanced 001 following the sale of our existing inventory.

Product code: 1511.06

ScanCuisine Advanced 002 Chef Trousers — Flame-resistant, Antibacterial, Stretch



FEATURES

Flame-resistant and antibacterial protection
Stretch fabric for increased freedom of movement with small check pattern
Tailored fit
Flat front
Elasticized waistband at sides
Pockets: side (x2 slanted) and seat (2x, double welted)
Zipper fly
Domestic wash: 60°C/140°F and tumble dry low heat
80% cotton 18% polyester 2% spandex

SIZES

44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS

White navy check

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanCuisine Advanced 001, ScanNaperon Bib Advanced, ScanSkull Advanced or ScanDana Advanced

Please note: the design of our ScanCuisine 002 has been updated. We will begin shipping this new design ScanCuisine Advanced 002 following the sale of our existing inventory.

Product code: 1532.12

ScanNaperon Bib Advanced Chef Bib Apron — Flame-resistant, Antibacterial, Stretch



FEATURES

Flame-resistant and antibacterial protection
Stretch fabric for optimal fit
Adjustable straps with press button closure
Pockets: front (x2 slanted)
Navy details
Total length: 91cm (35.8 in)
Domestic wash: 60°C/140°F and tumble dry low heat
80% cotton, 18% polyester, 2% spandex

SIZES

One size

COLOURS

White

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanSkull Advanced or ScanDana Advanced

Product code: 1513.10

ScanServe Men Men's Catering Trousers — Antibacterial



FEATURES

Flat front
Pockets: side (x 2, slanted) and seat, double welted
Zipper fly
Elasticised waist
50% polyester, 50% cotton, sateen weave

SIZES

44 - 64 (EU)
28"/29" - 48" (UK/USA)

COLOURS

Black

NORMS

Antibacterial

Product code: 1513.20

ScanServe Women Women's Catering Trousers — Antibacterial



FEATURES

Flat front
Pockets: side (x 2, slanted)
Zipper fly
Elasticised waist
50% polyester, 50% cotton, sateen weave

SIZES

34 - 48 (EU)
26" - 37" (UK/USA)

COLOURS

Black

NORMS

Antibacterial

Product code: 1533.12



ScanDana Advanced

Chef Bandana Cap — Flame-resistant, Antibacterial, Stretch

FEATURES

Flame-resistant and antibacterial protection

Stretch fabric for optimal fit

Navy details

Tail closure at back

Domestic wash: 60°C/140°F and tumble dry low heat

80% cotton, 18% polyester, 2% spandex

Sales quantity: 3 pieces

SIZES

One size

COLOURS

White

NORMS

CE Certified

EN ISO 13688:2013 (general requirements)

EN 14116:2015 Index 3 (flame-resistant)

STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanNaperon Bib Advanced

Product code: 1533.04



ScanSkull Advanced

Chef skull cap — Flame-resistant, Antibacterial, Stretch

FEATURES

Flame-resistant and antibacterial protection

Stretch fabric for optimal fit

Navy details

Sleek design

Domestic wash: 60°C/140°F and tumble dry low heat

80% cotton, 18% polyester, 2% spandex

Sales quantity: 3 pieces

SIZES

One size

COLOURS

White

NORMS

CE Certified

EN ISO 13688:2013 (general requirements)

EN 14116:2015 Index 3 (flame-resistant)

STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanNaperon Bib Advanced

Product code: 2021.10



ScanUtility

Canvas Belt

FEATURES

Plastic buckle with clam-style closure

Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)

100% polyester

SIZES

95 cm (37.4 in)

110 cm (43.3 in)

130 cm (51.2 in)

145 cm (57.1 in)

COLOURS

High-Viz Yellow

Navy

NORMS

-

Product code: 1038.04



ScanBdry

Body Dry Thermal Wear

FEATURES

Fine-knit jersey

Superior wicking properties - Polycolon® technology

Comfortable on bare skin

Top: round neck

Trousers: comfortable signature elastic waistband

100% Shoeller® polypropylene

SIZES

S – M – L – XL – 2XL

COLOURS

Navy

NORMS

-

Product code: 1040.03



ScanBdry FR/ARC/AS

Body Dry Thermal Wear — Multi-Hazard

FEATURES

Inherent FR fine-knit jersey

High moisture permeability

Comfortable on bare skin

Top: round neck

Trousers: elasticised waistband

59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon fiber

SIZES

S – M – L – XL – 2XL

COLOURS

Navy

NORMS

CE Certified

EN ISO 13688:2013 (general requirements)

EN ISO 11612:2015, A1 B1 C1 (flame-resistant)

EN 1149-5:2018 (anti-static)

IEC 61482-2:2009, Class 1 (electric arc)

Product code: 6000.01

YOUR RANK

ScanRank

Velcro Rank Strip

FEATURES

Dimensions: 14 x 2 cm (5.5 x 0.8 in)
100% nylon

SIZES

One size

COLOURS

Navy

NORMS

-

Product code: 6200.01

YOUR NAME

ScanName

Velcro Name Strip

FEATURES

Dimensions: 14 x 2 cm (5.5 x 0.8 in)
100% nylon

SIZES

One size

COLOURS

Navy

NORMS

-

ScanEpaulets

Soft Type



FEATURES

Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)

SIZES


One size

COLOURS

Navy

NORMS

-



Propeller

1 gold stripe + propeller

2 gold stripes + propeller

3 gold stripes + propeller

4 gold stripes + propeller

Product code 6005.00

Product code 6005.10

Product code 6005.20

Product code 6005.30


Product code 6005.40

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

ScanEpaulets

Soft Type



FEATURES

Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)

SIZES


One size

COLOURS

Navy

NORMS

-



Single diamond

1 gold stripe + diamond

2 gold stripes + diamond

3 gold stripes + diamond

4 gold stripes + diamond

Product code 6006.00

Product code 6006.10

Product code 6006.20

Product code 6006.30

Product code 6006.40

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

MARITIME OUTFITTERS since 1974

51

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | |
|-------------------------|----------------------|
| 1 gold stripe + circle | Product code 6007.10 |
| 2 gold stripes + circle | Product code 6007.20 |
| 3 gold stripes + circle | Product code 6007.30 |
| 4 gold stripes + circle | Product code 6007.40 |

SIZES

One size

COLOURS

Navy

NORMS

-

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | |
|----------------------------------|----------------------|
| Lightning bolts | Product code 6014.00 |
| 1 gold stripe + lightning bolts | Product code 6014.10 |
| 2 gold stripes + lightning bolts | Product code 6014.20 |
| 3 gold stripes + lightning bolts | Product code 6014.30 |

SIZES

One size

COLOURS

Navy

NORMS

-

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | |
|------------------------------|----------------------|
| 1 gold stripe + ice crystal | Product code 6013.10 |
| 2 gold stripes + ice crystal | Product code 6013.20 |
| 3 gold stripes + ice crystal | Product code 6013.30 |

SIZES

One size

COLOURS

Navy

NORMS

-

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

ScanEpaulets **Soft Type**



FEATURES
Hand embroidered shoulder epaulets with Velcro closure
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- | | |
|----------------|----------------------|
| 1 gold stripe | Product code 6016.10 |
| 2 gold stripes | Product code 6016.20 |
| 3 gold stripes | Product code 6016.30 |
| 4 gold stripes | Product code 6016.40 |

SIZES

One size

COLOURS

Navy

NORMS

-

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs



←
SCANFLOW 001
Fleece Jacket, page 60

SCANFLOW 002
Fleece Trousers, page 60

SCANASTERN
S3 ESD Reflective Safety
Ankle Boot, page 156

↑
SCANPOLARISED
Adjustable Safety
Glasses, page 94

←
SCANPIQUE
Polo shirt, page 64

SCANRUGGED
S3 Safety Sneaker, page 152



SCANMARINER
Winter Parka, page 58

SCANTEE L/S
T-shirt, page 62

SCANCARGO
Multi-Pocket Trousers,
page 36

SCANTRACTION
S3 Microfibre ESD Safety
Shoe, page 153



SCANTEE L/S
T-shirt, page 62

SCANCARGO
Multi-Pocket Trousers,
page 36

SCANRUGGED
S3 Safety Sneaker,
page 152



Product code: 1045.15

ScanMariner Winter Parka



FEATURES
Water-repellent and breathable winter parka
Two-way waterproof zipper closure
Pockets: chest (1x), waist (2x), inner (2x)
Radio/gas loop
Adjustable at: hood
Polyester knitted cuffs for extra protection against wind
5000mm water column
4000mvp breathability
Shell: 94% polyester, 6% spandex
Lining: 100% nylon

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

Product code: 1025.23

ScanSurveyor Softshell Jacket



FEATURES
Water-repellent and breathable polyester soft shell jacket
3-layered polyester twill with TPU lamination
Durable water repellent (DWR)/ PFC free
Inner fleece with anti-pilling and anti-static finish
Zipped pockets: chest (x1 Napoleon), waist (x2)
Two radio/gas loops
Tricot cuffs incl. thumbhole for extra protection against wind
Headphone port/inside headphone holders
5000mm water column
4000mvp breathable
100% polyester (300 gsm)

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

Product code: 1023.29

ScanSweatShirt Sweater



FEATURES
Crew neck
Ribbed cuffs, hem, and collar
Soft handfeel
Stretchable
Brushed cotton inside for warmth and comfort
Washable at 40°C / 104°F
95% cotton, 5% elastane

SIZES
XS – S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

Product code: 1027.20

ScanJogging Sweatpants — Organic Cotton



FEATURES
Elasticised waistband with drawstring
Pockets: waist (x 2 zipped)
Tapered leg with shell fabric cuffs
Soft handfeel, brushed inside
Natural stretch for optimal fit
100% organic cotton

SIZES
S – M – L – XL – 2XL – 3XL

COLOURS
Navy

NORMS
–

Designed to be worn in combination with ScanAthletic or ScanHoodie or ScanSweatshirt

Product code: 1024.20

ScanFlow 001 **Fleece Jacket**



- FEATURES**
- Adjustable bottom hem
 - Zipped side pockets with contrasting mesh lining
 - Anti-pilling
 - Anti-static property
 - 100% polyester polar fleece

- SIZES**
- XS - S - M - L - XL - 2XL - 3XL - 4XL

- COLOURS**
- Navy & Yellow
 - Black & Orange

- NORMS**
-

Designed to be worn in combination with ScanFlow 002

Product code: 1027.10

ScanFlow 002 **Fleece Trousers**



- FEATURES**
- Elasticated waistband with draw string
 - Elasticated hems at bottom
 - Zipped side pockets
 - Anti-pilling
 - Anti-static property
 - 100% polyester polar fleece

- SIZES**
- XS - S - M - L - XL - 2XL - 3XL - 4XL

- COLOURS**
- Navy & Yellow
 - Black & Orange

- NORMS**
-

Designed to be worn in combination with ScanFlow 001

Product code: 1021.33

ScanTee **T-shirt**



- FEATURES**
- Soft handfeel
 - Taped shoulder and neck
 - Rib-knit crew neck
 - 100% combed organic cotton, pre-shrunk

- SIZES**
- S - M - L - XL - 2XL - 3XL

- COLOURS**
- White
 - Navy

- NORMS**
-

Product code: 1021.40

ScanTristate **Quick drying T-shirt**



- FEATURES**
- Ultra-lightweight quick dry fabric
 - Antibacterial and anti-odour
 - Stretch fabric for increased freedom of movement
 - Mesh back panel for extra breathability
 - Flatlock seams for reduced irritation
 - Soft handfeel for enhanced comfort
 - Crew neck
 - Heat-seal reflective detailing
 - Domestic wash at 30°C / 86°F
 - Shell: 88% polyester, 12% elastane
 - Mesh: 92% polyester, 8% elastane

- SIZES**
- S - M - L - XL - 2XL - 3XL

- COLOURS**
- Navy

- NORMS**
-

Product code: 1021.09

ScanToronto **T-shirt**




- FEATURES**
- Slightly fitted modern ringer style with contrast colour on neck and sleeves
 - Taped neck line with elastane
 - Single jersey 100% combed cotton, pre-shrunk

- SIZES**
- S - M - L - XL - 2XL

- COLOURS**
- White & Blue
 - Red & White
 - Blue & White
 - Navy & White
 - Black & White

- NORMS**
-

Product code: 1021.02



ScanTorres

T-shirt, V-neck

FEATURES

Heavy weight premium quality T-shirt with V-neck
100% combed cotton, pre-shrunk

SIZES

S – M – L – XL – 2XL


COLOURS

White
Black

NORMS

-

Product code: 1021.25



ScanTyler

T-shirt

FEATURES

T-shirt with long sleeves
Tubular construction for increased comfort
Taped neckline
100% combed cotton, pre-shrunk

SIZES

S – M – L – XL – 2XL


COLOURS

White
Orange
Red
Blue
Navy
Black

NORMS

-

Product code: 1021.34



ScanTee L/S

T-shirt

FEATURES

Soft handfeel
Taped shoulder and neck
Rib-knit crew neck
100% combed organic cotton, pre-shrunk

SIZES

S – M – L – XL – 2XL – 3XL


COLOURS

Navy

NORMS

-

Product code: 1021.08



ScanTiaret Women's

Women's Top, V-neck

FEATURES

V-neck stretch in single jersey
95% cotton and 5% elasthan

SIZES

S – M – L – XL

COLOURS

White
Red

NORMS

-

MARITIME OUTFITTERS since 1974

63

Product code: 1021.80

ScanPique Polo shirt



FEATURES
Fine soft cotton/ polyester pique
Natural stretch for optimal fit
Domestic wash: 40°C / 104°F and tumble dry on low heat
Ribbed cuffs and collar
Buttoned placket
Good colour fastness
Low shrinkage
60% cotton, 40% polyester

SIZES
XS – S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
White
Navy

NORMS
–

Product code: 1021.81

ScanPique L/S Polo shirt



FEATURES
Fine soft cotton pique
Natural stretch for optimal fit
Washable at 40°C / 104°F
Ribbed cuffs and collar
Good colour fastness
Low shrinkage
100% pre-shrunk cotton

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
White
Navy

NORMS
–

Please note: ScanPique L/S colour white and navy will be discontinued once our existing inventory is sold.

Product code: 1021.90

ScanPique Epaulets S/S Polo shirt



FEATURES
Fine soft cotton / polyester pique
Natural stretch for optimal fit
Domestic wash: 40°C / 104°F and tumble dry on low heat
Ribbed cuffs and collar
Buttoned placket
Good colour fastness
Low shrinkage
Epaulets can be affixed to the shoulders
Epaulet length 12,5 cm / 5.1 inch for size S
60% cotton, 40% polyester

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Navy

NORMS
–

Product code: 1021.91

ScanPique Epaulets L/S Polo shirt



FEATURES
Fine soft cotton / polyester pique
Natural stretch for optimal fit
Domestic wash: 40°C / 104°F and tumble dry on low heat
Ribbed cuffs and collar
Buttoned placket
Good colour fastness
Low shrinkage
Epaulets can be affixed to the shoulders
Epaulet length 12,5 cm / 5.1 inch for size S
60% cotton, 40% polyester

SIZES
S – M – L – XL – 2XL – 3XL – 4XL

COLOURS
Navy

NORMS
–

Please note this article is only available upon request

Product code: 1021.57

ScanParis Women's Women's polo shirt



FEATURES
Two buttons at front
Side slits
Neck line and shoulder seams moved forward
100% cotton

SIZES
S – M – L – XL – 2XL

COLOURS
White
Royal Blue
Navy
Black

NORMS
–



SCANKNIT
Basic Knitted Winter Gloves, page 77



SCANRALLY REFLECT
Boiler Suit — UV protection, page 17

SCANPALLADIUM PRO
Impact Protection Gloves, page 84





SCANPYRO ANCHOR PRO 003
Offshore Boiler Suit — Multi-Hazard, page 23




SCANFLEXOR
Neoprene working glove with anti-slip, page 70

SCANBLIZZARD
Impact Protection Water-repellent Winter
Working Gloves, page 75

SCANTITAN
S3 Ice Boot, page 158



Product code: 4010.04



ScanPalm

Leather Palm Working Gloves


FEATURES
CE category II
Rubber reinforced safety cuff 7 cm (2.8 in)
Reinforced, lined palm
Elasticised back
Palm: 100% cow split leather
Back cuff: 35% cotton, 65% polyester
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL - 12/3XL

COLOURS
Grey & High-Viz Yellow

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (3223X) (standard safety gloves)

Product code: 4010.15



ScanTechTouch

Quick-Drying Touchscreen Gloves


FEATURES
Lightweight
Conductive fingertips for use with touchscreens
Quick-drying
Anti-odour
Machine washable 30°C (86°F)
Shell: 100% recycled polyester
Suede fingertips: 60% polyester, 40% PU
Sales quantity: 6 pairs

SIZES
9/L - 10/XL

COLOURS
Black

NORMS
-

Product code: 4010.18



ScanDriver

Cowhide Driver Working Gloves

FEATURES
CE category II
Premium A-grade leather
Elasticised back
100% cow leather
Sales quantity: 12 pairs


SIZES
8/M - 9/L - 10/XL - 12/3XL

COLOURS
Natural

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (4133X) (standard safety gloves)
EN 407:2004 (4122XX) (heat and flame-resistant)

ANSI 105:2016 cut resistance level A3
ANSI 105:2016 puncture resistance level 3
ANSI 105:2016 abrasion resistance level 2
ANSI 105:2016 flame resistance level 4
ANSI 105:2016 heat degradation resistance level 2

Product code: 4020.03



ScanSingle

Working Gloves


FEATURES
Seamless knitted liner
Ribbed cuffs
30% cotton, 70% polyester
Sales quantity: 12 pairs

SIZES
One size

COLOURS
White

NORMS
-

Product code: 4010.32



ScanFlexor

Neoprene working glove with anti-slip

FEATURES
CE category II
Silicone pattern on palm for extra grip
Anti slip finger tips
Optimal dexterity
Adjustable at cuff
Hangloop
Palm: 60% nylon, 40% PU
Back: 96% polyester, 4% Spandex
Cuff: 80% rubber, 20% polyester
Lining: 100% polyester and foam
Sales quantity: 12 pairs


SIZES
8/M - 9/L - 10/XL

COLOURS
Black & High-Viz Yellow

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016+A1:2018 (3131X) (standard safety gloves)

ANSI 105:2016 puncture resistance level 3
ANSI 105:2016 abrasion resistance level 6

Product code: 4020.09



ScanDot

Working (Under-)Gloves

FEATURES
CE category II
Seamless knitted liner
Anti-slip silicone dots
Ribbed cuffs
Ambidextrous
Liner: 100% nylon
Dots: 100% PVC
Sales quantity: 12 pairs

SIZES
9/L - 10/XL

COLOURS
White & blue

NORMS
CE Certified
EN 21420:2020 (general requirements)
EN 388:2016+A1:2018 (314XX) (standard safety gloves)

MARITIME OUTFITTERS since 1974

71

Product code: 4010.06



ScanTight Mechanic Leather Working Gloves

FEATURES
CE category II
Premium goat leather
Elastic cuff with velcro closure
Rib knitted cotton back
Palm: 100% goat leather
Back: 100% cotton
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Natural & navy

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (3122X) (standard safety gloves)

Product code: 4040.02



ScanResolute Seamless Knitted Liner and Latex Dipping Gloves

FEATURES
CE Category II
Seamless knitted glass fiber lining
Crinkle latex dipping
Ribbed cuffs
High flexibility
Liner: 60% HPPE, 10% Glass Fiber, 15% Spandex, 15% Nylon
Dipping: 100% Latex
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Black

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4444D) (standard safety gloves)

Please note: the design of ScanResolute is an update from ScanSecure. We will begin shipping this new design following the sale of our existing inventory.

Product code: 4010.14



ScanMicroFlex Nitrile Working Gloves

FEATURES
CE category II
Black nitrile foam palm coating
Anti-slip, oil-resistant
Sanitized® Actifresh, antimicrobial treatment for hygienic freshness
Continuous knitted wrist
Liner: 95% recycled nylon, 5% spandex
Cuff: 80% recycled nylon, 12% polyester, 8% spandex
Coating: 100% nitrile
Sales quantity: 12 pairs

SIZES
7/S - 8/M - 9/L - 10/XL

COLOURS
Grey & black

NORMS
CE Certified
EN 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4131X) (standard safety gloves)

Product code: 4010.11



ScanArx Oil-resistant Nitrile Working Gloves

FEATURES
CE category II
Double dipped nitrile
Oil-resistant
Protect to 100°C (212°F)
Liner: 100% cotton
Coating: 100% nitrile
Sales quantity: 12 pairs

SIZES
9/L - 10/XL

COLOURS
Blue & natural

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4122X) (standard safety gloves)

Product code: 4070.03



ScanLaTect Polychloroprene Latex Working Gloves

FEATURES
CE category III
Full protection against chemicals (AKL)
Protection against bacteriological contamination
Cotton flock lining
Contains natural latex
Excellent finger-sensitivity
Anatomical fit
Distinct palm surface
Total length: 40 cm (15.8 in)
Sales quantity: 10 pairs/polybag

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 420:2003 (general requirements)
EN 388:2003 (1111) (standard safety gloves)
EN 374U-3:2003 (AKL) (chemical-resistance)

Product code: 4070.10

ScanClean Latex Dishwashing Gloves



FEATURES
CE category I
Natural latex
Powder free
Sales quantity: 12 pairs

SIZES
One size (XL)

COLOURS
Yellow

NORMS
-

Product code: 4071.01

ScanOnce Disposable Working Gloves



FEATURES
CE category I
Nitrile
Powder free
Extra light
Maximum dexterity
Sales quantity: 200 pcs

SIZES
One size (XL)

COLOURS
Blue

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN ISO 374-1:2003 (chemical-resistance)
EN 388:2003 (standard safety gloves)

Product code: 4030.19

ScanKryo Gauntlet Pro Highly-insulating Cryogenic Gauntlet



FEATURES
CE category III
Insulation against cryogenic liquids and gases (-200°C / -328°F)
Waterproof and breathable PU Porelle® inner glove
Palm with Kevlar® inner layer
Optimal dexterity
Anti-slip fingertips
Adjustable cuff
Quick drying
Lightweight and comfortable
Length 42 cm (16.5 in)
70% polyester, 22% rubber, 4% PU, 3% kevlar, 1% polyformaldehyde
Sales quantity: 1 pair

SIZES
8/M - 9/L - 10/XL

COLOURS
Black

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (1243X) (standard safety gloves)
EN 511:2006 (111) (cold protection)
Tests conducted using liquid nitrogen (-200°C / -328°F)

Designed to be worn in combination with ScanKryo Apron & ScanKryo Shoecover, and also available in the ScanKryo Kit.

Product code: 4030.17

ScanBlizzard Impact Protection Water-repellent Winter Working Gloves



FEATURES
CE category II
Impact TPR protection
Waterrepellent palm and back
Silicone palm for improved grip
Soft faux fur lining
Reinforced palm and thumb
Hang loop
Cold resistance to -30°C (-22°F)
Washable at 30°C (86°F)
Palm: 59% micro fiber, 28% PVC synthetic leather, 11% silicone, 2% aramid
Back: 72% TPR, 28% polyester
Lining: 65% polyester, 31% aramid, 4% neoprene
Cuff: 63% neoprene, 31% PVC, 3% polyester, 3% spandex
Sales quantity: 6 pairs

SIZES
8/M - 9/L - 10/XL - 11/2XL

COLOURS
High-Viz Yellow, black & grey

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (4X43FP) (standard safety gloves)
EN 511:2006 (130) (cold protection)

ANSI 105:2011 cut resistance level 4
ANSI 105:2011 puncture resistance level 4
ANSI 105:2011 abrasion resistance level 6

Product code: 4030.21

ScanXtreMittens Highly Insulating Winter Mitts



FEATURES
CE Category II
Cold resistance to -50°C (-58°F)
Windproof
Waterrepellent and breathable Hipora® membrane
Goat leather palm, thumb, and fingertips
Foam and hydrofoil insulation
Removable 3-finger lining for improved grip
Hand part is lined in fur, cuff part in fleece
Strap wrist closure, drawstring closure at cuff for effortless open/close
Hang loop
Length: 43.5 cm (17.1 in)
Outer shell: 100% polyester, 100% goat leather
Lining: 100% polyester, 100% fur
Sales quantity: 1 pair


SIZES
S/M - L/XL

COLOURS
Black

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (2224) (standard safety gloves)
EN 511:2006 (431) (cold protection)

ANSI 105:2016 cut resistance level A4
ANSI 105:2016 puncture resistance level 5
ANSI 105:2016 abrasion resistance level 5

Product code: 4030.05



ScanFluo Insulated Winter Working Gloves


FEATURES
CE category II
PVC double dipped
Liquid / watertight
Liner: 100% cotton (brushed)
Coating: 100% PVC
Sales quantity: 12 pairs

SIZES
One size

COLOURS
High-Viz Orange

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (3121X) (standard safety gloves)
EN 511:2006 (011) (cold protection)

Product code: 4030.11



ScanChill Pro Insulated Cold Resistance Working Gloves

FEATURES
CE Category II
Cold resistant up to -20°C (-4°F)
Silicone pattern on palm and fingers for extra grip
Ribbed cuff for wind protection
Dry fast technology
Palm: 50% nylon, 50% polyurethane
Back: Codura® with water repellent finish - 100% polyester
Bag insert: water-repellent and breathable membrane
Padding: 100% micro polyester
Lining: 3M™ Thinsulate™ - 100% polyester
Cuff: 93% polyester, 7% spandex
Sales quantity: 6 pairs

SIZES
9/L - 10/XL

COLOURS
Navy

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (2232X) (standard safety gloves)
EN 511:2006 (12X) (cold protection)

ANSI/ISEA 105:2016 cut resistance level A2
ANSI/ISEA 105:2016 abrasion resistance level 6

Product code: 4030.23



ScanKristoff Insulated Winter Working Gloves

FEATURES
CE Category II
Waterrepellent palm and back
Double reinforced palm
Elasticised back
Ribbed cuff for extra wind protection
Cold resistance up to -10°C (14°F)
Palm: 100% Cow split leather
Back leather: 100% Cow split leather
Back Cordura®: 100% Polyester
Cuff: 100% Polyester
Padding: 3M™ Thinsulate™
Lining: 100% Polyester polar fleece
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Grey, aqua & navy

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 +A1:2018 (4244X) (standard safety gloves)
EN 511:2006 (13X) (cold protection)

ANSI 105:2016 cut resistance level A3
ANSI 105:2016 puncture resistance level 4
ANSI 105:2016 abrasion resistance level 5

Product code: 4030.01



ScanKnit Basic Knitted Winter Gloves


FEATURES
CE-category I
3M Thinsulate™
Ribbed cuffs
100% soft acrylic
Sales quantity: 20 pairs

SIZES
L

COLOURS
Black

NORMS
-

Product code: 4030.20



ScanFroze Pro Insulated Winter Working Gloves


FEATURES
CE Category II
Waterproof and wind-repellent latex double dipping on palm and back
PFC Free
Knitted lining
Looped lining for thermal insulation
Protection against cold to -10°C (14°F)
Excellent flexibility and dexterity
Liner: 100% polyester
Dipping: 100% latex (double)
Lining: 100% polyester
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Black

NORMS
CE Certified
EN 21420:2020 (general requirements)
EN 388:2016+A1:2018 (3342X) (standard safety gloves)
EN 511:2006 (020) (cold protection)

Product code: 4075.02



ScanChloroTest Chloroprene Working Gloves


FEATURES
CE category III
Full protection against chemicals (AKL)
Protection against bacteriological contamination
Cotton flock lining
Stretched cuff
Excellent finger-sensitivity
Anatomical fit
Profiled palm surface (grooves)
Good grip on wet and oily parts
Sales quantity: 10 pairs

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2003 (1111) (standard safety gloves)
EN 374:2003 (AKL) (chemical-resistance)

Product code: 4075.03



ScanTrilTest Nitrile Working Gloves


FEATURES
CE category III
Full protection against chemicals (AJL)
Protection against bacteriological contamination
Palm profile for a sure grip
Seamless cotton liner
Free from natural latex
Approved for food handling and processing according to EU1935/2004
Sales quantity: 10 pairs

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 420:2003 (general requirements)
EN 388:2003 (3121) (standard safety gloves)
EN 374:2003 (AJK) (chemical-resistance)

Product code: 4075.09



ScanFlexText 27 PVC Working Gloves


FEATURES
CE category III
Double dipped PVC
Interlock liner
Full protection against chemicals (AKL)
Protection against bacteriological contamination
Liquid / watertight
Total length: 27 cm (10.6 in)
Liner: 100% cotton
Coating: 100% PVC
Sales quantity: 12 pairs

SIZES
One size

COLOURS
Red

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4131X) (standard safety gloves)
EN ISO 374-1:2016 type B (AKL) (chemical-resistance)
EN ISO 374-5:2016 (micro-organisms resistance)

Product code: 4075.07



ScanPetroTest Polychloroprene Nitrile Working Gloves


FEATURES
CE category III
Full protection against chemicals (AJL)
Protection against bacteriological contamination
High mechanical resistance
Good grip on wet and oily parts
Cotton flock lining
Smooth palm
Anatomical fit
Sales quantity: 10 pairs

SIZES
One size

COLOURS
Dark grey

NORMS
CE Certified
EN 420:2003 (general requirements)
EN 388:2003 (2XX1) (standard safety gloves)
EN 374:2003 (AJK) (chemical-resistance)

Product code: 4075.10



ScanFlexText 40 PVC Working Gloves


FEATURES
CE category III
Double dipped PVC
Interlock liner
Full protection against chemicals (AKL)
Protection against bacteriological contamination
Liquid / watertight
Total length: 40 cm (15.8 in)
Liner: 100% cotton
Coating: 100% PVC
Sales quantity: 12 pairs

SIZES
One size

COLOURS
Red

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4131X) (standard safety gloves)
EN ISO 374-1:2016 type B (AKL) (chemical-resistance)
EN ISO 374-5:2016 (micro-organisms resistance)

Product code: 4075.08



ScanChemTest Butyl Working Gloves

FEATURES
CE category III
Full protection against chemicals (BCI)
Protection against bacteriological contamination
Approved against radioactive contamination
Highly flexible
Roughened surface
Sales quantity: 10 pairs

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 420:2010 (general requirements)
EN 388:2003 (XX1X) (standard safety gloves)
EN 374:2003 (BCI) (chemical-resistance)
EN 421:2010 (radiation and radioactive resistance)

MARITIME OUTFITTERS since 1974

79

Product code: 4040.07

ScanDefender Cut Resistant Working Gloves



FEATURES
CE Category II
HCT fiber
Micro foam nitrile palm
Anti-slip palm
High abrasion results
Works well in oil condition
Glove: 100% HCT fiber
Cuff: 90% HCT fiber, 5% elastic, 5% polyester
Coating: 100% micro foam nitrile
Sales quantity: 12 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Grey & black

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4443D) (standard safety gloves)

ANSI 105:2016 cut resistance level A4

Please note: the design of ScanDefender is an update from ScanCut. We will begin shipping this new design following the sale of our existing inventory.

Product code: 4040.17

ScanSharp High Performance Razor Wire Gauntlets



FEATURES
CCE category II
Reinforced anti-slip silicone palm
Highest rated cut levels, EN 388 level F and ANSI level A9
Padded knuckles
Mesh lining with Kevlar® layer
Total length 45 cm (17.7 in)
Main fabric: Superfabric® (USA), 57% polymer, 43% polyester
Anti-slip fabric: 52% polymer, 39% polyester, 9% silicone
Inner layer: 100% Kevlar®
Mesh lining: 100% polyester
Sales quantity: 1 pair

SIZES
7/8 (S/M) - 9/10 (L/XL)

COLOURS
Black

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4X44F) (standard safety gloves)

ANSI 105:2016 cut resistance level A9

Designed to be worn in combination with ScanSharp Apron RW and also available in the ScanRazorwire kit.

Product code: 4040.10

ScanBlade Cut Resistant Working Gloves - Oil Resistant



FEATURES
CE category II
Seamless glass fibre liner
Oil resistant nitrile palm
Cut level C
Lightweight, lint free
Liner: 100% multifilament glass fiber
Palm: 100% nitrile coating
Sales quantity: 12 pairs

SIZES
9/L - 10/XL

COLOURS
Grey & black

NORMS
CE Certified
EN 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4442C) (standard safety gloves)
EN 407:2020 (X1XXXX) (heat and flame-resistance)

ANSI 105:2016 cut resistance level A3

Product code: 4040.05

ScanChain Cut Resistant Chain Mail Glove



FEATURES
CE Category II
Ambidextrous
Rubberised fastening strap with snap button and adjustable buckle
Corrosion-resistant
Ideal for meat and poultry processing
Heat-resistance to 100°C (212°F)
100% Stainless steel mesh
Sales quantity: 1 pc

SIZES
7/5 - 8/M - 9/L - 10/XL

COLOURS
Grey

NORMS
CE Certified
EN 1082-1:1996 (cut- and stab-resistant)

FDA standard

Product code: 4040.12

ScanSlice Food Handling and Processing Gloves




FEATURES
CE category II
Lightweight and breathable
Washable at 40°C (104°F)
Extra long cuff
Cut D protection
Tight fit to maintain high dexterity while working
Ambidextrous
Designed for use in kitchens
Palm and back: 52% HT nylon, 22% steel, 26% polyester
Cuff: 35% HT nylon, 16% steel, 34% polyester, 15% elastic
Binding: 100% polyester
Sales quantity: 3 pairs

SIZES
8/M - 9/L - 10/XL

COLOURS
Blue

NORMS
CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (224XD) (standard safety gloves)
EN 407:2020 (X1XXXX) (contact heat level 1)

Product code: 4080.13



FEATURES
CE category II
Palm: 100% cow leather
Back: 100% aluminized leather fabric
Fleece lining: 50% cotton, 50% polyacrylic
Cuff lining: 100% cotton
Inner layer: 100% polyurethane
Sales quantity: 6 pairs


SIZES
One size

COLOURS
Silver, navy & red

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (3234X) (standard safety gloves)
EN 407:2004 (412X4X) (heat and flame-resistance)
EN 12477:2002+A1:2005 type A & B (welding)

Please note: ScanAlumin will be discontinued once our existing inventory is sold.

Product code: 4050.03



FEATURES
CE category III
Aluminized aramid fiber with wool and polyester fire-retardant lining
Aramid silicone fiber palm (anti-slip)
100% polyurethane waterproof and breathable membrane
Sales quantity: 1 pair

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 420:2003 (general requirements)
EN 388 (standard safety gloves)
EN 407 (heat and flame-resistance)
EN 659:2003+A1:2008 (firefighting)

MED approved

Product code: 4080.02



FEATURES
CE category II
16 cm (6.3 in) long cuff
Total length: 38 cm (15 in)
Palm and back: 100% cow split leather
Fleece lining: 50% cotton, 50% polyacrylic
Cuff lining: 100% cotton
Sales quantity: 12 pairs

SIZES
One size

COLOURS
Navy

NORMS
CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (4343X) (standard safety gloves)
EN 407:2004 (433X3X) (heat and flame-resistance)
EN 12477:2002+A1:2005 type A (welding)

Product code: 4050.26



FEATURES
CE category III
Designed for use in kitchens
100% durable, high quality silicone
BPA free
100% hygiene protective/safe for food handling
3-finger design for improved grip
Optimal dexterity
Liquid/watertight
Multi-purpose, heat- and cold-resistant:
Cold-resistant to -40°C (40°F)
Heat-resistant for 1 hour to 260°C (500°F)
Heat-resistant for ≥ 5 minutes to 340°C (644°F)
Easy clean and Dishwasher safe (hang to dry)
Anti-slip dot pattern on inner surface, internal/external grip
Ambidextrous
Combinable with ScanSingle
Hang loop
Total length 40 cm (15.7 in)
Sales quantity: 1 pair

SIZES
One size

COLOURS
Navy

NORMS
CE-certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (3130X) (standard safety gloves)
EN 407:2004 (43424X) (heat and flame-resistance)
EN 511:2016 (021) (cold resistance)

ANSI 105:2016 cut resistance level A2
ANSI 105:2016 puncture resistance level 1
ANSI 105:2016 abrasion resistance level 4
ANSI 105:2016 flame resistance level 4
ANSI 105:2016 heat degradation resistance level 4

LFGB standard
FDA standard

Product code: 4080.25



FEATURES
Split cowhide leather with PFR aluminized back
Radiant heat reflection
Stitched with Kevlar® yarn
Sales quantity: 5 pairs

SIZES
One size

COLOURS
-

NORMS
CE Certified
EN 532:1995

Product code: 4020.13



ScanBlockade Oil-Blocker Impact Protection Gloves

FEATURES

CE category II
Impact TPR protection
Water-repellent palm and back
Oil-resistant reinforced palm
Optimal dexterity
Palm: 100% goat leather
Back: 100% goat leather
Impact back: 100% TPR
Impact palm: 100% EVA rubber
Cuff: 100% cow split leather
Lining: 100% polyester and foam
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

Natural

NORMS

CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016:+A1:2018 (2143XP) (standard safety gloves)

ANSI 105:2016 cut resistance level A2
ANSI 105:2016 puncture resistance level 4
ANSI 105:2016 abrasion resistance level 4

Product code: 4015.01



ScanKinetic Anti-Vibration Working Gloves

FEATURES

CE category II
Padded with anti-vibration foam in palm and fingers
Reinforced anti-slip palm and fingertips
Adjustable elasticized cuff
Good dexterity
Knuckle patch
Palm: 100% goat leather with synthetic leather palm
Back: 100% goat leather
Padding: foam
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

Tan & black

NORMS

CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 388:2016 (2342X) (standard safety gloves)
EN 10819:2013 (shock and vibration)

ANSI 105:2015 cut resistance level A4
ANSI 105:2015 puncture resistance level 3
ANSI 105:2015 abrasion resistance level 4

Product code: 4010.34



ScanPalladium Pro Impact Protection Gloves

FEATURES

CE category II
TPU finger and knuckle protection
Reinforced palm and fingers in Schoeller®-Keprotec grip material with DuPont™ Kevlar®
Space between thumb and saddle finger with reinforced DuPont™ Kevlar® grip
Adjustable cuff
Hangloop
Palm: 100% synthetic leather
Palm reinforcement: 15% Kevlar®, 60% Nylon, 10% spandex, 15% EVA Rubber
Back: 60% nylon, 35% PVC, 5% spandex
Impact: 100% TPR
Cuff: 85% nylon, 15% polyester
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

High-Viz Yellow & black

NORMS

CE Certified
EN ISO 21420:2020 (general requirements)
EN 388:2016+A1:2018 (4342XP) (standard safety gloves)

ANSI 105:2016 cut resistance level A4
ANSI 105:2016 puncture resistance level 3
ANSI 105:2016 abrasion resistance level 6

Product code: 4060.03

ScanVolt 03 Rubber Insulating Electrical Gloves



FEATURES

CE category III
Protects against high voltages and electrical hazards
Max. use voltage: 7.500V. AC, RMS
Highly flexible and comfortable to wear
100% latex
Sales quantity: 1 pair

SIZES

One size

COLOURS

High Viz Orange

NORMS

CE Certified
EN 420:2003+A1:2009 (general requirements)
EN 60903:2003 (Class 1) (electrical-resistant)
IEC 60903:2014 (electrical-resistant)

Please note that ScanVolt 03 must be tested every 12 months after manufacturing date when unused. After opening the ScanVolt 03 must be tested every 6 months. Due to stock regulation, it may occur that testing must be carried out immediately upon receipt.

Recommended Pneumatic Glove Tester for compulsory air inflation test also available.

The periodic dielectric test can be conducted on request at accredited test institutes (e.g., Eurthco, United Kingdom)

Product code: 6100.05

Pneumatic Glove Tester Test Equipment for Electrical Resistant Gloves



FEATURES

To carry out your own air inflation test as recommended by EN 60903 and IEC 903 standards
Air inflation by hand and immersion in water
Fast, efficient, and easy to use

SIZES

One size

COLOURS

Grey

NORMS

-

Product code: 4090.01

ScanFix Glove Clip



FEATURES

Easy to attach
Firm grip
Safety release/ breakaway connector
Nonconductive
Noncorrosive
Helps prevent glove loss and reduce hand injuries
Sales quantity: 1 piece

SIZES

One size

COLOURS

Blue

NORMS

-



↑
SCANADAPT NIGHT
Omnifit 3-way adjustable safety glasses, page 94

SCANRALLY REFLECT
Boiler Suit, page 17

→
SCANNOVAYA
Omnifit Sub-Zero Safety Goggles, page 96

SCANNOVAYA FACESHIELD
Faceshield for Sub-Zero Goggles, page 96






SCANCLAVAS
Balaclava, page 107

SCANALLIANCE
Boiler Suit, page 19



SCANSENSOR
Welding shield electronic with
auto darkening visor, page 112



Product code: 3530.70

ScanGazer

OTG Anti-fog and Anti-scratch Safety Glasses



FEATURES

Polycarbonate, clear lens (anti-fog, anti-scratch)
Lightweight nylon frame
Over the glasses (OTG) coverage
Adjustable temples
UV 400 protection
Transmission protection: 90-91% (Cat.0)
Frame: Nylon
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black


NORMS

CE Certified
EN 166:2001-1 F (personal eye protection)
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.01

ScanClear

Safety Glasses



FEATURES

Polycarbonate, clear, single lenses (anti-fog, anti-scratch)
Lightweight nylon frame
Non-slip arms
Soft, secure nose piece
180°C optically correct
Flexible side arms and frame pitch create a specialized fit for a wide range of face types
UV 400 protection
Transmission protection: 90-91% (Cat.0)
Frame: Nylon & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Navy & Light grey


NORMS

CE Certified
EN 166:2001-1 FT (personal eye protection)
EN 170:2002-2C – 1.2 (UV filters)
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.02

ScanGrey

Safety Glasses



FEATURES

Polycarbonate, brown, single lenses (anti-fog, anti-scratch)
Lightweight nylon frame
Non-slip arms
Soft, secure nose piece
180°C optically correct
Flexible side arms and frame pitch create a specialized fit for a wide range of face types
UV 400 protection
Transmission protection: 18,8-20% (Cat.2)
Frame: Nylon & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Cobalt blue & Light grey

NORMS

CE Certified
EN 166:2001-1 FT (personal eye protection)
EN 172:1994/A1:2000/A2:2001 – 5-2.5 (sunglare filters for industrial use)
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.15

ScanOculus

Safety Glasses



FEATURES

Polycarbonate, smoke lens (anti-fog, anti-scratch)
Lightweight polycarbonate frame
Soft, secure TPR nose piece
Ergonomic design, requires no adjustment
Omnifit: for all kinds of faces
180°C optically correct
UV 400 protection
Transmission protection: 11-12% (Cat. 3)
Frame: Polycarbonate
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black & High-Viz Yellow

NORMS

CE Certified
EN 166:2001-1 FT KN (personal eye protection)
EN 172:1994/A1:2000/A2:2001 – 5-3.1 (sunglare filters for industrial use)
ANSI-Z87.1-2010 – Z87+S (standard for eye and face protection)
AS/NZS 1337.1-2010 – I Cat. 3 (eye protectors for industrial applications)

Please note: ScanOculus will be discontinued once our existing inventory is sold.

Product code: 3510.25

ScanAdapt Clear

Omnifit 3-way Adjustable Safety Glasses



FEATURES

Ultra anti-fog and super anti-scratch
Polycarbonate, clear lens
Light weight
3-way adjustable for various face types
UV 400 protection
Transmission protection: 90-91% (Cat.0)
Frame: Nylon & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black & Orange


NORMS

CE Certified
EN 166:2001-1 FTKN (personal eye protection)
EN 170:2002-2C – 1.2 (UV filters)
ANSI Z87.1-2020 – Z87+ X (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 – I O (eye protectors for industrial applications)

Product code: 3510.27

ScanAdapt Grey

Omnifit 3-way Adjustable Safety Glasses



FEATURES

Ultra anti-fog and super anti-scratch
Polycarbonate, grey lens
Light weight
3-way adjustable for various face types
UV 400 protection
Transmission protection: 11-12% (Cat.3)
Frame: Nylon & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black & Aqua

NORMS

CE Certified
EN 166:2001-1 FTKN (personal eye protection)
EN 172:1994/A1:2000/A2:2001 – 5-3.1 (sunglare filters for industrial use)
ANSI Z87.1-2020 – Z87+ S X (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 – I Cat. 3 (eye protectors for industrial applications)

Product code: 3510.29



ScanAdapt Night

Omnifit 3-way adjustable safety glasses

FEATURES

Ultra anti-fog and super anti-scratch Polycarbonate, yellow lens
Light weight
3-way adjustable for various face types
UV 400 protection
Transmission protection: 86-87% (Cat.0)
Frame: Nylon & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black & High-Viz Yellow

NORMS

CE Certified
EN 166:2001-1 FTKN (personal eye protection)
EN 170:2002-2C - 1.2 (UV filters)
ANSI Z87.1-2020 - Z87+ X (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I O (eye protectors for industrial applications)

Product code: 3510.17



ScanPolarised

Adjustable Safety Glasses

FEATURES

Polarised anti-fog and anti-scratch polycarbonate lens
Lightweight
Soft secure nose piece
Extra flat temples
Non-slip adjustable arms
UV 400 protection
Transmission protection: 8-17,8% (Cat.3)
Frame : Nylon + TPR
Lens : Polycarbonate
Sales quantity: 12 pairs

SIZES

One size


COLOURS

Black

NORMS

CE Certified
EN 166:2001-1 FT (personal eye protection)
EN 172:1994/A1:2000/A2:2001 - 5-3.1 (sunglare filters for industrial use)
ANSI-Z87.1-2020 - Z87+ U6 S (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I Cat.3 (eye protectors for industrial applications)

Product code: 3510.28



ScanSpex Grey

Adjustable Safety Glasses

FEATURES

Ultra anti-fog and super anti-scratch polycarbonate, grey lens
Light weight
Soft secure nose piece
Non-slip adjustable arms
UV 400 protection
Transmission protection: 11-12% (Cat.3)
Frame: recycled fishing nets (PA6=Nylon) & TPR
Lens: polycarbonate
Sales quantity: 12 pairs

SIZES

One size


COLOURS

Navy & Orange

NORMS

CE Certified
EN 166:2001-1 FTKN (personal eye protection)
EN 172:1994/A1:2000/A2:2001 - 5-3.1 (sunglare filters for industrial use)
ANSI-Z87.1-2020 - Z87+ S+S X (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I Cat. 3 (eye protectors for industrial applications)

Product code: 3510.19



ScanNexus

Gasketed safety glasses

FEATURES

Ultra anti-fog and super anti-scratch Polycarbonate, clear lens
Including removable EVA foam gasket for advanced eye protection against dust, debris, particulates or windy environments
Including adjustable elastic strap
Wide breath of vision
Omnifit: for all kinds of faces
Light weight
Metal Free
UV 400 protection
Transmission protection: 85,6% (Cat.0)
Frame: Polycarbonate & TPR
Lens: Polycarbonate
Sales quantity: 12 pairs

SIZES

One size

COLOURS

Black & White

NORMS

CE Certified
EN 166:2001-1 FTKN (personal eye protection)
EN 170:2002-2C - 1.2 (UV filters)
ANSI-Z87.1-2020 - Z87+ U6 X (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I O (eye protectors for industrial applications)

Product code: 3520.11



ScanSoniX

Omnifit Safety Goggles

FEATURES

Ultra anti-fog and super anti-scratch Polycarbonate lens
UV 400 protection
Adjustable elastic strap with anti-slip
Wide breadth of vision
Omnifit: for all kinds of faces
Light weight
Comfortable to wear over prescription eyewear
Easy lens replacement
Transmission protection: 90-91% (Cat.0)
Sales quantity: 5 pairs including 2 dark grey spare lenses

SIZES

One size

COLOURS

Black & High-Viz Yellow

NORMS

CE Certified
EN 166:2001-1 34 BTKN (personal eye protection)
EN 170:2002 (clear)-2C - 1.2 (UV filters)
EN 172:1994/A1:2000/A2:2001 (grey) - 5-2.5 (sunglare filters for industrial use)
ANSI Z87.1-2020 - Z87+ X (clear) (American National Standard for occupational and educational personal eye and face protection devices)
ANSI Z87.1-2020 - Z87+ S X (grey) (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I O (clear) & I Cat. 2 (grey) - (eye protectors for industrial applications)

Product code: 3550.04



ScanSoniX Replacement Lens

Grey Replacement Lens for ScanSoniX Goggles

FEATURES

Ultra anti-fog and super anti-scratch Polycarbonate grey lens
UV 400 protection
Wide breadth of vision
Easy lens replacement
Lens to combine with frame ScanSonix Safety Goggles
Transmission protection: 18,8-20% (Cat.2)
Sales quantity: 3 lenses

SIZES

One size


COLOURS

Dark grey

NORMS

CE Certified
EN 166:2001-1 34 BTKN (personal eye protection)
EN 172:1994/A1:2000/A2:2001 (grey) - 5-2.5 (sunglare filters for industrial use)
ANSI Z87.1-2020 - Z87+ S X (grey) (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I Cat. 2 (eye protectors for industrial applications)

Product code: 3520.15



ScanToX

Omnifit Chemical Splash Goggles

FEATURES

Goggles with clear acetate anti-fog lens
Chemical splash protection
Flame-resistant
Indirectly vented infection control
Wide breadth of vision
Adjustable elastic strap with anti-slip
Engineered for various face types
Comfortable to wear over prescription eyewear and half mask respirators
UV 400 protection
Transmission protection: 86,5% (Cat.0)
Frame: PVC & Nylon
Lens: Acetate
Sales quantity: 5 pairs

SIZES

One size


COLOURS

Orange & Black

NORMS

CE Certified
EN 166:2001-1 345 S (personal eye protection)
EN 170:2002-2C -1.2 (UV filters)
ANSI Z87.1-2020 - D3 D4 D5 (American National Standard for occupational and educational personal eye and face protection devices)
AS/NZS 1337.1-2010 - I O / 3 4 5 S (eye protectors for industrial applications)

Product code: 3520.17



ScanNovaya

Omnifit Sub-Zero Safety Goggles

FEATURES

Ski inspired goggle for cold and extreme weather
Anti-fog and anti-scratch Polycarbonate CP double grey lens (cold resistance to -23°C / -9,4°F)
Soft face foam
Adjustable elastic strap
Wide breadth of vision
Omnifit: for all kinds of faces
Light weight
Comfortable to wear over prescription eyewear
UV 400 protection
Transmission protection: 8-17,8% (Cat.3)
Compatible with ScanNovaya faceshield
Frame: TPR
Lens: Polycarbonate + CP double lens
Sales quantity: 5 pairs

SIZES

One size

COLOURS


Black

NORMS

CE Certified
EN 166:2001-3 BT (personal eye protection)
EN 172:1994/A1:2000/A2:2001 (grey) 1 BT - 5-3.1 (sunglare filters for industrial use)
ANSI-Z87.1-2020 - Z87+ U6 S (grey) (American National Standard for occupational and educational personal eye and face protection devices)
CSA Z94.3-2015-CSA+S (grey) (standard for eye and face protection)

Designed to be worn in combination with the ScanNovaya Faceshield

Product code: 3530.55



ScanNovaya Faceshield

Faceshield for Sub-Zero Goggles

FEATURES

Clear polycarbonate faceshield
Snow sports inspired faceshield for cold and extreme weather
Compatible with ScanNovaya goggles
Protection against high-speed particles at extreme temperatures
Easy to attach
Sales quantity: 5 pcs

SIZES

One size

COLOURS

Clear

NORMS

CE Certified
EN 166:2001 - BT (personal eye protection)
ANSI-Z87.1-2020 - Z87+ (American National Standard for occupational and educational personal eye and face protection devices)
CSA Z94.3-2015-CSA+ (standard for eye and face protection)

Designed to be worn in combination with the ScanNovaya Safety Goggles

Product code: 3540.09



ScanSafeWeld

Welding Goggles

FEATURES

Polycarbonate, green, shade 5 lenses
Adjustable, allows for perfect adherence to face
Soft, ergonomic, vented side shields
Ant-scratch

SIZES

One size

COLOURS

Green

NORMS

CE Certified
EN 166:2001-1 SFT (personal eye protection)
EN 169:2002 (personal eye protection)
EN 175:1997 SFT (protection against optical radiation)

Product code: 3540.11



ScanSightWeld

Welding Goggles

FEATURES

Goggles with polycarbonate, green, shade 5 lens
Wide breadth of vision
Ergonomic nose piece creates a customised fit
Comfortable to wear over prescription eyewear
Wide, hypoallergenic, elasticised headband

SIZES

One size


COLOURS

Green

NORMS

CE Certified
EN 166:2001 FT (personal eye protection)
EN 170:2002 (UV filters)
EN 169:2002 (personal eye protection)
EN 175:1997 FT (protection against optical radiation)

Product code: 3550.07



ScanSpecStrap

Heavy duty strap for spectacles

FEATURES

Flexible knitted adjustable strap
Easy release
Fits to all kinds of frames
Sales quantity: 12 pcs

SIZES

One size

COLOURS

Black

NORMS

-

Product code: 3020.13

ScanClick Pro Adhesive goggle/headlamp clips for safety helmets



- FEATURES**

Easy fixation by non-softening 3M adhesive tape

To prevent goggles or a headlamp from slipping off the helmet

Usable on all types of safety helmets

100% ABS plastic

Sales quantity: 2 pcs
- SIZES**

One size
- COLOURS**

High-Viz Yellow
- NORMS**

-

Please note: We have updated the design for ScanClick. The new ScanClick Pro will replace the outgoing ScanClick once our existing inventory is sold.

Product code: 3550.20

ScanStation Eyewashing Station with Twin Eyewash Bottles



- FEATURES**

Two bottles with 500 ml sterilised water

Including wall holder
- SIZES**

One size
- COLOURS**

-
- NORMS**

CE Approved

Product code: 3550.17

ScanEyewashing Eyewash Bottle



- FEATURES**

Bottle containing a 0.9% sterile sodium chloride solution

Comes complete with an ergonomic eye cup, a dust cap, and easy-to-read instructions

Intended for use in eye wash stations or on its own

Sales quantity: 12 bottles
- SIZES**

One size
- COLOURS**

-
- NORMS**

CE Approved

Product code: 3010.35

Centurion 1100 Classic Vented Safety helmet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -10°C (14°F)

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red

White

Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.34

Centurion 1100 Classic Non-Vented Safety helmet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -10°C (14°F)

Electrical resistance to 440 Vac

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red

White

Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.36

Centurion 1125 Classic Vented Safety helmet with wheel ratchet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert with sweatband

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -30°C (-22°F)

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red

White


Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.37

Centurion 1125 Classic Non-Vented

Safety helmet with wheel ratchet



FEATURES
High-density polyethylene helmet
Comfortable and adjustable head insert with sweatband
Insert slots on sides for effortless 6-point liner mounting
Cold resistance to -30°C (-22°F)
Electrical resistance to 1.000 Vac
Designed to protect against electrical surges (20.000 Vac)
5-year working lifetime
Composition of fabric: polyethylene
Multiple accessoires available
Helmet can be branded with a company logo

SIZES
One size


COLOURS
Blue
Green
Orange
Red
White
Yellow

NORMS
EN 397:2012+A1:2012 (industrial safety helmets) ANSI Z89.1-2014 Type I Class E

Product code: 3010.55

Centurion Concept Vented SP

Safety helmet with wheel ratchet



FEATURES
ABS safety helmet
Electrical resistance to 1.000 VAC for use on low voltage insulations
Comfortable and adjustable head insert with Dry-Tech sweatband
Insert slots on sides for easy, universal mounting
Lateral Deformation (LD)
Molten Metal Protection (MM)
Cold resistance to -40°C (-40°F)
5-year working lifetime
Composition of fabric: acrylonitrile butadiene styrene (ABS)
Multiple accessoires available
Helmet can be branded with a company logo

SIZES
One size


COLOURS
Blue
Green
White

NORMS
EN 397:2012+A1:2012 (industrial safety helmets)
EN 50365:2002 Class 0 (electrically insulating helmets)
ANSI Z89.1-2014 Type I class C

Product code: 3010.39

Centurion Concept Vented

Safety helmet



FEATURES
ABS safety helmet
Electrical resistance to 1.000 Vac for use on low voltage insulations
Comfortable and adjustable head insert with Dry-Tech sweatband
Insert slots on sides for effortless 6-point liner mounting
Lateral Deformation (LD)
Molten Metal Protection (MM)
Cold resistance to -40°C (-40°F)
5-year working lifetime
Composition of fabric: acrylonitrile butadiene styrene (ABS)
Multiple accessoires available
Helmet can be branded with a company logo

SIZES
One size


COLOURS
Blue
Green
Orange
Red
White
Yellow

NORMS
EN 397:2012+A1:2012 (industrial safety helmets)
EN 50365:2002 Class 0 (electrically insulating helmets)
ANSI Z89.1-2014 Type I class C

Product code: 3010.12

Peltor G3000D helmet

Safety helmet



FEATURES
Produced using high quality, UV-stabilised, ABS plastic
One of the lightest safety helmets available
Designed to protect against low temperatures (to -30° C.) and electrical surges (to 440 V), featuring a shorter screen that offers increased ease of movement without compromising anti-dazzle protection
Helmet insert can be turned 180°, allowing for climbing and work in confined spaces

SIZES
One size


COLOURS
Blue
Green
Orange
Red
White
Yellow
High-Viz Yellow

NORMS
EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.38

Centurion Concept Non-Vented

Safety helmet



FEATURES
ABS safety helmet
Electrical resistance to 1.000 Vac
Designed to protect against electrical surges (20.000 Vac)
Comfortable and adjustable head insert with Dry-Tech sweatband
Insert slots on sides for effortless 6-point liner mounting
Lateral Deformation (LD)
Molten Metal Protection (MM)
Cold resistance to -40°C (-40°F)
5-year working lifetime
Composition of fabric: acrylonitrile butadiene styrene (ABS)
Multiple accessoires available
Helmet can be branded with a company logo

SIZES
One size

COLOURS
Blue
Green
Orange
Red
White
Yellow

NORMS
EN 397:2012+A1:2012 (industrial safety helmets)
EN 50365:2002 Class 0 (electrically insulating helmets)
ANSI Z89.1-2014 Type I Class E

Product code: 3010.13

Peltor G3000D Ratchet helmet

Safety helmet with wheel ratchet insert




FEATURES
Produced using high quality, UV-stabilised, ABS plastic
One of the lightest safety helmets available
Designed to protect against low temperatures (to -30° C.) and electrical surges (to 440 V), featuring a shorter screen that offers increased ease of movement without compromising anti-dazzle protection
Helmet insert can be turned 180°, allowing for climbing and work in confined spaces

SIZES
One size

COLOURS
Blue
Green
Orange
Red
White
Yellow

NORMS
EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.15



Petzl Vertex Vent

Ventilated safety helmet

FEATURES

Comprehensive worksite protection
6-point textile suspension adapts to the shape of the wearer's head; helmet can be centred and adjusted for optimal positioning
Headband lowers for an optimal fit
Dual chinstrap reduces risk of helmet slip, loss, and entanglement (strength greater than 50 daN)
Outer shell absorbs shock and is unventilated to protect wearer against electrical hazards, molten splash, and flames
Vent holes feature sliding shutters for adjustment of airflow during wear
Materials: ABS (acrylonitrile butadiene styrene), nylon, polycarbonate, high-strength polyester, polyethylene

SIZES

One size


COLOURS

Blue
Orange
Red
White
Yellow
High-Viz Yellow

NORMS

CE Certified
EN 397:2012+A1:2012 (industrial safety helmets)
EN 12492:2012+A1:2012 (helmets for mountaineers)
EAC
ANSI Z89.1 Type I Class E

Product code: 3010.18



Petzl Vertex Best

Safety helmet

FEATURES

Comprehensive worksite protection
6-point textile suspension adapts to the shape of the wearer's head; helmet can be centred and adjusted for optimal positioning
Headband lowers for an optimal fit
Dual chinstrap reduces risk of helmet slip, loss, and entanglement (strength greater than 50 daN)
Outer shell absorbs shock and is unventilated to protect wearer against electrical hazards, molten splash, and flames
Materials: ABS (acrylonitrile butadiene styrene), nylon, polycarbonate, high-strength polyester, polyethylene

SIZES

One size


COLOURS

Black
Blue
Orange
Red
White
Yellow
High-Viz Yellow

NORMS

CE Certified
EN 397:2012+A1:2012 (industrial safety helmets)
EN 12492:2012+A1:2012 (helmets for mountaineers)
EN 50365
EAC
AS/NZS 1801
ANSI Z89.1 Type I Class E

Product code: 3010.07



OBX helmet

Safety helmet with glasses

FEATURES

Polyethylene helmet
Includes fully retractable visor, adjustable head insert, and sweatband
Insert slots on sides for easy, universal mounting
4-year working lifetime

SIZES

One size


COLOURS

Blue
Green
White
Yellow

NORMS

CE Certified
EN 166F
NF EN 397/A1:2000 (industrial safety helmets)
EN 50365:2002 (electrically insulating helmets)

Product code: 3010.40



ScanBlaze

MED approved Fireman's helmet

FEATURES

This firefighter's helmet is made from composite material
Includes an embedded, retractable dark visor and leather neck protection
Heat-resistant to 250°C (482°F)

SIZES

One size

COLOURS


Red and Black

NORMS

EN 443:2008
MED approved

Special item: please allow up to 14 working days for delivery

Product code: 3020.01



ScanStrap

Elasticated Chinstrap for safety helmet

FEATURES

Elasticated
Easy to mount
Adjustable in length
Compatible with most safety helmets
Strap: 100% nylon
Buckle: 100% ABS plastic

SIZES

One size


COLOURS

Orange

NORMS

-

Product code: 3020.00



ScanTriStrap

3-point Chinstrap

FEATURES

3-point chinstrap for the G3000 helmet
Strap: 100% polypropylene
Buckle: 100% ABS plastic

SIZES

One size

COLOURS

Orange

NORMS

-


MARITIME OUTFITTERS since 1974

103

Product code: 3020.40

Centurion Kalis Dry Cooling System

Helmet Pad



FEATURES
Inuteq-Dry® cooling technology
Cools the head down to 15°C below ambient temperature
Lightweight, non-toxic and durable
Activated with a small amount of water
Re-activation is only required every 1-3 days
Stays 100% dry, inside and outside
When fitted to a Centurion helmet, the helmet continues to meet the requirements of EN 397

SIZES
One size


COLOURS
Yellow & Black

NORMS
CE Certified

Product code: 3020.55

Insert for Centurion 1100 Classic

Replacement suspension cradle



FEATURES
Insert for Centurion 1100 safety helmets

SIZES
One size


COLOURS
-

NORMS
-

Product code: 3020.51

Sweatband (Centurion 1100 & 1125)

Sweatband for Centurion 1100 & 1125 safety helmet



FEATURES
Sweatband for use in the Centurion 1100 & 1125 helmet
Black brushed nylon
Laminated to 2mm foam

SIZES
One size


COLOURS
-

NORMS
-

Product code: 3020.56

Insert for Centurion 1125 Classic

Replacement suspension cradle



FEATURES
Wheel ratchet insert for Centurion 1125 safety helmets
Sweatband included

SIZES
One size


COLOURS
-

NORMS
-

Product code: 3020.59

Insert + sweatband for Centurion Concept (Slip)

Cradle with slip ratchet + pre-mounted dry-tech sweatband



FEATURES
Insert for Centurion Concept safety helmets
Sweatband included

SIZES
One size


COLOURS
-

NORMS
-

Product code: 3020.23

ScanInsert for OBX

Insert for OBX safety helmet (ratchet insert)



FEATURES
Ratchet insert for OBX helmets
Sweatband included

SIZES
One size


COLOURS
-

NORMS
-

Product code: 3010.09

ScanBumpcap

Baseball bump cap



FEATURES
Cotton cover with shortened 3 cm (1.18 in) visor with inner ABS hard cap
Adjustable Velcro strap
Two mesh side vents
ScanBumpcap should not be used as an industrial safety helmet

SIZES
One size


COLOURS
Navy

NORMS
CE Certified
EN 812:2012 (industrial bump caps)

Product code: 3021.01

ScanClava FR/AS

Balaclava — Flame-resistant, Anti-static



FEATURES
Fine-knit Jersey cotton blend
High moisture permeability
Comfortable to wear
59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon
Sales quantity: 3 pcs

SIZES
One size


COLOURS
Navy

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)

Product code: 3020.07

ScanDyad

Reversible knitted beanie



FEATURES
Reversible
100% soft acrylic
Sales quantity: 3 pcs

SIZES
One size


COLOURS
Navy & Black

NORMS
-

Product code: 3020.04

ScanClavaS

Balaclava



FEATURES
HV Yellow detailing allows for immediate identification of crew
Anti-pilling
Rib knitted 100% soft acrylic
Sales quantity: 3 pcs

SIZES
One size


COLOURS
Navy

NORMS
-

Product code: 3020.03

ScanInsulate

Insulating inner lining



FEATURES
Compatible with most safety helmets
Extra-long neck
100% brushed cotton
Padded fleece lining

SIZES
One size

COLOURS
Navy

NORMS
STANDARD 100 by OEKO-TEX® Class II

Product code: 3020.06

ScanTarga FR/AS

Multifunctional Headwear — Flame-resistant, Anti-static









FEATURES
Fine-knit Jersey cotton blend
Designed for wear as a scarf, cap, bandana, mask, balaclava, and helmet liner
Length: 50 cm (19.6 in)
59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon
Sales quantity: 3 pcs

SIZES
One size

COLOURS
Navy

NORMS
CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)
EN 1149-5:2018 (anti-static)

<div>Product code: 3020.52</div> <div></div>	<div>ScanTarga Fleece Fleece — Neck warmer</div> <div><div><div>FEATURES</div><div>Cold and wind protection Adjustable drawcord for modified coverage Two sides anti-pilling Anti-static finish 100% polyester polar fleece (weight 280 gsm) Sales quantity: 3 pcs</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>Black</div></div><div><div>NORMS</div><div>-</div></div></div>
<div>Product code: 3530.07</div> <div></div>	<div>ScanBionic PC visor clear Faceshield for ScanBionic Shell</div> <div><div><div>FEATURES</div><div>Polycarbonate clear visor for ScanBionic face shield Sales quantity: 10 pcs</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>Clear</div></div><div><div>NORMS</div><div>EN 166:2001 EN 169:2002 EN 170:2002</div></div></div>
<div>Product code: 3530.05</div> <div></div>	<div>ScanBionic Shell Adjustable fold up shell – with suspension</div> <div><div><div>FEATURES</div><div>Excellent visibility Adjustable, interchangeable visor Secure visor attachment with breathable, interchangeable, and washable headband 100% dielectric, can be worn with most goggles and respirators Sales quantity: 4 pcs</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>-</div></div><div><div>NORMS</div><div>CE Approved EN 166:2001</div></div></div>
<div>Product code: 3530.08</div> <div></div>	<div>ScanBionic PC visor dark Faceshield for ScanBionic Shell</div> <div><div><div>FEATURES</div><div>Polycarbonate dark visor for ScanBionic face shield Sales quantity: 10 pcs</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>Dark</div></div><div><div>NORMS</div><div>EN 166:2001 EN 169:2002 EN 170:2002</div></div></div>
<div>Product code: 3530.09</div> <div></div>	<div>ScanBionic AC visor clear Faceshield for ScanBionic Shell</div> <div><div><div>FEATURES</div><div>Acetate clear visor for ScanBionic face shield Sales quantity: 10 pcs</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>Clear</div></div><div><div>NORMS</div><div>EN 166:2001 EN 169:2002 EN 170:2002</div></div></div>
<div>Product code: 3530.11</div> <div></div>	<div>ScanBionic adapter Adapter for fastening ScanBionic</div> <div><div><div>FEATURES</div><div>Attaches quickly and easily to a variety of helmets Provides complete head and face protection</div></div><div><div>SIZES</div><div>One size</div></div><div><div>COLOURS</div><div>-</div></div><div><div>NORMS</div><div>CE Approved EN 166:2001</div></div></div>

Product code: 3530.01



ScanLuna Adjustable fold-up headband

FEATURES
Adjustable fold up headrack made from hypo allergenic material
Foam sweatband
Wheel ratchet adjustment at nape
90° flip-up visor
To use with ScanVisor range
Visor sold separately

SIZES
One size

COLOURS
-

NORMS
CE Approved
EN 166:2004
EN 175:1999

Product code: 3530.14



ScanVisor PC Faceshield / Polycarbonate

FEATURES
Clear Polycarbonate replacement faceshield
To be used in conjunction with ScanLuna / ScanClip

SIZES
One size

COLOURS
Clear

NORMS
CE Approved
EN 166
EN 170

Product code: 3530.03



ScanClip Faceshield holder for helmet

FEATURES
Attaches easily to all helmet types
Flip-up mechanism allows the visor to be set at various angles
Shock resistant
Effortless lens replacement
Rear spring for perfect stability
Designed for use with ScanVisor series
Visor sold separately

SIZES
One size

COLOURS
Silver

NORMS
CE Approved
EN 166:2004
EN 175:1999

Product code: x3530.15



ScanVisor EA Faceshield / Electric Arc


FEATURES
Clear Polycarbonate replacement faceshield with electric arc protection
To be used in conjunction with ScanLuna / ScanClip

SIZES
One size

COLOURS
Clear

NORMS
CE Approved
EN 166

Product code: 3530.34



Petzl Vizen for Petzl helmets Faceshield for Vertex and Strato helmets


FEATURES
Full-coverage shield protects the eyes and face from short-circuit electrical arcs
Exceptional 180° peripheral vision
Scratch- and fog-resistant
Compatible with Vertex and Strato helmets
Quick and easy installation (EasyClip attachment system)
Pivots quickly from work position to storage position on top of the helmet
Weight: 180 g
Material: polycarbonate

SIZES
One size

COLOURS
Clear

NORMS
EN166, 1BT8
EN 170, 2C-1,2, GS ET-29, Class 1
ANSI Z87.1 EAC

Product code: 3530.16



ScanVisor AC Faceshield / Acetate

FEATURES
Clear Acetate replacement faceshield
To be used in conjunction with ScanLuna / ScanClip

SIZES
One size

COLOURS
Clear

NORMS
CE Approved
EN 166

Product code: 3530.25

Peltor V4F Visor PC (10) **Faceshield for helmet**



FEATURES

Multi visor system
Polycarbonate visor with good impact and scratch resistance
Sales quantity: 10 pcs

SIZES

One size

COLOURS

Clear

NORMS

EN 166:1995

Product code: 3540.04

ScanSensor **Welding shield electronic with auto darkening visor**



FEATURES

High quality heat resistant materials
Adjustable ratchet head-band
Field of vision 95x39 mm.
2 Arc sensors
Solar cell power supply and li-ion batteries
Extra Inner and outer anti spatter lens
Auto darkening filter changes from light shade to dark shade when wearer begins welding
Switching time: 0.3 ms
External shade control 9-13
Adjustable opening delay: 0.1-0.8 sec
Automatically turns off after 15-20 minutes
Operating Temperature -5°C to +55°C (23°F to 131°F)

SIZES

One size

COLOURS

Black

NORMS

CE 1/1/1/2
AS/NZS 1338.1
EN 175
ANSI Z87.1
CSA Z94.3

Product code: 3540.05

ScanSwingBack **Welding Shield, including ScanXantos lens 50 mm x 108 mm**



FEATURES

Lightweight welding shield
Unique straight shell
Impact-resistant and durable
Adjustable headband
Glass holder sized 50 x 108 mm.

SIZES

One size

COLOURS

Black

NORMS

EN 175:1997

Product code: 5012.22

ScanSilence ML2 **Passive Earmuffs - Mountable - Level 2**



FEATURES

Protection against moderate industrial noise levels and loud sounds
Lightweight
Mountable to various helmet types/brands
Adapter pair included
Limited contact pressure for all-day comfort
Easy working / parking position
Small ear cups with maximal ear protection
Adjustable cup height
Anti-scratch cups
Hygienic soft replaceable, allergy-tested PVC ear cushions
Weight: 234,2 g (8.2 o.z.)
CE EN Attenuation: H=34dB, M=28dB, L=20dB, SNR=30dB
ANSI Attenuation: NRR=23dB
AS/NZS Attenuation: SLC80=26.3dB Class 5
Sales quantity: 1 pair
Optional: ScanSilence HK2 for ear cushions and foam replacement

SIZES

One size

COLOURS

HV Orange

NORMS

CE Certified
EN 352-3:2020 (general requirements - earmuffs attached to an industrial safety helmet)
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5010.62

ScanSilence L2 **Passive Earmuffs - Headband - Level 2**



FEATURES

Protection against hazardous moderate industrial noise levels and loud sounds
Lightweight
Omnifit headband
Limited contact pressure for all-day comfort
Compatible with various safety helmets
Easy working / parking position
Foldable for easy portability and storage
Small ear cups with maximal ear protection
Adjustable cup height
360° rotating anti-scratch cups
Hygienic soft replaceable, allergy-tested PVC ear cushions
Weight: 207,9 g (7.3 o.z.)
CE EN Attenuation: H=35dB, M=28dB, L=20dB, SNR=31dB
ANSI Attenuation: NRR=23dB
AS/NZS Attenuation: SLC80=28.8dB Class 5
Sales quantity: 1 pc
Optional: ScanSilence HK2 for ear cushions and foam replacement

SIZES

One size


COLOURS

HV Orange

NORMS

CE Certified
EN 352-1:2020 (general requirements - earmuffs)
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5012.24



ScanSilence ML3

Passive Earmuffs - Mountable - Level 3


FEATURES
Protection against very high noise levels and loud sounds
Lightweight
Mountable to various helmet types/brands
Adapter pair included
Limited contact pressure for all-day comfort
Easy working / parking position
Small ear cups with maximal ear protection
Adjustable cup height
Anti-scratch cups
Hygienic soft replaceable, allergy-tested PVC ear cushions
Weight: 248,6 g (8.8 o.z.)
CE EN Attenuation: H=36dB, M=32dB, L=23dB, SNR=33dB
ANSI Attenuation: NRR=26dB
AS/NZS Attenuation: SLC80=27.3dB Class 5
Sales quantity: 1 pair
Optional: ScanSilence HK3 for ear cushions and foam replacement

SIZES
One size

COLOURS
HV Yellow

NORMS
CE Certified
EN 352-3:2020 (general requirements - earmuffs attached to an industrial safety helmet)
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5030.29



ScanSilence HK2

Hygiene Kit — Moderate industrial noise levels


FEATURES
Compatible with ScanSilence L2 and ScanSilence ML2
Replacement ear cushions and foam absorbents
Weight: 34 g (1.0 o.z)
Absorbent: foam
Ear cushions: foam filling + PVC cover
Sales quantity: 20 pairs

SIZES
One size

COLOURS
Black

NORMS
-

Product code: 5010.64



ScanSilence L3

Passive Earmuffs - Headband - Level 3


FEATURES
Protection against very high noise levels and loud sounds
Lightweight
Omnifit headband
Limited contact pressure for all-day comfort
Compatible with various safety helmets
Easy working / parking position
Foldable for easy portability and storage
Small ear cups with maximal ear protection
Adjustable cup height
360° rotating anti-scratch cups
Hygienic soft replaceable, allergy-tested PVC ear cushions
Weight: 209,6 g (7.4 o.z.)
CE EN Attenuation: H=38dB, M=32dB, L=23dB, SNR=34dB
ANSI Attenuation: NRR=27dB
AS/NZS Attenuation: SLC80=31.7dB Class 5
Sales quantity: 1 pc
Optional: ScanSilence HK3 for ear cushions and foam replacement

SIZES
One size

COLOURS
HV Yellow

NORMS
CE Certified
EN 352-1:2020 (general requirements - earmuffs)
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5030.31



ScanSilence HK3

Hygiene Kit — Very high noise levels


FEATURES
Compatible with ScanSilence L3 and ScanSilence ML3
Replacement ear cushions and foam absorbents
Weight: 38 g (1.1 o.z)
Absorbent: foam
Ear cushions: foam filling + PVC cover
Sales quantity: 20 pairs

SIZES
One size

COLOURS
Black

NORMS
-

Product code: 5030.33



ScanSilence Clip

Ear protection clip


FEATURES
Easy to attach
Firm grip
Lightweight
Noncorrosive
Prevents loss of ear protection
Compatible with all ScanSilence headbands
Sales quantity: 1 pcs

SIZES
One size

COLOURS
Black

NORMS
-

Product code: 5527.01



3M™ EAR-Soft™ Uncorded

Earplugs, uncorded – foam

FEATURES

Slow expanding polyurethane foam
Soft foam helps provide low pressure inside the ear canal
Tapered shape conforms quickly to fit comfortably in most ear canals
SNR 36dB
Particularly suited for low frequency noise
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System
Vibrant colours – neon yellow colour for hearing protection compliance sighting
Sales quantity: 250 pairs per box

SIZES

One size


COLOURS

High-Viz Yellow

NORMS

CE Certified
EN 352-2:2002

Product code: 55527.04



3M™ EAR-UltraFit™ Corded

Earplugs, corded, reusable

FEATURES

Patented tri-flange design in pre-moulded material makes them a fit for most ear canals
Available in one size only
Firm, long stem for easy insertion and removal
Made from soft and durable material
SNR 32dB
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System
Can be washed up to 50 times with mild detergent
Supplied in re-closable packaging
Separate cord which can be removed and reinserted for optional uncorded or corded wear
Sales quantity: 50 pairs per box

SIZES

One size


COLOURS

Blue & Yellow

NORMS

CE Certified
EN 352-2:2002

Product code: 5527.02



3M™ EAR-Soft™ Corded

Earplugs, corded – foam

FEATURES

Slow expanding polyurethane foam
Soft foam helps provide low pressure inside the ear canal
Tapered shape conforms quickly to fit comfortably in most ear canals
SNR 36dB
Particularly suited for low frequency noise
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System
Vibrant colours – neon yellow colour for hearing protection compliance sighting
Sales quantity: 200 pairs per box

SIZES

One size


COLOURS

Blue & High-Viz Yellow

NORMS

CE Certified
EN 352-2:2002

Product code: 5527.03



3M™ Push-to-Fit Uncorded

Earplugs, uncorded

FEATURES

Distinctive pod design
Semi flexible stem helps easy insertion and removal
Made from unique 3M™ EAR-Form™ Foam on the tip
The soft foam eartip shape and size moulds comfortably to the wearers ear canal for improved wearability
No roll-down required thus keeping the earplugs hygienically clean during fitting
SNR 38dB
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System
Sales quantity: 400 pairs per box

SIZES

One size


COLOURS

Blue & Yellow

NORMS

CE Certified
EN 352-2:2002

Product code: 5527.05



3M™ 1271EAR™ Earplugs Corded

Earplugs, corded, reusable

FEATURES

Three flange design
Made from soft and durable TPE material for optimum comfort
Earplugs are corded, allowing the wearer to keep the plugs together and make them quickly available
Firm stem for easy insertion and removal
SNR 25dB
Can be washed with mild detergent
Supplied in a durable storage case
Sales quantity: 50 pairs per box

SIZES

One size


COLOURS

Blue & Orange

NORMS

CE Certified
EN 352-2:2002

Product code: 5527.07



3M™ Earplug with Head Band

Earplugs, headband

FEATURES

Flexible and durable band featuring pressure diffusion technology
Soft semi-aural foam eartips seal entrance part of ear canal
Designed to be worn in U-T-C and B-T-H wearing mode for minimal interference with other PPE such as head protection
SNR 26dB (U-T-C) and SNR 25dB (B-T-H)
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System
Sales quantity: 10 pairs per box

SIZES

One size

COLOURS

Blue & Orange

NORMS

CE-Certified
EN 352-2:2002

MARITIME OUTFITTERS since 1974

117

Product code: 4510.02



ScanRespi FFP2/V

Single Use Half Mask Respirator with Valve

FEATURES
Protects against non toxic dust /mist, smoke and aerosols
Lightweight
Contoured fit
Easy breathing / speaking
4-layer innovative filter technology
Latex free
Staple free, welded elasticized twin headbands
Adjustable nose bridge
Comfortable foam nose seal
Valve ensures extended wearing comfort by preventing the accumulation of moisture inside mask
Sales quantity: 10 pcs

SIZES
One size

COLOURS
White

NORMS
CE Certified
EN 149:2001+A1:2009 (filtering half mask)
Assigned Protection Factor 10 (APF)

AS/NZS 1716:2012 (respiratory protective devices)
NIOSH 95

Product code: 4510.03



ScanRespi FFP3/V

Single Use Half Mask Respirator with Valve

FEATURES
Protects against non toxic dust /mist, smoke and aerosols
Lightweight
Contoured fit
Easy breathing / speaking
4-layer innovative filter technology
Latex free
Adjustable elasticized twin headbands for tight fit
Adjustable nose bridge
Comfortable foam seal
Valve ensures extended wearing comfort by preventing the accumulation of moisture inside mask
Sales quantity: 5 pcs

SIZES
One size

COLOURS
White

NORMS
CE Certified
EN 149:2001+A1:2009 (filtering half mask)
Assigned Protection Factor 20 (APF)

AS/NZS 1716:2012 (respiratory protective devices)

Product code: 4511.01



ScanMask 100/2

Half mask with 2 filter connections

FEATURES
Lightweight ergonomic design
Adjustable, double head straps
Double filter connection
Fitted with sturdy, comfortable facial seal
Designed for use with ScanFilter 100/2

SIZES
One size (adjustable)

COLOURS
Black/orange

NORMS
EN 140:1998

Product code: 4511.02



ScanMask 330

Half mask with single threaded filter connection to EN 148/1

FEATURES
Lightweight ergonomic design
Adjustable, double head straps
EN 148/1 filter connection
Designed for use with ScanFilter DIRIN

SIZES
One size (adjustable)

COLOURS
Black

NORMS
EN 140:1998

Product code: 4512.02



ScanSfera

Full face breathing mask


FEATURES
Octopus designed adjustable head strap
Polycarbonate, convex shield with high impact construction, allows user to retain 85% of their natural sight
Frontal speech diaphragm enables communication
Easy cleaning and replacement
Includes half-mask
Flame- and radiating heat-resistant
EN 148/1 filter connection
Designed for use with ScanFilter DIRIN

SIZES
One size

COLOURS
Black

NORMS
EN 136:1998

Product code: 4512.03



DPI Mask C701

Full face breathing mask

FEATURES
Polycarbonate shield
Optical Class 1 (EN 166)
Anti-fog mask certified as Class 3 (EN 136)
Maximum comfort and breathability
5-point fixation
Hypoallergenic material
Threaded filter connection (EN 148/1)
Designed for use with ScanFilter DIRIN
Easy maintenance
Sales quantity: 1 pc

SIZES
One size

COLOURS
Black

NORMS
EN 148-1
EN 136:98 - Class 3
EN 166 - Class 1 (panoramic optical visor)
STANAG 2920 (ballistic test method for personal armour materials and combat clothing)

Product code: 4520.08



ScanFilter 100/2 A1B1

Filter for ScanMask 100/2

FEATURES

Filter for organic/acid vapours, and gases
Sales quantity: 12 pcs

SIZES

One size


COLOURS

-

NORMS

CE Certified
EN 141:2000 A1 B1
EN 14387:2004 (respiratory protective devices)

Product code: 4520.10



ScanFilter 100/2 A1P3

Filter for ScanMask 100/2

FEATURES

Filter for organic gas and vapours, dust, fumes, and mist
Sales quantity: 8 pcs

SIZES

One size


COLOURS

Black

NORMS

CE Certified
EN 141:2000 A1 P3
EN 143:2000
EN 14387:2004 (respiratory protective devices)

Product code: 4520.11



ScanFilter 100/2 A1B1E1K1

Filter for ScanMask 100/2

FEATURES

Filter for organic, inorganic, acid, and ammonia vapours and gases, excluding carbon monoxide
Sales quantity: 8 pcs

SIZES

One size

COLOURS

Black and Orange

NORMS

EN 141:2000 A1 B1 E1 K1
EN 14387:2004 (respiratory protective devices)

Product code: 4520.12



ScanFilter 100/2 A1B1E1K1P3

Filter for ScanMask 100/2

FEATURES

Combined gas, dust, fume, and mist filter
Protection against organic, inorganic, acid, and ammonia vapours and gases, excluding carbon monoxide
Sales quantity: 8 pcs

SIZES

One size

COLOURS

Black

NORMS

CE Certified
EN 141:2000 A1 B1 E1 K1 P3
EN 143:2000
EN 14387:2004 (respiratory protective devices)

Product code: 4521.01



ScanFilter Dirin A2

DIRIN filter

FEATURES

Filter for organic gases and vapours
EN 148/1 connection

SIZES

One size


COLOURS

Black

NORMS

CE Certified
EN 141:2000 A2
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.04



ScanFilter Dirin K2

DIRIN filter

FEATURES

Filter for ammonia and organic ammonia derivatives

SIZES

One size


COLOURS

Black

NORMS

CE Certified
EN 141:2000 K2
EN 14387:2004 (respiratory protective devices)

Product code: 4521.06



ScanFilter Dirin P2

DIRIN filter

FEATURES

Filter for ammonia and organic ammonia derivatives

SIZES

One size


COLOURS

Black

NORMS

CE Certified
EN 143:2000+A1:2006 P2

Product code: 4521.08



ScanFilter Dirin A2B2

DIRIN filter

FEATURES

Filter for organic, inorganic gases and vapours

SIZES

One size

COLOURS

Black

NORMS

CE Certified
EN 141:2000 A2 B2
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.09

ScanFilter Dirin A2P2 **DIRIN filter**



FEATURES
Filter for organic and inorganic gases and vapours, solid and liquid particles

SIZES
One size

COLOURS
Black

NORMS
CE Certified
EN 141:2000 A2 P2
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.16

ScanFilter Dirin A2B2E2K2 **DIRIN filter**



FEATURES
Filter for organic and inorganic gases and vapours, acid gases and vapours, ammonia, and ammonia derivatives
Sold individually

SIZES
One size

COLOURS
Black

NORMS
EN 141:2000 A2 B2 E2 K2
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.10

ScanFilter Dirin A2P3 **DIRIN filter**



FEATURES
Filter for organic gases and vapours, dust, fumes and mist

SIZES
One size

COLOURS
Black

NORMS
CE Certified
EN 141:2000 A2 P2
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.17

ScanFilter Dirin A2B2E2K1P3 **DIRIN filter**



FEATURES
Filter for organic and inorganic gases and vapours, solid and liquid particles, acid gases and vapours, ammonia, and ammonia derivatives

SIZES
One size

COLOURS
Black

NORMS
CE Certified
EN 141:2000 A2 B2 E2 K1 P3
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.15

ScanFilter Dirin A2B2P3 **DIRIN filter**



FEATURES
Filter for organic and inorganic gases and vapours, solid and liquid particles

SIZES
One size

COLOURS
Black

NORMS
CE Certified
EN 141:2000 A2 B2 P3
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 5510.42

3M Protecta Comfort Belt Style Fall Arrest Harness

Fall Arrest Harness



FEATURES

For fall arrest, vertical ladder climbing, work positioning
Frontal and rear mounted large D-rings:
steel – zinc plated black electro-deposition paint
Pass-through buckles: steel – zinc plated black electro-deposition paint
Adjustable legs, chest, torso and waist
Torso spring adjuster: steel – zinc plated black electro-deposition paint
Rear fall indicator
Hip padding
Auto-resetting lanyard keeper
Hook and loop web ends
Protected labels
Operating temperature: -from 35°C to +57°C
Composition: 45 mm polyester water & dirt resistant webbing
Weight capacity: 140 kg

SIZES

XS/S – M/L – XL/2XL

COLOURS

Black & Red

NORMS

CE EN361:2002
EN358:1999

Product code: 5510.45

3M Protecta Standard Vest Style Fall Arrest Harness

Standard Vest Style with Horizontal Legs



FEATURES

Rear fall arrest D-ring
Adjustable chest strap height
Pass through buckles
Clear identification of fall arrest anchorage points
Stain and water resistant webbing
Modern black components – zinc plated steel with electro deposit paint finish
Protected labels for long-term identification and inspection
Articulated rings on horizontal leg straps for greater freedom of movement
Operating temperature: -from 35°C to +57°C
Weight capacity: 140 kg

SIZES

XS/S – M/L – XL/2XL

COLOURS

Black

NORMS

CE Certified
EN 361

Product code: 5510.52

3M Protecta Comfort Belt-Style Fall Arrest Suspension Harness

Fall arrest harness with two attachment points



FEATURES

Front and rear fall arrest steel-zinc plated D-ring
Multiple positioning attachment points
Large cranked D-ring suspension attachment point
Quick connecting leg buckles
Adjustable shoulders, legs, and waist
Front and rear fall indicators
Dorsal/shoulder, hip, and leg padding
Two auto-resetting lanyard keepers
Gear/tool loops
Protected labels
45 mm water- and dirt-resistant polyester webbing
Polyester threading
Operating temperature range: -35°C/ +57°C (-31°F / 135°F)
Weight capacity: 140 kg (308.6 lbs)

SIZES

S – M/L – XL

COLOURS

Black & Red

NORMS

CE Certified
EN 361:2002 (full body fall arrest harness)
EN 358:2018 (work positioning belt)
EN 813:2008 (sit harness)

Product code: 5510.44

3M Protecta Pro Welders Harness

Welders Harness



FEATURES

5 adjustable points
Pass through steel buckles
Large rear D-ring
Label pouch
Torso adjusters
Fall Indicators
Composition: 45 mm modacrylic Kevlar® webbing
Stitching: high strength Kevlar® thread
Buckles: high strength zinc-plated steel pass through
D-rings: zinc plated wrought steel
Breaking strength: > 2600daN

SIZES

M/L

COLOURS

Orange

NORMS

CE Certified
EN 361

Product code: 5510.46

DBI Sala Delta Harness with quick connect buckles

Fall Protection Harness



FEATURES

Water repellant webbing to reduce attraction of mold and dirt
Lanyard keepers
Torso size adjuster
Comfort hip padding
Quick connect aluminium buckles
Stand-up dorsal D-ring
Impact indicators
Capacity: 1 person or 140 kg
Maximum arresting force: 6 kN MAF

SIZES

One size

COLOURS

Yellow & Blue

NORMS

CE Certified
EN 361

Product code: 5510.47

DBI Sala Delta Comfort harness with quick connect buckles comfort padding

Comfort Anti-Fall Harness



FEATURES

Water repellant webbing to reduce attraction of mold and dirt
Comfort shoulder and hip padding
Range of gear loops, connectors and storage points for tools and pouches
Vertical torso size adjuster clips
Lightweight aluminum alloy buckles for fast and easy connections
Impact indicators
Vented mesh parts for cooling
Capacity: 1 person or 140 kg
Maximum arresting force: 6 kN MAF

SIZES







S – M/L – XL

COLOURS

Yellow & Blue

NORMS

CE Certified
EN 361

Product code: 5900.13		3M Protecta Work Positioning Belt Work Positioning Belt	
	FEATURES Comfort pad anti abrasion cover and waterproof 45 mm wide polyester webbing Stitching: high-strength polyester thread Breaking strength: > 2600 daN High-strength zinc-plated steel Attachment D-rings in zinc-plated forged steel Quick adjustment pass thru buckles Capacity: 140 kg		SIZES S - M/L - XL
			COLOURS Black & Red
			NORMS EN 358:1999
Product code: 5515.15		3M Protecta Steel Carabiner Hook Screw Carabiner	
	FEATURES Screw locking 17 mm opening High strength steel White zinc-plated Breaking strength: > 25 kN		SIZES One size
			COLOURS -
			NORMS EN 362:2004/B
Product code: 5510.30		DBI Sala Girder Loop Heavy Duty Temporary Anchorage Point 0.83 m Heavy Duty Girder Loop	
	FEATURES Portable, simple and quick to fit Rubber interior offers extremely high level of protection Individual serially numbered, for quality control purposes Maximum diameter of anchorage possible 23 cm Maximum square section of anchorage: 18 cm x 18 cm Webbing: 45mm width, 100% polyester Breaking strength: >3400 daN Thread: high strength, 100% polyester Triangular links: breaking strength > 2200 daN, 8 mm diameter bar, stainless steel with polished finish System breaking Strength: >15 KN		SIZES 0.83 m
			COLOURS -
			NORMS EN 795, Class B
Product code: 5525.38		3M Protecta Sling Galvanised steel 1 m Sling Sleeve Anchorage System	
	FEATURES Use for temporary anchoring around a rigid support Galvanized cable, 6 mm diameter Length: 1 m thimble loop Metallic thimble Breaking strength: >2000 daN		SIZES 1 m
			COLOURS -
			NORMS CE Certified EN 795, Class B
Product code: 5510.31		DBI Sala Choking Girder Loop Heavy Duty Temporary Anchorage Point 2 m Heavy Duty Choking Girder Loop	
	FEATURES Portable, simple and quick to fit Rubber interior offers extremely high level of protection Individual serially numbered, for quality control purposes Stainless steel half round D-links 6 mm thick cloth reinforced rubber anti-slip interior surface Webbing: 45mm width, 100% polyester Breaking strength: >3400 daN Thread: high strength, 100% polyester Triangular links: breaking strength > 2200 daN, 8 mm diameter bar, stainless steel with polished finish System breaking Strength: >15 KN		SIZES 2 m
			COLOURS Blue
			NORMS EN795, Class B
Product code: 5515.12		3M Protecta Manucroche Connector Manucroche Anchor Connector	
	FEATURES Thread diameter 6 mm Stainless steel AISI 302 Electro polishing Plastic handles Breaking strength: 2450 daN		SIZES 40 cm
			COLOURS Blue & Red
			NORMS EN 362 EN 0082 EN 037 EN 160 EN 10 EN 93 EN 46463B

3M Protecta Work Positioning Rope Lanyard **Lanyard**



FEATURES		SIZES
Rope: polyamide white colour		1.5 m
10,5 mm diameter		2.0 m
Identification thread		
Yellow and red wear indicator		
Double locking (A & B) Snap Hook		COLOURS
White zinc plated (A & B)		White & Red
High strength steel		
System breaking strength: 2200 daN		NORMS
		EN 354
1,5 metre length	Product code: 5525.68	
2,0 metre length	Product code: 5525.69	

3M Protecta Pro Welders Twin Leg Shock Absorbing Lanyard with Scaffolding Hook **Welders Lanyard**



FEATURES		SIZES
Heat-resistant up to 371°C (700°F)		1.5 m
Steel twist lock carabiner, 17 mm opening (23kN)		2.0 m
Steel scaffold hooks, 50 mm opening (25 kN)		
Composition: reinforced webbing with Nomex®/Kevlar®		COLOURS
Weight Capacity: 100 kg		Black
1,5 metre length	Product code: 5520.65	NORMS
2,0 metre length	Product code: 5520.66	EN 355:2002

Product code: 5520.45

3M Protecta Rope Lanyard 1.3 m **Y-lanyard**



FEATURES		SIZES
Rope: polyamide white colour		1.3 m
10,5 mm diameter		
Identification thread		
Yellow and red wear indicator		COLOURS
1x screw type carabiner 3M Protecta Steel Carabiner Hook		White & Red
2x snap hook 3M Protecta Automatic Snap Hook (steel)		
High strength steel		NORMS
System breaking strength: 2200 daN		EN 354

Product code: 5525.66

3M Protecta Shock Absorbing Lanyard 2 m **Shock Absorbing Lanyard with Rope Single Leg**



FEATURES		SIZES
Connector-A:		2 m
Snap hook		
Self-locking		COLOURS
Breaking strength: 22 kN		Black & Red
Opening: 19 mm		
Material: steel – zinc plated		NORMS
		CE Certified
		EN 355:2002
Connector-B:		
Scaffold hook		
Self-locking		
Breaking strength: 23 kN		
Opening: 50 mm		
Material: steel – zinc plated		
Composition: polyamid / polyester		
Weight capacity: min. 50 kg / max. 140 kg		
Maximum peak force: <6 kN		
Operating temperature: -35°C / +57°C		

3M Protecta Pro Welders Single Leg Shock Absorbing Lanyard with Scaffolding Hook **Welders Lanyard**



FEATURES		SIZES
Heat-resistant up to 371°C (700°F)		1.5 m
Steel twist lock carabiner, 17 mm opening (23kN)		2.0 m
Steel scaffold hook, 50 mm opening (25 kN)		
Composition: reinforced webbing with Nomex®/Kevlar®		COLOURS
Weight Capacity: 100 kg		Black
1,5 metre length	Product code: 5520.60	NORMS
2,0 metre length	Product code: 5520.61	EN 355:2002

Product code: 5525.62

3M Protecta Shock Absorbing Lanyard Rope 1.8 m Twin Legs **Shock Absorbing Lanyard**



FEATURES		SIZES
Connector-A:		1.8 m
Oval carabiner		
Screw gate		COLOURS
Breaking strength: 25 kN		Black & Red
Opening: 17 mm		
Material: steel – zinc plated		NORMS
		CE Certified
		EN355:2002
Connector-B:		
Scaffold hook		
Self-locking		
Breaking strength: 23 kN		
Opening: 50 mm		
Material: steel – zinc plated		
Composition: polyamid / polyester		
Weight capacity: min. 50 kg / max. 140 kg		
Maximum peak force: <6 kN		
Operating temperature: -35°C / +57°C		

3M Protecta Shock Absorbing Lanyard
Shock Absorbing Lanyard with Elastic Single Leg



FEATURES Connector-A: Oval carabiner Twist lock self-locking Breaking strength: 25 kN Opening: 18 mm Material: steel – zinc plated	SIZES 1.5 m 2.0 m
Connector-B: Scaffold hook – anchor end Self-locking Breaking strength: 23 kN Opening: 50 mm Material: steel – zinc plated Material: polyester	COLOURS Black & Red
Composition: polyester Weight capacity: min. 50 kg / max. 140 kg Maximum peak force: <6 kN Operating temperature: -35°C / +57°C	NORMS CE Certified EN 355:2002

1,5 metre length	Product code: 5525.65
2,0 metre length	Product code: 5525.57

3M Protecta Shock Absorbing Lanyard Elastic Webbing Twin legs Shock
Absorbing Lanyard with Elastic Twin Legs



FEATURES Connector-A: Oval carabiner Twist lock self-locking Breaking strength: 25 kN Opening: 18 mm Material: steel – zinc plated	SIZES 1.5 m 2.0 m
Connector-B: Scaffold hook – anchor end Self-locking Breaking strength: 23 kN Opening: 50 mm Material: steel – zinc plated	COLOURS Black & Red
Weight capacity: min. 50 kg / max. 140 kg Maximum peak force: <6 kN Operating temperature: -35°C / +57°C	NORMS CE Certified EN 355:2002

1,5 metre length	Product code: 5525.60
2,0 metre length	Product code: 5525.61

Product code: 5526.00



3M Protecta Rebel Self-Retracting Lifeline 2 m Self-Retracting Lifeline

FEATURES Single-leg UV-resistant Connection at shoulder level Zinc plated snap hook Opening: 17 mm Composition: 25 mm wide polyester webbing Housing: nylon Recall spring material: stainless steel Capacity: 140 kg	SIZES 2 m
	COLOURS Red & Black
	NORMS CE Certified EN360:2002

Product code: 5526.20



3M Protecta Rebel Leading Edge 12 m Self-Retracting Lifeline

FEATURES Thermoplastic housing 12 m length galvanised cable Protection against sharp, abrasive, and leading edges Zinc lifeline hook and zinc anchorage hook Swiveling self-locking snap hook with indicator Side lifeline with ergonomic handle Self-locking anchorage carabiner Capacity: 140 kg	SIZES 12 m
	COLOURS Red & Black
	NORMS CE Certified EN360:2002

3M Protecta Lifeline (stainless steel) Self-Retracting Lifeline



FEATURES Thermoplastic housing Stainless steel cable Ergonomic carrying handle and cable handle Side cable exit Swivel hook Impact indicator Self-locking snap hook Capacity: 140 kg	SIZES 10 m 15 m 20 m 25 m
	COLOURS Red
	NORMS EN 360

10 metre length	Product code: 5526.10
15 metre length	Product code: 5526.08
20 metre length	Product code: 5526.06
25 metre length	Product code: 5526.12

3M Protecta Rebel Lifeline (galvanised) **Self-Retracting Lifeline**



FEATURES		SIZES
Thermoplastic housing		10 m
Galvanised steel cable		15 m
Ergonomic carrying handle and cable handle		20 m
Side cable exit		
Swivel hook		
Impact indicator		
Self-locking snap hook		
Capacity: 140 kg		
		COLOURS
		Red
		NORMS
		EN 360
10 metre length	Product code: 5526.11	
15 metre length	Product code: 5526.09	
20 metre length	Product code: 5526.07	

Product code: 5525.86

3M Protecta Pro Line Temporary Lifelines 20 m **Temporary Horizontal Lifeline**



FEATURES		SIZES
Ratchet handle to tension the lifeline		20 m
Fall Arrest rated for 2 users		
Built-in shock absorber reduces end loadings to preserve the structure		
Storage bag included		
		COLOURS
		Red
		NORMS
		CE Certified
		EN 795, Class C


Product code: 5525.26

3M Protecta Rebel SLR with Sling 1.5 m **Single Lifeline**



FEATURES		SIZES
Galvanised steel cable		1.5 m
Swivel hook		
Capacity: 140 kg		
		COLOURS
		-
		NORMS
		CE Certified
		EN 360

3M Protecta Viper Rope Grab & Viper LT Kernmantle Rope **Rope Grab with Energy Absorber**



FEATURES		SIZES
Vertical fall arrest 140 kg user		5 m
Rooftop work restraint 100 kg user		10 m
Rooftop fall arrest 100 kg user		15 m
Energy absorber for fall arrest applications		20 m
Fall arrest device with automatic locking function		25 m
System breaking strength: > 15 kN		30 m
Vipex LT Kernmantle rope Ø 12.5 mm		
		COLOURS
		-
		NORMS
		EN 353
		EN 358
5 metre length	Product code: 5520.49	
10 metre length	Product code: 5520.50	
15 metre length	Product code: 5520.51	
20 metre length	Product code: 5520.52	
25 metre length	Product code: 5520.53	
30 metre length	Product code: 5520.54	

Product code: 5525.70

3M Protecta Mobile Tripod Anchorage System **Mobile Tripod Anchorage System**



FEATURES		SIZES
Telescopic adjustable feet		1,69 m (closed up)
Automatic locking legs when opening		
Stabilizer pad on each foot		
4 high strength anchorage points		
Aluminium section design		
Cast head in high-strength aluminium		
8 height setting points (1,35 m à 2,35 m)		
Working diameter : Ø 1,54 m à Ø 2,56 m		
Breaking strength: > 1200 daN		
Capacity: 1 person or 140 kg		
		COLOURS
		Grey
		NORMS
		CE Certified
		EN 795:2012, Type B

Product code: 5510.25

DBI Sala Suspension Trauma Safety Strap **Suspension Trauma Protection Set**



FEATURES		SIZES
Zipper closures		One size
Hook: heat-treated alloy steel		
Fits most harness brands, styles, and sizes		
Composition: 19 mm (0.75 inch) wide nylon webbing		
Durable 600D nylon		
Capacity: 141 kg (310 lbs)		
		COLOURS
		-
		NORMS
		-

Product code: 5515.16

3M Protecta Automatic Snap Hook (Steel)

Automatic Snap Hook

FEATURES Steel snap hook: double locking 50 mm opening Nickel plated Elastic strenght: >1750 daN Breaking strength: >2450 daN Attachment point with 20 mm diameter	SIZES One size	COLOURS -	NORMS EN 362
---	--------------------------	---------------------	------------------------

Product code: 5525.71

3M Protecta Rescue Winch Pulley 20 m

Rescue Winch

FEATURES Winch adaptable to 3M Protecta Mobile Tripod Anchorage System Anti-release safety system Auto locking friction lining Reduction ratio: 4,5/1 Average speed: 10 cm per handle revolution Stainless steel Ø 5 mm / 20 m with snap hook swivel Breaking Strenght: 1,2 T Composition: zinc steel and apoxy black paint Capacity: 1 person or 136 kg	SIZES 20 m	COLOURS -	NORMS CE Certified EN 1496
--	----------------------	---------------------	---

Product code: 5520.70

DBI Sala Nano Lok for Hot Work Use Single Leg 2 m

Self Retracting Lifeline for Welding, Grinding and Heat Applications

FEATURES Reinforced webbing with Nomex®/Kevlar® Swiveling anchorage loop Automatic quick-activating fall arrestor Impact-resistant housing Impact indicator Arc flashed to 8 calories (8 cal/cm2) 16 kN (3.600 lb) gate hook Aluminium snap rebar hook, 57 mm opening Can be connected at foot level Capacity: 140 kg	SIZES 2 m	COLOURS Black & Blue	NORMS CE Certified EN 360:2002
--	---------------------	--------------------------------	---

DBI Sala Digital Winch

2-Speed Winch with Removable Handle

FEATURES Includes a removable aluminium crank handle to utilise both the 9:1 and 4:1 drives Retrieval/descent speeds from 4 m/min up to 9 m/min. Braking system with 3 independent working pawls Centrifugal back-up brake Carrying handle and cable retainer spring Double locking swivel safety snaps standard on all cables Sealed bearings at all contact points Cable type: galvanised Composition: zinc plated steel and/or anodized aluminium Capacity: 205 kg	SIZES 27 m 42 m	COLOURS -	NORMS ANSI Z117.1 ANSI Z117.1-1995 OSHA 1910.146
--	------------------------------	---------------------	--

27 metre length

42 metre length

Product code: 5525.78

Product code: 5525.79

Product code: 5520.71

DBI Sala Nano Lok for Hot Work Use Twin Leg 2 m

Self Retracting Lifeline for Welding, Grinding and Heat Applications

FEATURES Reinforced webbing with Nomex®/Kevlar® Swiveling anchorage loop Automatic quick-activating fall arrestor Impact-resistant housing Impact indicator Arc flashed to 8 calories (8 cal/cm2) 16 kN (3.600 lb) gate hook Alumimium snap rebar hooks, 57 mm opening Can be connected at foot level Capacity: 140 kg	SIZES 2 m	COLOURS Black & Blue	NORMS CE Certified EN 360:2002
---	---------------------	--------------------------------	---

DBI Sala Lift light weight winch 36 m

Lightweight work support & rescue winch

FEATURES 6:1 gear ratio with average lifting speed of 3.9 m/min Quick-mount bracket Free-wheel mode for operator manoeuvrability Overload clutch Safety hook with impact indicator Reserve lifeline Cable type: galvanised Composition: predominantly aluminium, zinc plated steel and polyethylene Lifting force: 315 kg Maximum working capacity: 160 kg Transportation bag included	SIZES 36 m	COLOURS -	NORMS EN 1496
--	----------------------	---------------------	-------------------------

Product code: 5900.17

ScanSharp Apron RW **High Performance Razor Wire Apron**



FEATURES

Total length 91 cm (35.8 in)
Adjustable at neck and waist
Comfortable fit
Extra wide chest profile for excellent protection
Exceeds cut level 5
Applications: razorwire, beveling, glass handling
Shell fabric: Superfabric® (USA) 57% Polymer, 43% Polyester
Polyester mesh lining
Sales quantity: 1 piece

SIZES

One size

COLOURS

Black/orange

NORMS

CE Certified
EN ISO 13688:2013+A1:2021 (general requirements)
EN 388:2016+A1:2018 (4542) (mechanical risks)

ANSI105:2016 (cut resistance level A7)

Designed to be worn in combination with ScanSharp Gauntlets and also available in the ScanRazorwire kit.

Product code: 5900.18

ScanKryo Apron **Cryogenic Apron**



FEATURES

CE Category III
Protection against cryogenic liquids and gases
Adjustable at neck and waist
Waterproof material
Comfortable fit
Total length: 110 cm (43.3 in)
Extra wide chest profile for excellent protection
Including separate extension strap to enlarge the waist
46% Polyurethane, 46% Nylon, 5% Polyester, 2% Spandex, 1% Rubber
Sales quantity: 1 piece

SIZES

One size

COLOURS

Blue

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 388:2016+A1:2018 (4242X) (mechanical risks)
EN 511:2006, approved to flexing at extremely low temperatures (-50°C/-58°F) (cold protection)
Tests conducted using liquid nitrogen

Designed to be worn in combination with ScanKryo Gauntlets & ScanKryo Shoecover, and also available in the ScanKryo Kit.

Product code: 5900.19

ScanCorePro Apron **Chemical Splash Apron**



FEATURES

CE Category III
Protection against liquid chemicals
Impermeable to hydrochloric acid (HCl), sodium hydroxide (NaOH), sulphuric acid (H2SO4) and butanol
Adjustable at neck and waist
Comfortable fit and re-usable
Including separate extension strap to enlarge the waist
Buckle system for quick and easy fastening
Flexible and lightweight shell fabric
High abrasion and tear resistance
Total lenght 110 cm (43.3in)
Extra wide chest profile for excellent protection
Shell fabric: 50% Pu, 50% Polyester, PU coated
Sales quantity: 1 piece

SIZES

One size

COLOURS

Navy

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 14605:2005+A1:2009 - Type 3 PB (chemical protection)

Product code: 5900.25

ScanInferno **MED-approved firefighter suit**



FEATURES

Designed for firefighters in the maritime sector
Helmet with leather neck guard and retractable visor
Heat-resistant, flame-retardant aluminized aramid fiber jacket, and trousers with suspenders
5-finger aluminized gloves
Press stud front closures and fire-retardant safety flap backed by Velcro and Kevlar seams
Nitrile rubber boots, S5, anti-static, anti-acid, anti-flame
Storage bag

SIZES

One size

COLOURS

-

NORMS

MED
ISO 15538:200
SOLAS approved
Wheelmarking

Special item: please allow up to 14 working days for delivery

Product code: 5800.06

ScanFoundry **Leather Welding Apron**



FEATURES

Protection against welding hazards
Adjustable straps at waist and neck
Total length: 90 cm (35.43 in)
Bottom width: 68 cm (26.77 in)
Cowhide leather

SIZES

One size

COLOURS

Beige

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN ISO 11611:2015 Class 2, A1+A2

Product code: 5901.25

ScanExplorer **Two-piece Firefighter Suit — Anti-static**



FEATURES

High collar with reflective strip
Silicone-coated carbon Kevlar® shoulder and elbow protection
Velcro zipper closure against heat and water damage
Two "D" rings between pockets on chest and arms
Two microphone holders and headlamp mounting
Trousers with adjustable waistband and elasticized braces
Abrasion, perforation, and cut protection at knees (Kevlar®)
Waterproof inserts beneath zippers on trouser legs
Absorbent barrier in hems of trouser legs
Adjustable cuffs (Nomex®)
Velcro strip for name badge
Nomex® outershell 195 gr/sqm
Water and dirt-repellent fluorocarbon impregnation
Breathable, windproof and waterproof inner membrane
Two layer thermal lining (aramid/FR viscose and Kevlar® felt)

SIZES

S - M - L - XL - 2XL - 3XL - 4XL

COLOURS

-

NORMS

EN 469:2005+A1:2006
EN 1149-5:2008

Special item: please allow up to 14 working days for delivery

Product code: 5600.01

ScanChem Green **Chemical Suit**



FEATURES

Zipper closure under doubled storm cover
Elasticated hood
Velcro and stud button double placket closure
Elasticated sleeve cuffs
Elasticated trouser cuffs with elastic footwear band
Water- and wind proof
100% polyester with PVC coating

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Green

NORMS

CE Certified
EN ISO 13688:2013 (general requirements)
EN 14605:2005 + A1:2009 Type 3 (liquid chemicals)
EN 14605:2005 + A1:2009 Type 4 (liquid chemicals)
EN 343:2003 + A1:2007 Class 3-1 (foul weather)

Product code: 5700.01

ScanAway **Disposable Coverall**



FEATURES

Microporous nonwoven fabric
Breathable
One-piece coveralls
Elasticized hood, cuffs, waist (at back) and ankles
Contrasting navy blue zipper closure with self-adhesive flap
65 gsm (1.9 oz/yd)
Sales quantity: 50 pcs/box

SIZES

S – M – L – XL – 2XL

COLOURS

White

NORMS

CE Certified
EN 13688:2013 (general requirements)
EN 13034:2005+A1:2009 Type 6B (chemical splash-proof clothing)
EN ISO 13982-1:2004+A1:2010 Type 5B (solid particle-tight clothing)
EN 14126:2003+AC:2004 Class 6 (protection against infective agents)
EN 1073-2:2002 Class 1 (protection against radioactive contamination)
EN 1149-5:2018 (anti-static)

Product code: 5900.02

ScanKneePad **Kneepads**



FEATURES

Soft and durable
High performance shock absorption
Cut-to-measure
100% polyethylene
Sales quantity: per pair

SIZES

One size

COLOURS

Grey

NORMS

–

We recommend wearing these with the Scandia boiler suits, and trousers equipped for use with kneepads

Product code: 5900.01

ScanKneePad with strap **Knee protection with Velcro strap**



FEATURES

Level 1 protection
Main pad: comfortable, sturdy EVA foam with mesh cover
Protective cap: high-impact, shock-absorbing PE
Backed by: adjustable elastic straps, PP webbing, and Velcro closures
Weight range C protection, intended for use by persons weighing at least 50 kg
Sales quantity: per pair

SIZES

S – M – L

COLOURS

Black

NORMS

CE Certified
EN 14120:2003+A1:2007

Product code: 5900.05

ScanElbowPad with strap **Elbow protection with Velcro strap**



FEATURES

Level 1 protection
Main pad: comfortable, sturdy EVA foam with mesh cover
Protective cap: high-impact, shock-absorbing PE
Backed by: adjustable elastic straps, PP webbing, and Velcro closures
Weight range C protection, intended for use by persons weighing at least 50 kg
Sales quantity: per pair

SIZES

S – M – L

COLOURS

Black

NORMS

CE Certified
EN 14120:2003+A1:2007

Product code: 5900.10

ScanSupport 001 **Anatomic back support belt**



FEATURES
Back support belt for heavy lifting
Vibration resistant
Buckle closure

SIZES
S/M – L/XL

COLOURS
–

NORMS
–

Product code: 5900.11

ScanSupport 002 **Back support belt**



FEATURES
Back support for heavy lifting
Elasticized
Velcro closure
Inclusive of braces

SIZES
S/M – L XL

COLOURS
–

NORMS
–

Product code: 3020.60

Streamlight HeadsUp Light **HeadsUp Light headlamp**



FEATURES
Rubber strap and cloth strap included
Light output: 85 lumens
C4-led
Inclusive 3 AAA batteries

SIZES
One size (adjustable)

COLOURS
–

NORMS
CE approved
EN 60079-0:2012
EN 60079-11:2012
EN 60079-26: 2007
Atex zone 0 Explosion proof

Product code: 3020.71

Peli HeadsUp Light 2755 **HeadsUp Lite headlamp for use on helmet**



FEATURES
Bright, lightweight head torch for harsh conditions
High, low, and flashing modes
Weather resistant casing which allows for fast and easy battery change
Low battery warning
Rubber Strap included
Safety approved for ATEX Zone 0
Light output: 72 lumens
Beam distance: 57 meters
Inclusive 3 AAA batteries

SIZES
One size (adjustable)

COLOURS
–

NORMS
CE approved
EN 60079-0:2009
EN 60079-11:2012
EN 60079-26: 2007
Atex zone 0 Explosion proof

Product code: 5830.21

Peli 3315Z0 Medium Light **Lightweight, compact LED torch**



FEATURES
Anti-static, impact-resistant modified PC/PBT body
Anti-static coated polycarbonate (PC) lens
Length: 15.6 cm
Light output: 138 lumens
Beam distance: 146m
Run time: 19 hours
Water penetration rating: IP67
ATEX approved
Inclusive 3 AA batteries

SIZES
One size

COLOURS
HV Yellow

NORMS
CE approved
Atex zone 0 Explosion proof
EN 60079-0:2012
EN 60079-11:2012
EN 60079-26:2007

Product code: 7000.16

ScanWhistle **Referee whistle**



FEATURES
Chromed steel
Sales quantity: 12 pcs/box

SIZES
One size

COLOURS
–

NORMS
–



SCANVIGOR 90L
Water Repellent Duffel Bag, page 146



SCANVIGOR 90L
Water Repellent Duffel Bag, page 146

SCANRALLY REFLECT
Boiler Suit, page 17





↑
SCANANSARI
Backpack, page 147

→
SCANANSARI
Backpack, page 147



Product code: 1029.11

ScanVigor 40L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin
Wide top closure for easy access
Waterproof YKK zipper closures at side compartments
Lockable zipper closure
Inside mesh compartment
Inside tarpaulin compartment
Concealable backpack straps
Volume: 40L (10.6 Gal.)
Max. weight 20 kgs (44 lbs.)
Reinforced bottom 100% PES
Dimensions (LxWxH): 58 x 24 x 26 cm (22.8 x 9.5 x 10.2")
Option of adding custom logo
80% PVC, 20% PES

SIZES

40 L

COLOURS

Cobalt Blue

NORMS

-

Product code: 1029.12

ScanVigor 70L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin
Wide top closure for easy access
Waterproof YKK zipper closures at side compartments
Lockable zipper closure
Inside mesh compartment
Inside tarpaulin compartment
Concealable backpack straps
Volume: 70L (18.5 Gal.)
Max. weight 22 kgs (48.4 lbs.)
Dimensions (LxWxH): 68 x 34 x 36 cm (26.8 x 13.4 x 14.2")
Option of adding custom logo
80% PVC, 20% PES

SIZES

70 L

COLOURS

Orange
Anthracite

NORMS

-

Please note: ScanVigor 70L colour orange will be discontinued once our existing inventory is sold.

Product code: 1029.13

ScanVigor 90L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin
Wide top closure for easy access
Waterproof YKK zipper closures at side compartments
Lockable zipper closure
Inside mesh compartment
Inside tarpaulin compartment
Concealable backpack straps
Volume: 90L (23.8 Gal.)
Max. weight 25 kgs (55 lbs.)
Reinforced bottom 100%PES
Dimensions (LxWxH): 75 x 36 x 38 cm (29.5 x 14.2 x 15")
Option of adding custom logo
80% PVC, 20% PES

SIZES

90 L

COLOURS

Anthracite

NORMS

-

Product code: 1029.20

ScanAnsari Backpack



FEATURES

Shell in 600D, polyester coated PVC
Stable carrying system offers the maximum comfort
Adjustable and lockable waistband
Includes pocket for mobile phone
Volume: ca 23L
Dimensions: 33 cm x 42 cm x 17 cm

SIZES

One size

COLOURS

Black

NORMS

-

Product code: 1029.90

ScanBagID Luggage Name Tag



FEATURES

Personalised luggage / safety kit name tag
Quick and easy identification
Silver metal eyelet and O-ring for bag connection
Dimensions L x W: 16 x 3 cm (6.3 x 1.2 in)
Maximum print length: 12 cm (4.7 in)
Maximum 14 print characters
CR Neoprene 3mm (0.1 in)
Sales quantity: 1 pc

SIZES

One size

COLOURS

Black

NORMS

-

↓
SCANOZONE
S3 Safety Sneaker, page 153

→
SCANVIBE
Summer Work Jacket, page 29

SCANTEE
T-shirt, page 61

SCANCARGO
Multi-Pocket Trousers, page 36

SCANNERO
S3 Leather Safety Shoe, page 152





SCANTEE
T-shirt, page 61



SCANALLIANCE FR
Offshore Boiler Suit — Multi-Hazard, page 19

SCANCARGO
Multi-Pocket Trousers, page 36

SCANRAIDER
S3 Summer Rigger Boot, page 157

SCANSANDAL
S1P Leather Safety Sandal, page 152



Product code: 2550.02



ScanNero S3 Leather Safety Shoe

FEATURES
S3 shoe
Upper in water-resistant LWG grain leather and nylon
Lining in PET-air mesh
Composite toecap (sizes 47 and 48 Aluminium toecap)
Proflex antiperforation midsole
Latex, antibacterial and antimicrobial insole
Designed specifically for the shipping and offshore industries
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PU/PU outersole ensures extra durability
Fuel-Oil resistant outersole
X-tra grip on wet and oil surfaces

SIZES
36 - 48 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS
Black

NORMS
CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.06



ScanSandal S1 Leather Safety Sandal

FEATURES
S1 sandal
Upper in microfiber nubuck touch
Lining in PET-air net
Composite toecap
Proflex antiperforation midsole
Anatomical formed recycled PET insole
Designed specifically for wear in hot climates
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PU/PU outsole ensures extra durability
Fuel-Oil resistant outersole

SIZES
38 - 47 (EU)
5 - 12 (UK)
6 - 13 (USA)

COLOURS
Black and Blue


NORMS
CE Certified
EN ISO 20344:2021 (methods for footwear)
EN ISO 20345:2022 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SR (slip resistance)

Please note: the design of our ScanSandal has been updated. We will begin shipping this new design following the sale of our existing inventory.

Product code: 2550.48



ScanRugged S3 Safety Sneaker

FEATURES
S3 sneaker
Upper in water-resistant nubuck, suede, leather, microfiber and breathable material
Lining in PET-air mesh
Fibreglass toecap
Non metallic midsole
PE Washable insole
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PU/PU outersole ensures extra durability

SIZES
36 - 47 (EU)
3.5 - 12 (UK)
4.5 - 13 (USA)


COLOURS
Navy

NORMS
CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.52



ScanOzone S3 Safety Sneaker

FEATURES
S3 sneaker
Upper in water-resistant recycled PET with dirt repellent finish
Sock collar in Neoprene material
Recycled PES laces
Composite toecap
Recycled PET Dynablock midsole for increased breathability, flexibility, and excellent, lightweight wearing comfort
Shock and energy absorbing inlet, made from recycled PU, reduces shoe's weight
PU recycled anatomical foam insole
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PU/PU outsole ensures extra durability

SIZES
38 - 47 (EU)
5 - 12 (UK)
6 - 13 (USA)


COLOURS
Navy

NORMS
CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.50



ScanTraction S3 Microfibre ESD Safety Shoe

FEATURES
SS3 ESD shoe
Microfibre and polyester twill upper with dirt repellent finish
Lining in PET air mesh
Composite toecap (sizes 47 and 48 aluminium toecap)
Proflex anti-perforation midsole
PU anatomical foam insole
Toe protection against 200 Joule impact
Anti-static
Shock absorbing, anti-fatigue heel
Dual density PU/PU outersole ensures extra durability
Fuel-Oil resistant outsole

SIZES
39 - 48 (EU)
6 - 13 (UK)
7 - 14 (USA)


COLOURS
Navy

NORMS
CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)
IEC 61340-5-1:2016 ESD

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.54



ScanFarox S3 Safety Sneaker with ATOP Smart Lacing

FEATURES
S3 sneaker
Upper in water-resistant microfibre nubuck suede and polyester mesh
Sock collar in Neoprene material
ATOP reel knob lacing system
Composite toecap
Proflex anti-perforation midsole
Shock- and energy-absorbing inlet, reduces shoe's weight
PU anatomical foam insole with anti-odor finish
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PU/PU outsole ensures extra durability

SIZES
36 - 48 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS
Grey

NORMS
CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2560.01



ScanBro

Luxury Leather Safety shoe with steel toe cap

FEATURES

Upper in water repellent grain leather
Lining in breathable, abrasion-resistant leather
Steel toecap, PU flex sole
Padded heel for extra comfort
Anti-static sole
Shock absorbing heel

SIZES

39 - 47 (EU)
6 - 12 (UK)
7 - 13 (USA)


COLOURS

Black

NORMS

EN ISO 20345:2012 (safety footwear)

Product code: 2530.01



ScanMoccasin

S2 Safety Moccasin

FEATURES

S2 shoe
Upper in Dry-Tek (2mm) coated PU microfiber
Lining in PET-air net
Composite toecap
Latex, antibacterial and antimicrobial insole
Shock absorbing heel
Toe protection against 200 Joule impact
Anti-static
Dual density PU/PU outersole ensures extra durability
Fuel-Oil resistant outersole
Water-resistant (WPA) and breathable upper
X-tra grip on wet and oil surfaces
Washable at 30°C (86°F)

SIZES

38 - 47 (EU)
5 - 12 (UK)
6 - 13 (USA)

COLOURS

White
Black

NORMS

CE Certified
EN ISO 20344:2021 (methods for footwear)
EN ISO 20345:2022 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SR (slip resistance)

Product code: 2550.20



ScanSentry

SB Leather Safety Clog

FEATURES

SB Clog
Flexible upper with heel strap, padded instep, and microfiber insole
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption
Heat resistant sole up to 140°C (284°F)
Anti-static sole
Shock absorbing heel
SRC

SIZES

36 - 46 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS

White
Black

NORMS

CE Certified
EN ISO 20345:2011 (safety footwear)

SRC compliant

Product code: 2550.22



ScanBrigade

SB Leather Safety Clog

FEATURES

SB Clog
Safety clogs with padded instep, elastic heel strap, microfiber insole, over cap, and Kevlar midsole
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption
Sole resists heat up to 140°C (284°F)
Shock absorbing heel
SRC

SIZES

36 - 46 (EU)
3.5 - 14 (UK)
4.5 - 15 (USA)

COLOURS


White
Black

NORMS

CE Certified
EN ISO 20345:2011 (safety footwear)

SRC compliant

Product code: 2550.24



ScanCommodore

O1 Leather Safety shoe

FEATURES

O1 clogs
Flexible upper with heelstrap, padded instep, and microfiber insole
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption
Heat resistant sole up to 140°C (284°F)
Shock absorbing heel

SIZES

35 - 51 (EU)
3 - 15 (UK)
4 - 16 (USA)

COLOURS

White
Black

NORMS

CE Certified
EN ISO 20347:2012 (occupational footwear)

SRC compliant

Product code: 2550.26



ScanCadet

S3 Leather Safety Clog

FEATURES

S3 clogs
Flexible water repellent upper with counter, padded instep, over cap, and microfiber insole, and Kevlar midsole
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption
Sole resists heat up to 140°C (284°F)
Shock absorbing heel

SIZES

35 - 51 (EU)
3 - 15 (UK)
4 - 16 (USA)

COLOURS

White
Black

NORMS

CE Certified
EN ISO 20345:2011 (safety footwear)

SRC compliant

Product code: 2540.01



ScanTrainer S3 Leather Safety Shoe

FEATURES

S3 shoe

Upper in water-resistant LWG grain leather and nylon

Lining in PET-air mesh

Composite toecap (sizes 47 and 48 Aluminium toecap)

Proflex antiperforation midsole

Latex, antibacterial and antimicrobial insole

Designed specifically for the shipping and offshore industries

Toe protection against 200 Joule impact

Anti-static

Shock absorbing heel

Dual density PU/PU outersole ensures extra durability

Fuel-Oil resistant outersole

X-tra grip on wet and oil surfaces

SIZES

37 - 48 (EU)

4 - 13 (UK)

5 - 14 (USA)

COLOURS

Black

NORMS

CE Certified


EN ISO 20344:2011 (methods for footwear)

EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2520.10



ScanAstern S3 ESD Reflective Safety Ankle Boot

FEATURES

S3 ESD reflective ankle boot

Upper in water-resistant suede leather and reflective polyester

Lining in breathable PET-air mesh

Composite toecap (sizes 47 and 48 aluminium toecap)

PU recycled anatomical foam insole

Recycled PET Dynablock midsole for increased breathability, flexibility, and excellent, lightweight wearing comfort

Toe protection against 200 joule impact

Anti-static

Shock absorbing heel

Dual density PU/TPU outsole ensures extra durability

Fuel-oil resistant outsole

Outsole grip pattern designed specifically for maritime industry

SIZES

37 - 48 (EU)

4 - 13 (UK)

5 - 14 (USA)

COLOURS

Black

NORMS

CE Certified

EN ISO 20344:2011 (methods for footwear)


EN ISO 20345:2011 (safety footwear)

IEC 61340-5-1:2016 ESD

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2520.05



ScanRaider S3 Summer Rigger Boot

FEATURES

Unlined S3 summer boot

Upper in water-resistant LWG nubuck

TPU ankle protection and moulded scuff cap

Aluminium toecap

Proflex antiperforation midsole

Anatomical formed PET woven insole

Insole cooling system

Toe protection against 200 Joule impact

Anti-static

Shock absorbing heel

Dual density PU-Rubber outersole ensures extra durability

Fuel-Oil resistant outersole

Outersole resists heat up to 300°C (572°F)

SIZES

38 - 48 (EU)

5 - 13 (UK)

6 - 14 (USA)

COLOURS

Brown

NORMS

CE Certified

EN ISO 20344:2011 (methods for footwear)


EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

HRO (heat resistance)

SRC (slip resistance)

Product code: 2520.01



ScanBoot S3 Winter Rigger Boot

FEATURES

Lined S3 winter boot

Upper in water-resistant LWG nubuck

Lining in PET fur

Lining insulates up to -40°C (-40°F)

TPU ankle protection and moulded scuff cap

Aluminium toecap

Proflex anti perforation midsole

Alu foil coated PE lined insole

Toe protection against 200 Joule impact

Anti-static

Shock absorbing heel

Dual density PU-Rubber outersole ensures extra durability

Fuel-Oil resistant outersole

Outersole resists heat up to 300°C (572°F)

SIZES

39 - 47 (EU)

6 - 12 (UK)

7 - 13 (USA)

COLOURS

Black

NORMS

CE Certified

EN ISO 20344:2011 (methods for footwear)

EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

CI (cold insulation)

HRO (heat resistance)

SRC (slip resistance)

Product code: 2520.17

ScanTitan S3 Leather Safety Ankle Boot



FEATURES

S3 ankle boot
Upper in full grain water-resistant leather
Alumin treated inner lining for thermal isolation
Lining regulates foot temperature in warm and cold climate conditions
Aluminium toecap
Proflex antiperforation midsole
PU anatomical foam insole
Lace-up with lace pocket at tongue
Easy side zip closure
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Advanced grip sole
Dual density PU-Rubber outersole ensures extra durability
Fuel-Oil resistant outersole
Outersole resists heat up to 300°C (572°F)
Ankle protection with absorbing heel

SIZES

38 - 47 (EU)
5 - 12 (UK)
6 - 13 (USA)

COLOURS

Black

NORMS

CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

CI (cold insulation)
HRO (heat resistance)
SRC (slip resistance)

Optional: ScanSpike for optimum Ice-grip while worn in cold/icy climate conditions.

Product code: 2520.04

ScanSafeStep S5 Nitrile Rubber - PVC Safety Boot



FEATURES

S5 boot
Upper in PVC
Steel toecap
Steel midsole
Toe protection against 200 Joule impact
Anti-static
Shock absorbing heel
Dual density PVC/nitrilic rubber outersole
Fuel-Oil resistant outersole

SIZES

37 - 49 (EU)
4 - 14 (UK)
5 - 15 (USA)

COLOURS

Black

NORMS

CE Certified
EN ISO 20344:2011 (methods for footwear)
EN ISO 20345:2011 (safety footwear)

SRC (slip resistance)

Product code: 2520.09

ScanFiresafe S5 Fire and Rescue Safety Boots



FEATURES

S5 boot
Water repellent Nitrile rubber
Anti-flame, anti-static, oil and acid-resistant
Composite toecap and sole
Non-slip sole
MED-compliant
Outer sole resists heat up to 300°C (572°F)
Shock absorbing heel

SIZES

40 - 46 (EU)
6.5 - 11 (UK)
7.5 - 12 (USA)

COLOURS

Black

NORMS

EN 15090 Type 3 - compliant

MED approved

Product code: 2520.13

ScanElectrosafe SBE Dielectric Safety Boot



FEATURES

SBE boot
Dielectric rubber
Insulated boot protects wearer against risks associated with line-to-ground voltage faults during interventions on a 1000V alternative current power supply network
Polymer toecap
Slip resistant sole

SIZES

38 - 48 (EU)
5 - 13 (UK)
6 - 14 (USA)

COLOURS

Beige

NORMS

EN 50321:2019 class 0
EN ISO 20345:2011 SBE HRO SRC
EN 13287-compliant

Product code: 2520.11

ScanChemsafe S5 Liquid and Puncture Resistant Safety Boots



FEATURES

S5 boot
Neoprene rubber
Provides excellent resistance against acids, fuels, solvents, abrasion, and puncture
Slip resistant sole
Composite toecap and anti-perforation midsole

SIZES

38 - 48 (EU)
5 - 13 (UK)
6 - 14 (USA)

COLOURS

Black

NORMS

EN ISO 20345:2011 S5 HRO CR SRC
EN13832-3:2006 - 3 J Q R
EN13287-compliant

Product code: 2520.15

ScanCalverley High pressure waterproof protective boots



FEATURES

Protective, waterproof boot provides up to 500 bar/7500 psi
Impervious to water, backed by a textile inner lining to ensure wearer's comfort
Steel toecap and inserts for maximum safety and durability
Cleated sole designed to reduce slipping
Strap on boot shaft allows for adjustment
Can be outfitted with spikes for wear in icy conditions
Easy to put on and remove

SIZES

36 - 48 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS

Black/Yellow

NORMS

CE-certified
EN ISO 20345:2011 SB SRA P FO

Please note: the colour of the ScanCalverley has been updated with a change from Black/Blue to Black/Yellow. We will begin shipping ScanCalverley in Black/Yellow following the sale of our existing inventory.

Product code: 2510.05

ScanOptal Absorbent Moss Insole



FEATURES
Antibacterial treatment
Top layer in genuine moss with latex bottom layer for moisture- and shock absorption
Suitable for use in all closed toed shoes and footwear

SIZES
36 - 48 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS
Blue

NORMS
-

Product code: 2510.06

ScanShapeStrong Anatomic Insole



FEATURES
Water repellent
Ergonomic footbed designed to increase hold and stability and prevent fatigue in wearer
Heel pad provides extra cushioning against impact
Charcoal layer protects against foot odours

SIZES
36 - 46 (EU)
3.5 - 11 (UK)
4.5 - 12 (USA)

COLOURS
Black

NORMS
-

Product code: 2510.09

ScanEquitoria Insole — Severe cold protection



FEATURES
System of air cells in insole, backed by dual aluminum shielding, provides highly effective thermal protection
Non-slip shell prevents insole from shifting inside shoe
Suitable for use in all closed toed shoes and footwear

SIZES
36 - 48 (EU)
3.5 - 13 (UK)
4.5 - 14 (USA)

COLOURS
-

NORMS
-

Product code: 2510.10

ScanKessel Insole — Comfortable warmth



FEATURES
Wool insole with latex foam underside
Suitable for use in all closed toed shoes and footwear

SIZES
36 - 46 (EU)
3.5 - 11 (UK)
4.5 - 12 (USA)

COLOURS
Brown

NORMS
-

Product code: 2510.04

ScanTerry Thermal socks



FEATURES
Excellent temperature regulation
Comfortable warmth whilst repelling sweat and moisture
Quick dry and anti-bacterial properties
Comfortable terry inside
Seamless toe construction
No-stress cuff
Ergonomic design for reliable support and fit
Reinforced toe & heel for increased lifespan
Machine washable
41% wool, 41% acrylic, 18% polyamide
Sales quantity: 3-pack

SIZES
35/38 - 39/42 - 43/46 (EU)
3/5 - 6/8 - 9/11 (UK)
4/6 - 7/9 - 10/12 (USA)

COLOURS
Navy

NORMS
STANDARD 100 by OEKO-TEX® Class II

Product code: 2511.01

ScanBamboo Formal socks



FEATURES
Anti-odour
4 times more moisture absorption than cotton
88% viscose bamboo, 11% polyamide, 1% elastane
Sales quantity: 3-pack

SIZES
39/42 - 43/46 (EU)
6/8 - 9/11 (UK)
7/9 - 10/12 (USA)

COLOURS
Black

NORMS
STANDARD 100 by OEKO-TEX® Class II

Product code: 2510.08



ScanSokket

Ideal for wear in rubber boots


FEATURES
Controls moisture and protects against cold
Soft interlayer creates a cozy, comfortable interior for rubber boots

SIZES
36/37 - 50/51 (EU)
3.5/4 - 14.5/15 (UK)
4.5/5 - 15.5/16 (USA)

COLOURS
Blue

NORMS
-

Product code: 2510.27



ScanKryo Shoecover

Cryogenic Shoe Cover

FEATURES
CE Category III
Protection against cryogenic liquids and gases
Adjustable at back
Waterproof
Universal size and fit
To be worn over safety shoes for added protection
46% Polyurethane, 46% Nylon, 5% Polyester, 2% Spandex, 1% Rubber
Sales quantity: 1 pair

SIZES
One size

COLOURS
Blue

NORMS
CE Certified
EN 388:2016+A1:2018 (4242X) (mechanical risks)
EN 511:2006, approved to flexing at extremely low temperatures (-50°C/-58°F) (cold protection)
Tests conducted using liquid nitrogen

Designed to be worn in combination with ScanKryo Gauntlets & ScanKryo Apron, and also available in the ScanKryo Kit.

Product code: 5700.07



ScanShoeCover Xtra

Disposable Shoe Covers

FEATURES
Welded polyethylene
Elasticated
Size: 15 x 41 cm (5.9 x 16.1 in)
Sales quantity: 2.000 covers

SIZES
One size

COLOURS
Blue

NORMS
-

Product code: 5701.01



ScanCovert

Re-usable anti-slip shoe covers — Recycled materials

FEATURES
Re-usable, durable, water-resistant, anti-slip shoe covers
Indoor use on slippery floors and/or hygienic use
Designed to wear in combination with S3 footwear
Elasticised opening
Heel strap for easy on/off
Ambidextrous
Size indication by colour
Washable at 40°C (104°F)
Upper: 100% recycled polyester
Bottom: 100% rubberised polyester
Sales quantity: 2 pairs

SIZES
35/38 - 39/42 - 43/46 (EU)
3/5 - 6/8 - 9/11 (UK)
4/6 - 7/9 - 10/12 (USA)

COLOURS
Black

NORMS
CE-compliant
EN ISO 20345:2011 (water penetration and absorption)
EN 388:2016+A1:2018, abrasion resistance level 2

SRA-tested

Product code: 2510.12



ScanLace

Shoe laces for safety shoes

FEATURES
Provides high tearing and abrasion resistance
Design and material guarantee that elasticity remains strong
Firm knots ensure excellent comfort for wearer
Length: 90 cm (35.4 in)
Sales quantity: 12 pairs

SIZES
One size

COLOURS
Black

NORMS
-

Product code: 2510.25



ScanSpike

Anti-Slip Device

FEATURES
Suitable for ice and snow
Highly durable steel Tungsten Carbide studs
Covers the entire heel for effective slip prevention
Reflective 3M hi-viz SOLAS strip for additional safety in dark conditions
Leather velcro strap with extension of 7 cm (2.6 in)
Cold resistance up to -50°C (-58°F)
Freeze resistant TR rubber
Sales quantity: 1 pair

SIZES
EU: M (37/39) - L (40/44) - XL (45/50)
UK: M (4/6) - L (6.5/10), - XL (10.5/14)
USA: M (5/7) - L (7.5/11) - XL (11.5/15)

COLOURS
Black

NORMS
CE Certified
SGS Fimko in-house method PPE-43



INSULATED IMMERSION SUIT SC-AA
Adults — MED Approved, page 168



INSULATED IMMERSION SUIT SC-AA
Adults — MED Approved, page 168





↑
UNIVERSAL TESTING DEVICE
Including Universal maintenance and repair kit, page 170

→
BAG FOR SC-AA IMMERSION SUIT S/M
Watertight bag - colour orange, page 172



Product code: 8000.01-C1 S/M
Product code: 8000.01-C2 L/XL

Insulated Immersion Suit SC-AA Adults — MED Approved



- FEATURES**
- Buoyancy >150N
 - Waterproof neoprene (PFC Free)
 - Material suitable for limited exposure to fire (max. 2 seconds)
 - Fluorescent yellow for optimum visibility
 - SOLAS retro reflective tape
 - Tizip® closure
 - Neck pillow
 - Face shield
 - Corrosion-resistant whistle
 - Three-fingered gloves
 - Helicopter rescue belt
 - Buddy line in storage pocket
 - Ankle tightener
 - Anti-slip soles
 - Equipped with water-activated emergency light SC-LG4 (billed separately)
 - Packed in a storage bag with printed donning instructions
 - CR-grade Neoprene 5 mm (0.2 in)

- SIZES**
- S/M – height 170-190 cm (5.5-6.2 ft)
 - L/XL – height 190-210 cm (6.2-6.8 ft)
 - Weight max. 150 kg (330 lbs)
- COLOURS**
- Fluo Yellow
- NORMS**
- SOLAS 74/78 as amended Reg. III/4, III/7, III/22, III/32, III/34, X/3 Resolution MSC.48(66) LSA Code I, II
 - HSC Code 1994 MSC.36(63) and HSC Code 2000 MSC.97(73), 8 IMO Resolution MSC.81(70)
 - MSC.207(81) – MSC.218(82) – MSC.226(82) – MSC323(89) – MSC/Circ. 1046

Product code: 8010.01

Insulated Immersion Suit SC-AA/YC Young children — 2-5 years old



- FEATURES**
- Waterproof neoprene (PFC Free)
 - Material suitable for limited exposure to fire (max 2 seconds)
 - Fluorescent yellow for optimum visibility
 - SOLAS retro reflective tape
 - Tizip® closure
 - Neck pillow
 - Face shield
 - Corrosion-resistant whistle
 - Three-fingered gloves
 - Helicopter rescue belt
 - Buddy line in storage pocket
 - Ankle tightener
 - Anti-slip soles
 - Equipped with water-activated emergency light SC-LG4 (billed separately)
 - Packed in a storage bag with printed donning instructions
 - CR-grade Neoprene 5 mm (0.2 in)

- SIZES**
- Height 86-116 cm (2.8-3.8 ft)
 - Weight 12-23 kg (26-51 lbs)
- COLOURS**
- Fluo Yellow
- NORMS**
- There is no MED approval for children's suits, however this article is the same as the Immersion Suit SC-AA for Adults.

Product code: 8010.02

Insulated Immersion Suit SC-AA/C Children — 6-10 years old



- FEATURES**
- Waterproof neoprene (PFC Free)
 - Material suitable for limited exposure to fire (max. 2 seconds)
 - Fluorescent yellow for optimum visibility
 - SOLAS retro reflective tape
 - Tizip® closure
 - Neck pillow
 - Face shield
 - Corrosion-resistant whistle
 - Three-fingered gloves
 - Helicopter rescue belt
 - Buddy line in storage pocket
 - Ankle tightener
 - Anti-slip soles
 - Equipped with water-activated emergency light SC-LG4 (billed separately)
 - Packed in a storage bag with printed donning instructions
 - CR-grade Neoprene 5 mm (0.2 in)

- SIZES**
- Height 122-152 cm (4.0-5.0 ft)
 - Weight 24-38 kg (53-84 lbs)
- COLOURS**
- Fluo Yellow
- NORMS**
- There is no MED approval for children's suits, however this article is the same as the Immersion Suit SC-AA for Adults.

Product code: 8005.01

Baby/Toddler Insert for Insulated Immersion Suit SC-AA/YC Young children — 12-24 months old



- FEATURES**
- Sized for children 12-24 months old
 - Designed for use with Scandia Gear's Immersion Suit for Young Children (SC-AA/YC)
 - Ergonomic design
 - Packed in a storage bag, size 12-24 months
 - CR-grade Neoprene 5 mm (0.2 in)

- SIZES**
- Height 74-98 cm (2.4-3.2 ft)
 - Weight 9,5-15 kg (20.9-33 lbs)
- COLOURS**
- Fluo Yellow
- NORMS**
-

Product code: 8100.03

Sleeve Cones For use with Universal testing device for immersion suit



- FEATURES**
Designed to test immersion suits with detachable gloves
Intended for use with the Universal Testing Device for Immersion Suits
Cone shape creates a universal fit
- SIZES**
One size
- COLOURS**
-
- NORMS**
MED/SOLAS-verified

Product code: 8100.01

Universal Testing Device Including Universal maintenance and repair kit



- FEATURES**
Complies with IMO guidelines for periodic testing of seams and closures on immersion suits and anti-exposure suits
Universal compatibility
Stainless steel pressure gauge
Pressing and stable board
Connecting hose
Universal maintenance and repair kit contains:
- 8 pcs neoprene repair fabric
- Spaluta polyester gauze pad
- Tube of glue (super repair glue)
- Sheet of sandpaper
- Two needles in transparent tube
- Lubricating stick for zipper
- Tube of protection gel (parafin)
- Sleeve cones for detachable gloves are available separately
- SIZES**
One size
- COLOURS**
-
- NORMS**
MED/SOLAS-verified

Product code: 8100.05

Universal Maintenance & Repair Kit For SC-AA Immersion suits



- FEATURES**
Universal maintenance and repair kit contains:
- 8 pcs neoprene repair fabric
- Spaluta polyester gauze pad
- Tube of glue (super repair glue)
- Sheet of sandpaper
- Two needles in transparent tube
- Lubricating stick for zipper
- Tube of protection gel (parafin)
- Sleeve cones for detachable gloves are available separately
- SIZES**
One size
- COLOURS**
Orange
- NORMS**
MED/SOLAS-verified

Product code: 8100.04

Portable Air Compressor For use with Universal testing device



- FEATURES**
Air compressor with storage compartment
Easy maintenance, does not require oil
Power: 1100W/1.5 pk.
Maximum pressure: 8 bar
Tank capacity: 6 L
Motor: 3400 rpm.
230 Vac.
Weight: 12 kg
Dimensions 470 x 580 x 330 mm
2-year warranty
Designed for use with the Universal Testing Device for Immersion Suits
- SIZES**
One size
- COLOURS**
Orange
- NORMS**
-

Product code: 8200.04

Emergency Light SC-LG4 Life jacket - Immersion suit light



- FEATURES**
Fully automatic water-activated light works in both fresh water and seawater
Lightweight, compact design for easy storage
White LED lamp, powered with a constant current and by microchip
SOLAS approval no. 74/96.LSAMSC.81/70
EC Type Approval and MED (Ship's Wheel mark) approval
Efficient power consumption
Equipped with an Energize® CR2 lithium battery
Easy to secure with built-in crocodile clip
Push-pull switch for setting adjustment and battery check
Classed as non hazardous transportation
- SIZES**
One size
- COLOURS**
High-Viz Yellow
- NORMS**
SOLAS approval
MED /1-2C Solas 74 as amended
Reg. III/4, III/7, III/22, III/26, III/32, III/34, X/3
LSA Code, 2000 HSC Code 8
EC Type Approval and MED ("Ship's Wheel" mark) approval

Product code: 8010.30



Bag for SC-AA Immersion suit S/M **Watertight bag - colour orange**

FEATURES
Spare bag for Immersion Suit SC-AA S/M

SIZES
S/M

COLOURS
Orange

NORMS
-

Product code: 8010.36



Bag for SC-AA Immersion suit for children (6-10 years) **Watertight bag - colour yellow**

FEATURES
Spare bag for Immersion Suit for Children SC-AA/C

SIZES
One size

COLOURS
Yellow

NORMS
-

Product code: 8010.31



Bag for SC-AA Immersion suit L/XL **Watertight bag - colour yellow**

FEATURES
Spare bag for Immersion Suit SC-AA L/XL

SIZES
L/XL

COLOURS
Yellow

NORMS
-

Product code: 8010.35



Bag for SC-AA Immersion suit for young children (2-5 years) **Watertight bag - colour orange**

FEATURES
Spare bag for Immersion Suit for Young Children SC-AA/YC

SIZES
One size

COLOURS
Orange

NORMS
-



SCANRAZORWIRE KIT

Razorwire PPE safety kit,
page 178

SCANPRESSURE KIT

High pressure PPE safety kit,
page 179



SCANRAZORWIRE KIT

Razorwire PPE safety kit,
page 178





SCANCAMBRIAN
High-pressure Boiler Suit, page 24

SCANCALVERLEY
High pressure waterproof protective boots,
page 159



SCANCALVERLEY
High pressure waterproof protective boots,
page 159



Product code: 5900.37

ScanKryo Kit **Cryogenic PPE safety kit**



- FEATURES**
ScanKryo Gauntlet Pro
ScanKryo Shoecover
ScanKryo Apron
ScanLuna
ScanVisor PC
ScanVigor 40L Cobalt
ScanBagID

- SIZES**
-

COLOURS
-

NORMS
-



Product code: 5900.42

ScanPressure Kit **High pressure PPE safety kit**



- FEATURES**
ScanCambrian
ScanCalverley
ScanCompression
ScanVigor 90L
ScanBagID

- SIZES**
-

COLOURS
-

NORMS
-



Please note this article is only available upon request

Product code: 5900.40

ScanRazorwire Kit **Razorwire PPE safety kit**



- FEATURES**
ScanSharp
ScanSharp Apron RW
ScanVigor 40L Cobalt
ScanBagID

- SIZES**
-

COLOURS
-

NORMS
-







CE Certified



EN 342:2017 - Protective clothing - Ensembles and garments for protection against cold
(EN 342:2017 supersedes EN 342:2004)



EN 343:2019 Protective clothing - Protection against rain
(EN 343:2019 supersedes EN 343:2003 +A1:2007)



EN 465:1995 - Protection against liquid chemicals - Performance requirements for chemical protective clothing with spray-tight seams between different parts of the clothing (type 4 equipment)
(EN 14605:2005 supersedes EN 465:1995)



EN 466-1:1995 - Protection against liquid chemicals - Performance requirements for chemical protective clothing with spray-tight seams between different parts of the clothing (type 3 equipment)
(EN 14605:2005 supersedes EN 466-1:1995)



EN 469:2020 - Protective clothing for firefighters - Performance requirements for protective clothing for firefighting activities
(EN 469:2020 supersedes EN 469:2006)



EN 1149-5:2018 - Protective clothing - Electrostatic properties - Part 5: Material performance and design requirement
(EN 1149-5:2018 supersedes EN 1149-5:2008)



EN ISO 11611:2015 - Protective clothing for use in welding and allied processes
(EN 11611:2015 supersedes EN 11611:2007)



EN ISO 11612:2015 - Protective clothing - Clothing to protect against heat and flame
(EN ISO 11612:2015 supersedes EN ISO 11612:2008)



EN 13034:2005+A1:2009 - Protective clothing against liquid chemicals
(EN 13034:2005+A1:2009 supersedes EN 13034:2005)



EN ISO 13688:2013 - Protective clothing - General requirements



EN 13758-2:2003+A1:2006 - UV protective apparel



EN 13982-1:2004 - Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing that provides full-body protection against airborne solid particulates (type 5 clothing)
(EN 13982-1:2004 supersedes EN 13982-1:2000 Development)



EN 14058:2017 - Protection against cold - Garments for protection in cool environments
(EN 14058:2017 supersedes EN 14058:2004)



EN 14605:2005 - Protective clothing against liquid chemicals - Type 3 or 4
(EN 14605:2005 supersedes EN 467:1995, EN 465:1995, EN 466-1:1995)



EN ISO 14116:2015 - Protective clothing - Protection against heat and flame spread
(EN ISO 14116:2015 supersedes EN ISO 14116:2008)



EN ISO 15025:2016 - Protective clothing - Protection against flame - Method of test for limited flame spread
(EN ISO 15025:2016 supersedes EN ISO 15025:2002)



EN ISO 20471:2013+A1:2016 - High-visibility clothing
(EN ISO 20471:2013+A1:2016 supersedes EN ISO 20471:2013)



IEC 61482-2: 2009 Protective clothing against the thermal hazards of an electric arc



IEC 61482-2:2018 Protective clothing against the thermal hazards of an electric arc



ANSI/ISEA 107-2020 - Amercian National Standard for High visibility safety apparel and accessories



AS/NZS 1906.4:2010 - Retro-reflective materials and devices for road traffic control purposes - High-visibility materials for safety garments



AS/NZS 4399:2017 Sun protective clothing - Evaluation and classification



ASTM F1506 - Protection for electrical workers exposed to momentary electric arc and related thermal hazards



NFPA 70E - Standard for Electrical Safety in the Workplace



NFPA 2112:2012 - Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire



EN ISO 374-1:2016 - Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks
(EN ISO 374-1:2016 supersedes EN 374-1:2003)



EN ISO 374-2:2019 - Protective gloves against dangerous chemicals and micro-organisms - Part 2: Determination of resistance to penetration
(EN ISO 374-2:2019 supersedes EN 374-2:2015)



EN 374-3: 2003 - Gloves providing protection against chemicals and microorganisms - Part 3: Determination of resistance to permeation by chemicals



EN 388:2016+A1:2018 - Protective gloves against mechanical risks
(EN 388:2016+A1:2018 supersedes EN 388:2016)



EN 407:2020 - Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)
((EN 407:2020 supersedes EN 407:2004)



EN 421:2010 - Protective gloves against ionizing radiation and radioactive contamination



EN 511:2006 - Protective gloves against cold



EN 659:2003+A1:2008 - Protective gloves for firefighters



EN ISO 10819:2013 - Mechanical vibration and shock - Hand-arm vibration - Measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand



EN 12477:2001+A1:2005 - Protective gloves for welders



EN 21420:2019 - Protective gloves - General requirements and test methods
(EN 21420:2019 supersedes EN 420:2003+A1:2009)



























EN 60903 - Live working - Electrical insulating gloves















ANSI/ISEA 105-2016 American National Standard for Hand Protection Classification



ASTM D120 -14a - Standard Specification for Rubber Insulating Gloves

			
EN 136:1998 - Respiratory protective devices - Full face masks	EN 140:1998 - Respiratory protective devices - Half masks and quarter masks	EN 143:2000+A1:2006 - Respiratory protective devices - Particle filters	EN 148-1:2019 - Respiratory protective devices - Threads for face-pieces - Part 1: Standard thread connection
			
EN 149:2001+A1:2009 - Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking	EN 166:2001 - Personal eye protection - Specifications	EN 170:2002 - Personal eye protection - Ultraviolet filters - Transmittance requirements and recommended use	EN 172:1995+A2:2001 - Personal eye protection - Sunlight filters for industrial use
			
EN 175:1997 - Personal protection - Equipment for eye and face protection during welding and allied processes	EN 352-1:2020 - Hearing protectors - General requirements - Part 1: Earmuffs <i>(EN 352-1:2020 supersedes EN 352-1:2002)</i>	EN 352-2:2020 - Hearing protectors - General requirements - Part 2: Earplugs <i>(EN 352-2:2020 supersedes EN 352-2:2002)</i>	EN 352-3:2020 - Hearing protectors. General requirements. Earmuffs attached to head protection and/or face protection devices <i>(EN 352-3:2020 supersedes EN 352-2:2002)</i>
			
EN 353-1:2014+A1:2018 - Personal fall protection equipment - Guided type fall arresters including an anchor line - Part 1: Guided type fall arresters including a rigid anchor line <i>(EN 353-1:2014+A1:2018 supersedes EN 353-1:2014)</i>	EN 353-2:2002 - Personal protection against falls - Part 2: Guided type fall arresters with flexible anchor lines	EN 354:2010 - Personal fall protection equipment - Lanyards	EN 355:2002 - Personal protective equipment against falls from a height - Energy absorbers
			
EN 358:2018 - Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning or restraint <i>(EN 358:2018 supersedes EN 358:2000)</i>	EN 360:2002 - Personal protective equipment against falls from a height - Retractable type fall arresters	EN 361:2002 - Personal protective equipment against falls from height - Full body harnesses	EN 362:2004 - Personal protective equipment against falls from a height - Connectors
			
EN 379:2003+A1:2009 - Personal eye-protection - Automatic welding filters	EN 397:2012+A1:2012 - Industrial helmets	EN 443 - Helmets for fire fighting in buildings and other structures	EN 467:1995 - Protective clothing - Protection against liquid chemicals - Performance requirements for protective clothing <i>(EN 14605:2005 supersedes EN 467:1995)</i>

			
EN 795:2012 - Personal fall protection equipment - Anchor devices	EN 812:2012 - Industrial bump caps	EN 813:2008 - Personal fall protection equipment - Sit harnesses	EN 1496:2017 - Personal fall protection equipment - Rescue lifting devices
			
EN 12492:2012 - Mountaineering equipment - Helmets for mountaineers - Safety requirements and test methods	EN ISO 13688:2013 - Protective clothing - General requirements	EN 14387:2004+A1:2008 - Respiratory protective devices - Gas filter(s) and combined filter(s) - Requirements, testing, marking	EN 50365:2002 - Electrically insulating helmets for use on low voltage installations
			
ANSI/ISEA Z87.1-2020 - American National Standard for Occupational and Educational Personal Eye and Face Protection Devices	ANSI/ISEA Z89.1-2014 - Industrial Head Protection	AS/NZS 1337.1:2010 - Personal eye protection, Part 1: Eye and face protectors for occupational applications	CSA Z94.3:2015 - Standard for eye and face protection



EN 12568:2010 - Foot and leg protectors - Requirements and test methods for toecaps and penetration resistant inserts




EN 13832-2:2018 - Footwear protecting against chemicals - Part 2: Requirements for limited contact with chemicals
(EN 13832-2:2018 supersedes EN 13832-2:2006)




EN 13832-3:2018 - Footwear protecting against chemicals - Part 3: Requirements for prolonged contact with chemicals




EN 15090:2012 - Footwear for firefighters
(EN 15090:2012 supersedes EN 15090:2006)




EN 20344:2011 - Personal protective equipment (PPE) – Test methods for footwear
(EN 20344:2011 supersedes EN 20344:2004)




EN 20345:2011 - Personal protective equipment - Safety footwear
(EN 20345:2011 supersedes EN 20345:2007)




EN 20346:2014 - Personal protective equipment (PPE): Protective footwear
(EN 20346:2014 supersedes NEN-EN-ISO 20346:2004)



EN 20347:2011 - Personal protective equipment (PPE): Occupational footwear
(EN 20347:2011 supersedes NEN-EN-ISO 20347:2004)



EN 50321-1:2018 - Live working - Footwear for electrical protection - Insulating footwear and overboots



ASTM F2413-18 - Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear
(ASTM F2413-18 supersedes ASTM F2413-11)



Composite toecap
Composite toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N. Composite toe cap is ultra-light, ultra-resistant, thinner and more elastic than steel toe cap. Composite toe cap do not set off metal detectors like steel toe caps, as they are non-metallic.



Steel toecap
Steel toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N.



Aluminium toecap



Carbon toecap



Fiber glass toecap
Fiber glass toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N. Fiber glass toe cap is ultra light, thinner, has excellent tensile strength, does not transmit heat or cold, and distributes shock more effectively than metal. Fiber glass toe cap do not set off metal detectors like steel toe caps, as they are non-metallic.



200 Joule protection
Toe protection against a 200 Joule impact




Composite midsole
Composite Mid-sole protects against sharp objects, penetration-resistant to 1,100 N. Composite Mid-sole is ultra-light, ultra-resistant, thinner and more elastic than steel Mid-sole. Composite Mid-sole does not set off metal detectors like steel Mid-sole do, as they are non-metallic.




Steel midsole
Protects against sharp objects, penetration-resistant to 1,100 N.



Ballistic midsole (Proflex)



PET woven midsole



PU / PU outsole



PU / TPU outsole



PU / Rubber outsole




PU / Nitrile Rubber outsole




Dual density outsole




Metal free
This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.




S1P
S1P-designated footwear is evaluated using the same tests as SB footwear with additional tests assessing anti-static properties, penetration resistance (i.e., nail protection), and heel energy absorption (i.e., shock absorption).




S1
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel. Designed for wear in dry working conditions.




S2
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank (60 min.). Designed for wear in wet working conditions.




S3
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank, penetration-resistant intermediate sole. Designed to protect against penetration and for wear in wet working conditions.




S4
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel.



S5
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel and contoured, penetration-resistant intermediate sole.



SB
SB-designated footwear is evaluated through 40 compulsory tests including evaluating the tolerance in each shoe's toecap for impact up to 200 J.



SB-P
SB-P-designated footwear is evaluated using the same test as SB footwear with additional tests assessing penetration resistance (i.e. nail protection)



Anti-static
Our PU soles are oil-resistant (meets requirements of EN345 standard) and resistant to most chemicals.



SRA Grip & Anti-slip



SRC Grip & Anti-slip



Shock absorption
This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.



Heat resistance (HRO)
Designed for wear in hot climates and conditions up to 300°C.



Cold insulation (CI)
Designed for wear in cold climates and conditions, insulated with either lamb's wool or artificial material. Some designs in this range of footwear are lined with Thinsulate.



Fuel oil resistance



Water resistance



ESD protection (Electrostatic Discharge)



Zipper closure



Smart lacing system

A complete list of applicable EN standards is available on our website www.scandigear.com




Sizes & measurement

Measuring instructions for coveralls, trousers and tops

Measurements should be taken by another person.
Do not tighten the measuring tape too much.
Person being measured should be wearing only underwear (i.e. no shoes).

1. **Chest/Bust width**
Measure under your arms around the fullest part of your chest/bust
2. **Waist width**
Measure around natural waistline
3. **Hip width**
Stand with your heels together and measure around the fullest part of your hips



♂ COVERALL SIZES FOR MEN

EU		Asia		UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches	cm	inches
42	XS	S/M	32	32		82 – 85	32 – 33	70 – 73	27 – 28	85 – 89	33 – 35
44	S	L	34	34		86 – 89	34 – 35	74 – 77	29 – 31	90 – 94	35 – 37
46	S	L	36	36		90 – 93	35 – 37	78 – 81	31 – 32	95 – 98	37 – 39
48	M	XL	38	38		94 – 97	37 – 38	82 – 85	32 – 33	99 – 102	39 – 40
50	M	XL	40	40		98 – 101	39 – 40	86 – 89	34 – 35	103 – 106	41 – 42
52	L	2XL	42	42		102 – 105	40 – 41	90 – 94	35 – 37	107 – 110	42 – 43
54	L	2XL	44	44		106 – 109	42 – 43	95 – 99	37 – 39	111 – 114	44 – 45
56	XL	3XL	46	46		110 – 113	43 – 44	100 – 104	39 – 41	115 – 118	45 – 46
58	XL	3XL	48	48		114 – 117	45 – 46	105 – 109	41 – 43	119 – 122	47 – 48
60	2XL	4XL	50	50		118 – 121	46 – 48	110 – 114	43 – 45	123 – 126	48 – 50
62	2XL	4XL	52	52		122 – 125	48 – 49	115 – 119	45 – 47	127 – 130	50 – 51
64	3XL	5XL	54	54		126 – 129	50 – 51	120 – 124	47 – 49	131 – 134	52 – 53
66	3XL	5XL	56	56		130 – 134	51 – 53	125 – 129	49 – 51	135 – 138	53 – 54

♀ COVERALL SIZES FOR WOMEN

EU		Asia		UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches	cm	inches
34	XS	S/M	8	4		78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	10	6		82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	12	8		86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	14	10		90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	16	12		94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	18	14		98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	20	16		103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	22	18		108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46

♂ TROUSERS SIZES FOR MEN

EU		Asia	UK	USA	Inch sizes	WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches
42	XS	S/M	32	32	26/27	70 – 73	27 – 28	85 – 89	33 – 35
44	S	L	34	34	28/29	74 – 77	29 – 31	90 – 94	35 – 37
46	S	L	36	36	30/31	78 – 81	31 – 32	95 – 98	37 – 39
48	M	XL	38	38	32/33	82 – 85	32 – 33	99 – 102	39 – 40
50	M	XL	40	40	34	86 – 89	34 – 35	103 – 106	41 – 42
52	L	2XL	42	42	36	90 – 94	35 – 37	107 – 110	42 – 43
54	L	2XL	44	44	38	95 – 99	37 – 39	111 – 114	44 – 45
56	XL	3XL	46	46	40	100 – 104	39 – 41	115 – 118	45 – 46
58	XL	3XL	48	48	42	105 – 109	41 – 43	119 – 122	47 – 48
60	2XL	4XL	50	50	44	110 – 114	43 – 45	123 – 126	48 – 50
62	2XL	4XL	52	52	46	115 – 119	45 – 47	127 – 130	50 – 51
64	3XL	5XL	54	54	48	120 – 124	47 – 49	131 – 134	52 – 53
66	3XL	5XL	56	56	50	125 – 129	49 – 51	135 – 138	53 – 54

♀ TROUSERS SIZES FOR WOMEN

EU		Asia	UK	USA	Inch sizes	WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches
34	XS	S/M	8	4	26 – 27	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	10	6	28 – 29	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	12	8	29 – 30	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	14	10	31 – 32	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	16	12	32 – 33	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	18	14	33 – 34	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	20	16	34 – 35	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	22	18	36	94 – 99	37 – 39	113 – 116	44 – 46

♂ TOP SIZES FOR MEN

EU		Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
36	XS	S/M	14	14	82 – 85	32 – 33	70 – 73	27 – 28	85 – 89	33 – 35
37	S	L	14.5	14.5	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
38	S	L	15	15	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
39	M	XL	15.5	15.5	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
40	M	XL	16	16	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
41	L	2XL	16	16	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
42	L	2XL	16.5	16.5	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
43	XL	3XL	17	17	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
44	XL	3XL	17.5	17.5	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
45	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
46	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
47	3XL	5XL	18.5	18.5	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
48	3XL	5XL	19	19	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
49	4XL	6XL	19.5	19.5	135 – 43	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57
50	4XL	6XL	20	20	135 – 143	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57

♀ TOP SIZES FOR WOMEN

EU		Asia		UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches	cm	inches
34	XS	S/M	28	26		78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	30	28		82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	32	30		86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	34	32		90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	36	34		94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	38	36		98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	40	38		103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	42	40		108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46

Measuring instructions for shoes

Step 1

Place a piece of blank paper taped to the floor on a hard flat surface. Stand up straight and press your heel against the wall. Have someone mark the longest part of your foot (referred to as "heel to toe length") on the paper with a pen or pencil.


Repeat the process with the other foot, as the right and left foot may differ.

Step 2

Use a ruler or measuring tape to measure the "heel to toe" distance you marked for each foot. Determine your own shoe size with the foot sizing chart.

SHOE SIZES

EU	UK	USA MEN	USA WOMEN	FOOT LENGTH	
				cm	inches
35	3	4	5	22	8.7
36	3.5	4.5	6	22.5	8.9
37	4	5	6.5	23.5	9.3
38	5	6	7.5	24	9.4
39	6	7	8.5	25	9.8
40	6.5	7.5	9	25.5	10
41	7	8	9.5	26	10.2
42	8	9	10.5	27	10.6
43	9	10	12	28	11
44	10	11		28.5	11.2
45	10.5	11.5		29	11.4
46	11	12		30	11.8
47	12	13		30.5	12
48	13	14		31	12.2
49	14	15		31.5	12.4
50	14.5	15.5		32	12.6
51	15	16		32.5	12.8




Measuring instructions for gloves

Palm circumference

To calculate this, wrap a measuring tape once around the knuckles on your dominant hand (i.e., if you are right handed, take the measurement on your right hand).

GLOVE SIZES

EU	EU	PALM CIRCUMFERENCE	
		cm	inches
7	S	< 17.8 – 20.2	< 7 – 8
8	M	20.3 – 22.8	8 – 9
9	L	22.9 – 25.3	9 – 10
10	XL	25.4 – 27.8	10 – 11
11	2XL	27.9 – 30.4	11 – 12
12	3XL	30.5 >	12 >







INDEX >

3M 1271EAR Earplugs Corded	116	Petzl Vizen for Petzl helmets	110	ScanFlexTect 27	78	ScanSafari Stretch Women L/S	44
3M Earplug with Head Band	117	Pneumatic Glove Tester	87	ScanFlexTect 40	78	ScanSafari Tropic 001 S/S	44
3M EAR-Soft Corded	116	Portable Air Compressor	171	ScanFlow 001	60	ScanSafeStep	158
3M EAR-Soft Uncorded	116	ScanAdapt Clear	93	ScanFlow 002	60	ScanSafeWeld	97
3M EAR-UltraFit Corded	117	ScanAdapt Grey	93	ScanFluo	76	ScanSandal	152
3M Protecta Automatic Snap Hook (Steel)	134	ScanAdapt Night	94	ScanFoundry	136	ScanSensor	112
3M Protecta Comfort Belt Style Fall Arrest Harness	124	ScanAlliance 001	38	ScanFroze Pro	76	ScanSentry	154
3M Protecta Comfort Belt-Style Fall Arrest Suspension Harness	124	ScanAlliance 002	31	ScanGarrison	45	ScanServe Men	47
3M Protecta Lifeline (galvanised)	132	ScanAlliance	19	ScanGazer	94	ScanServe Women	47
3M Protecta Lifeline (stainless steel)	131	ScanAlliance FR	19	ScanGlobal	20	ScanSfera	119
3M Protecta Manucroche Connector	127	ScanAlliance FR 001	38	ScanGlow	82	ScanShapeStrong	160
3M Protecta Mobile Tripod Anchorage System	132	ScanAlliance FR 002	32	ScanGourmet	83	ScanSharp Apron RW	136
3M Protecta Pro Line Temporary Lifelines 20 m	133	ScanAlumin	82	ScanGrey	92	ScanSharp	81
3M Protecta Pro Welders Harness	125	ScanAnsari	147	ScanInferno	137	ScanShoeCover Xtra	162
3M Protecta Pro Welders Single Leg Shock Absorbing Lanyard with Scaffolding Hook	128	ScanArctic	24	ScanInsert for OBX	105	ScanShower	29
3M Protecta Pro Welders Twin Leg Shock Absorbing Lanyard with Scaffolding Hook	129	ScanArx	73	ScanInsulate	106	ScanSierra 001 L/S	39
3M Protecta Rebel Leading Edge 12 m	131	ScanAstern	156	ScanJogging	59	ScanSierra 001 S/S	39
3M Protecta Rebel Self-Retracting Lifeline 2 m	131	ScanAway	138	ScanKessel	160	ScanSierra Reflect 001 L/S	39
3M Protecta Rebel SLR with Sling 1.5 m	132	ScanBagID	147	ScanKinetic	85	ScanSierra Reflect 002	37
3M Protecta Rescue Winch Pulley 20 m	135	ScanBamboo	161	ScanKneePad	139	ScanSierra Women L/S	40
3M Protecta Rope Lanyard 1.3 m	128	ScanBaseball Reflect	16	ScanKneePad with strap	139	ScanSierra Women S/S	40
3M Protecta Shock Absorbing Lanyard	130	ScanBdry	49	ScanKnit	77	ScanSightWeld	97
3M Protecta Shock Absorbing Lanyard 2 m	129	ScanBdry FR/ARC/AS	49	ScanKristoff	76	ScanSignal	30
3M Protecta Shock Absorbing Lanyard Elastic Webbing Twin legs	130	ScanBionic AC visor clear	108	ScanKryo Apron	137	ScanSignal FR AS	30
3M Protecta Shock Absorbing Lanyard Rope	129	ScanBionic adapter	109	ScanKryo Gauntlet Pro	75	ScanSilence Clip	115
1.8 m Twin Legs	129	ScanBionic PC visor clear	109	ScanKryo Kit	178	ScanSilence HK2	115
3M Protecta Sling Galvanised steel 1 m	127	ScanBionic PC visor dark	109	ScanKryo Shoecover	162	ScanSilence HK3	115
3M Protecta Standard Vest Style Fall Arrest Harness	124	ScanBionic Shell	108	ScanLace	163	ScanSilence L2	113
3M Protecta Steel Carabiner Hook	127	ScanBlade	80	ScanLaTect	73	ScanSilence L3	114
3M Protecta Viper Rope Grab & Viper LT Kernmantle Rope	133	ScanBlaze	103	ScanLuna	110	ScanSilence ML2	113
3M Protecta Work Positioning Belt	126	ScanBlizzard	75	ScanMariner	58	ScanSilence ML3	114
3M Protecta Work Positioning Rope Lanyard	128	ScanBlockade	84	ScanMask 100/2	119	ScanSingle	71
3M Push-to-Fit Uncorded	117	ScanBoot	157	ScanMask 330	119	ScanSkull Advanced	48
Baby/Toddler Insert for Insulated Immersion Suit SC-AA/YC	169	ScanBrigade	155	ScanMicroFlex	72	ScanSlice	90
Bag for SC-AA Immersion suit for children (6-10 years)	173	ScanBro	154	ScanMoccasin	154	ScanSokket	162
Bag for SC-AA Immersion suit for young children (2-5 years)	172	ScanBumpcap	106	ScanName	50	ScanSoniX	95
Bag for SC-AA Immersion suit L/XL	172	ScanCadet	155	ScanNaperon Bib Advanced	47	ScanSoniX Replacement Lens	95
Bag for SC-AA Immersion suit S/M	172	ScanCalverley	159	ScanNato 150	42	ScanSpecStrap	97
Centurion 1100 Classic Non-Vented	99	ScanCambrian	24	ScanNero	152	ScanSpex Grey	94
Centurion 1100 Classic Vented	99	ScanCargo	36	ScanNexus	95	ScanSpike	163
Centurion 1125 Classic Non-Vented	100	ScanCargo 005	36	ScanNovaya	96	ScanStation	98
Centurion 1125 Classic Vented	99	ScanChain	81	ScanNovaya Faceshield	96	ScanStrap	103
Centurion Concept Non-Vented	100	ScanChem Green	138	ScanOculus	93	ScanSupport 001	140
Centurion Concept Vented	100	ScanChemsafe	159	ScanOnce	74	ScanSupport 002	140
Centurion Concept Vented SP	101	ScanChemTect	79	ScanOptal	160	ScanSurveyor	58
Centurion Kalis Dry Cooling System	104	ScanChill Pro	77	ScanOzone	153	ScanSweatShirt	59
DBI Sala Choking Girder Loop Heavy Duty Temporary Anchorage Point 2 m	126	ScanChloroTect	78	ScanPalladium Pro	84	ScanSwingBack	112
DBI Sala Delta Comfort harness with quick connect buckles comfort padding	125	ScanClava FR/AS	107	ScanPalm	70	ScanTarga Fleece	108
DBI Sala Delta Harness with quick connect buckles	125	ScanClavaS	107	ScanParis Women's	64	ScanTarga FR/AS	107
DBI Sala Digital Winch	135	ScanClean	74	ScanPetroTect	79	ScanTechTouch	71
DBI Sala Girder Loop Heavy Duty Temporary Anchorage Point 0.83 m	126	ScanClear	92	ScanPhoenix	40	ScanTee	61
DBI Sala Lift light weight winch 36 m	135	ScanClick Pro	98	ScanPilot Advanced L/S	43	ScanTee L/S	62
DBI Sala Nano Lok for Hot Work Use Single Leg 2 m	134	ScanClip	110	ScanPilot Advanced S/S	43	ScanTerry	161
DBI Sala Nano Lok for Hot Work Use Twin Leg 2 m	134	ScanClipper	35	ScanPilot Women L/S	43	ScanTiaret Women's	63
DBI Sala Suspension Trauma Safety Strap	133	ScanCommodore	155	ScanPique	64	ScanTie	42
DPI Mask C701	119	ScanConverter HV	26	ScanPiqueEpaulets L/S	65	ScanTight	72
Emergency Light SC-LG4	171	ScanConveyance	42	ScanPique Epaulets S/S	64	ScanTitan	158
Insert + sweatband for Centurion Concept (Slip)	104	ScanCorePro Apron	136	ScanPique HV Tropic	41	ScanToronto	61
Insert for Centurion 1100 Classic	105	ScanCovert	163	ScanPique L/S	65	ScanTorres	62
Insert for Centurion 1125 Classic	105	ScanCuisine Advanced 001	46	ScanPolar HV 001	27	ScanTorres	62
Insulated Immersion Suit SC-AA	168	ScanCuisine Advanced 002	46	ScanPolar HV 002	34	ScanToX	96
Insulated Immersion Suit SC-AA/C	168	ScanDana Advanced	50	ScanPolarised	94	ScanTraction	153
Insulated Immersion Suit SC-AA/YC	169	ScanDefender	48	ScanPressure Kit	179	ScanTrainer	156
OBX helmet	102	ScanDeterrence	83	ScanPyro Anchor Pro	22	ScanTrilTect	79
Peli 3315Z0 Medium Light	141	ScanDot	71	ScanPyro Anchor Pro 001	25	ScanTriple HV 001	27
Peli HeadsUp Light 2755	141	ScanDriver	70	ScanPyro Anchor Pro 002	32	ScanTriple HV 002	33
Peltor G3000D helmet	101	ScanDyad	106	ScanPyro Anchor Pro 003	23	ScanTriple HV 003	23
Peltor G3000D Ratchet helmet	101	ScanElbowPad with strap	139	ScanPyro AS 001	25	ScanTristate	61
Peltor V4F Visor PC (10)	112	ScanElectrosafe	159	ScanPyro AS 002	31	ScanTriStrap	103
Petzl Vertex Best	102	ScanEpaulets	51	ScanPyro AS 003	20	ScanTropic Reflect	18
Petzl Vertex Vent	102	ScanEquitoria	160	ScanPyro AS ZP	20	ScanTurtle	41
		ScanEssence Reflect	16	ScanPyro Tropic AS ZP	21	ScanTyler	63
		ScanExplorer	137	ScanPyro Tropic AS ZP Women	22	ScanUtility	37, 48
		ScanEyewashing	98	ScanRadix Inherent FR	21	ScanVedette Pro	26
		ScanFarox	153	ScanRaider	157	ScanVibe	29
		ScanFilter 100/2 A1B1	120	ScanRain HDR 001	28	ScanVigor 40L	146
		ScanFilter 100/2 A1B1E1K1	120	ScanRain HDR 003	35	ScanVigor 70L	146
		ScanFilter 100/2 A1B1E1K1P3	120	ScanRain Reflect FR/AS 001	28	ScanVigor 90L	146
		ScanFilter 100/2 A1P3	120	ScanRain Reflect FR/AS 003	34	ScanVisor AC	111
		ScanFilter Dirin A2	121	ScanRally	17	ScanVisor EA	111
		ScanFilter Dirin A2B2	121	ScanRally Reflect	17	ScanVisor PC	111
		ScanFilter Dirin A2B2E2K1P3	123	ScanRally Reflect Women	18	ScanVolt 03	86
		ScanFilter Dirin A2B2E2K2	123	ScanRank	50	ScanWeld	82
		ScanFilter Dirin A2B2P3	122	ScanRazorwire Kit	178	ScanWhistle	141
		ScanFilter Dirin A2P2	122	ScanResolute	72	ScanXtreMittens	75
		ScanFilter Dirin A2P3	122	ScanRespi FFP2/V	118	Sleeve Cones	170
		ScanFilter Dirin K2	121	ScanRespi FFP3/V	118	Streamlight HeadsUp Light	141
		ScanFilter Dirin P2	121	ScanRix FR/AS 001	28	Sweatband (Centurion 1100 & 1125)	104
		ScanFiresafe	158	ScanRix FR/AS 002	33	Universal Maintenance & Repair Kit	170
		ScanFix	87	ScanRugged	152	Universal Testing Device	170
		ScanFleece	29	ScanSafari Stretch 001 L/S	44		
		ScanFlexor	70	ScanSafari Stretch 002	45		
				ScanSafari Stretch 005	45		

OUR LOCATIONS

Europe (HQ)

Scandia Gear Europe B.V.

Lorentzweg 31
3208 LJ Spijkensisse
The Netherlands

Phone:
+31 (0)181 600 955

Email:
inquiries@scandiagear.com

Middle East

Scandia Gear Middle East Trading L.L.C.

Dubai Investment Park 2 (DIP2)
Warehouse no. 3 Plot 597-249
Dubai, UAE

Phone:
+971 4 883 4931

Email:
inquiries@scandiagear.com

Asia

Scandia Gear Asia Pte Ltd.

28 Pioneer Crescent
#03-13 West Park BizCentral
Singapore 628559

Phone:
+65 6795 3080

Email:
inquiries@scandiagear.com

E-Com

Scandia Gear E-Com B.V.

Lorentzweg 31
3208 LJ Spijkensisse
The Netherlands

Phone:
+31 (0)181 745 132

Email:
inquiries@scandiagear.com

North-America

Scandia Gear The Americas Corp.

4500 N. Sam Houston Parkway W.
Suite 130
Houston, Texas, 77086, USA

Phone:
+1 888 391 3363

Email:
inquiries@scandiagear.com



On a different note.

We've printed this catalogue on 100%-recycled FSC-certified paper. This paper requires 50% less energy and uses only 30% of the water used in standard paper production.

It also reduces CO₂ emission by at least 23% and is whitened without chlorine. And last but not least, the raw materials that go into it are sourced locally without logging. All of this matters to us.

Let's make a difference together!

