



**Scandia<sup>®</sup>**

ROTTERDAM SINGAPORE HOUSTON DUBAI

[www.scandiagear.com](http://www.scandiagear.com)





# CONTENT

Workwear	12	Personal protection	88
Coveralls	16	Eyewear	92
Jackets	25	Head / Face protection	99
Trousers	31	Ear protection	113
Work shirts	38	Respiratory protection	118
Uniform wear	42	Fall protection	124
Galley Wear	46	Fall protection	126
Thermal	49	Body protection	136
Distinction	50	Miscellaneous	141
Off-duty	54	Bags & storage	142
Jackets	58	Footwear	148
Sweaters & Fleece	59	Low shoes	152
Shirts	61	High shoes	156
Polo shirts	64	Boots	157
Gloves	66	Accessories	160
All-round	70	Lifesaving	164
Liquid-tight	73	Immersion suits	168
Cold-resistant	75	Maintenance	170
Chemical-resistant	78	Storage	172
Cut-resistant	80	Safety kits	174
Heat-resistant	82	Introduction	5
Impact-resistant	84	Norms & standards	182
Anti-vibration	85	Sizes & measurement	190
Electrical-resistant	86	Index	197
Accessories	87	Contact	198





For five decades, our unwavering dedication to protecting those who brave the high seas has driven us to become experts in the design, production, and delivery of safety apparel and PPE to the maritime, offshore, and cruise industries. As a family business, we are passionately invested in the safety and wellbeing of our long-standing clients and committed to outfitting and equipping their crews with the very best safety gear.

Our extensive range of essential safety products encompasses everything from coveralls, footwear, and gloves, to galley wear, personal protective equipment, off-duty leisure wear, and more – all designed with strength, style, durability, and compliance with applicable norms and standards in mind. We take pride in offering competitive pricing, rapid worldwide delivery from stock, and excellent after-sales service, so that you can have complete confidence in the quality of our products.

At Scandia Gear, we understand that the safety of the environment is just as important as the safety of our customers. That's why we're committed to promoting a socially responsible supply chain, and doing our part to protect the ecosystems that surround us. When it comes to safety, we believe that there can be no compromises – and we're proud to uphold that principle with every product we produce.

Wherever you are at sea, from Rotterdam to Singapore, Houston to Dubai, you can count on Scandia Gear to provide you with the safety gear you need to get the job done right. We are more than just maritime outfitters – we are a symbol of safety and protection, proudly serving the maritime industry since 1974.

We are Scandia Gear.

Find out about our newest products:  
[www.scandiagear.com](http://www.scandiagear.com)

















**SCANRALLY REFLECT WOMEN**  
Women's Boiler Suit, page 18



**SCANRALLY REFLECT**  
Boiler Suit, page 17

**SCANNERO**

S3 Leather Safety Shoe, page 152







**SCANVEDETTE PRO**  
Softshell Jacket, page 26

**SCANTEE**  
T-shirt, page 61



**SCANRIX FR/AS 001**  
Padded Rain Parka, page 28

**SCANRIX FR/AS 002**  
Padded Rain Trousers, page 33

**SCANBDRY**  
Body Dry Thermal Wear, page 49

**SCANRAIDER**  
S3 Summer Rigger Boot, page 157





Product code: 1010.50

ScanEssence Reflect **Boiler Suit — UV protection**



FEATURES

Reflective striping 25 mm (1.0 in): shoulders, arms and legs  
Storage: flashlight  
Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)  
Adjustable at: waist and wrists  
Velcro strip for rank or name badge  
Two-way YKK zipper closure  
100% fine cotton twill with UV protection

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White  
Khaki  
Orange  
Red  
Royal Aqua  
Eco Green  
Grey

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1010.57

ScanBaseball Reflect **Boiler Suit — UV protection**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Equipped for use with kneepads  
Knitted cuffs for extra comfort  
Storage: mobile phone/walkie-talkie, flashlight, and pen  
Pockets: chest (x 1 zipped), sleeve, side (x 2, open access), and seat (x 2)  
Two radio/gas loops  
Adjustable at: waist  
Recycled polyester Velcro strips for rank and name badges  
Recycled polyester Coats premium sewing thread  
Recycled polyester YKK two-way zipper closure  
50% recycled cotton, 50% responsible cotton with UV protection

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

White

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:2017 UPF rating 50+ (UV protection)

Product code: 1005.01

ScanRally **Boiler Suit — UV protection**



FEATURES

Storage: mobile phone/walkie-talkie, flashlight, and pen  
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2) Please note: only the yellow ScanRally includes ID-loops on right chest pocket  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Two-way YKK zipper closure  
100% fine cotton twill with UV protection  
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White  
Yellow  
Orange  
Royal Aqua  
Navy  
Grey

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves

Product code: 1010.01

ScanRally Reflect **Boiler Suit — UV protection**



FEATURES

3M reflective striping 50 mm (2.0 in): shoulders, legs, and back  
3M reflective striping 25 mm (1.0 in): arms  
Equipped for use with kneepads  
Storage: mobile phone/walkie-talkie, flashlight, and pen  
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2) Please note: only the white ScanRally Reflect includes ID-loops on right chest pocket  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Two-way YKK zipper closure  
100% fine cotton twill with UV protection  
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

SIZES

XS – S – M – L – XL – 2XL – 3XL  
G/L (Grand/Large upon request)

COLOURS

White  
Khaki  
Orange  
Red  
Sky Blue  
Royal Aqua  
Navy  
Eco Green  
Bottle Green  
Grey

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2023, Class R (high visibility)  
AS 4399:2020 UPF rating 50+ (UV protection)

Also available with short sleeves



Product code: 1011.01

ScanRally Reflect Women **Women's Boiler Suit — UV protection**



**FEATURES**

3M reflective striping 50 mm (2.0 in): shoulders, legs, and back  
3M reflective striping 25 mm (1.0 in): arms  
Equipped for use with kneepads  
Storage: mobile phone/walkie-talkie, flashlight, and pen  
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Two-way YKK zipper closure  
100% fine cotton twill with UV protection  
Remove epaulettes and rankings, close all zippers and Velcro fastenings before laundering

**SIZES**

XS – S – M – L – XL – 2XL – 3XL

**COLOURS**

White  
Orange  
Navy

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2023, Class R (high visibility)  
AS 4399:2020 UPF rating 50+ (UV protection)

*Also available with short sleeves*

*Also available in other colours, upon request*

Product code: 1012.01

ScanTropic Reflect **Boiler Suit — Heat-regulating**



**FEATURES**

Designed for hot climates and engine rooms  
Mesh Moisture Management at back pleats  
3M reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Storage: flashlight and pen  
Pockets: chest, sleeve, side (x 2, open access), and seat (x 2)  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Two-way YKK zipper closure  
Lightweight 100% fine cotton with UV protection

**SIZES**

XS – S – M – L – XL – 2XL – 3XL

**COLOURS**

White  
Orange  
Red  
Navy  
Bottle Green  
Grey

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:2020 UPF rating 50+ (UV protection)

*Also available with short sleeves*

Product code: 1010.55

ScanAlliance **Boiler Suit — UV protection**



**FEATURES**

Fluo reflective striping 50 mm (2.0 in): shoulders, arms, waist and legs  
Storage: flashlight  
Pockets: chest (incl. ID-loops), sleeve, side, and seat (x 2)  
Adjustable at waist and wrists  
Two-way YKK zipper closure  
100% fine cotton twill with UV protection

**SIZES**

XS – S – M – L – XL – 2XL – 3XL

**COLOURS**

Royal Aqua

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*ScanAlliance will be discontinued once our existing inventory is sold*

Product code: 1035.42

ScanAlliance FR **Offshore Boiler Suit — Multi-Hazard**



**FEATURES**

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms, legs, waist and back  
Equipped for use with kneepads  
Storage: mobile phone/walkie-talkie, flashlight and pen  
Pockets: chest, sleeve, side (x 2, open access), seat (x 2) and inner  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Two-way Aramid zipper closure  
99% long staple cotton, 1% carbon fiber

**SIZES**

XS – S – M – L – XL – 2XL – 3XL

**COLOURS**

Royal Aqua  
Navy

**NORMS**

NFPA 2112:2012 – ASTM F1930 (flash fire)  
Bodyburn rate 7%  
NFPA 70E – ASTM F1959 (arc flash)  
HRC 2 / ATPV 9.4 cal/cm2  
ASTMF1506  
ANSI 107:2015 (high visibility)

AS/NZS 1906.4:2010, Class R+F (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 A2 (welding)  
EN ISO 11612:2015, A1 A2 B1 C1 E2 F1 (flame resistant)  
EN 1149-5:2018 (anti-static)  
EN 13034:2005+A1:2009, Type 6 (chemical protection)  
IEC 61482-2:2009, Class 1 (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)



Product code: 1035.12

ScanPyro AS ZP Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Equipped for use with kneepads  
Storage: flashlight (x 2)  
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), cargo, seat (x 2), and inner  
Two radio/gas loops  
Adjustable at: wrists and waist  
Velcro strips for rank and name badges  
Two-way YKK zipper closure  
99% mercerized cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White  
Orange  
Red

NORMS

CE Certified  
EEN ISO 13688:2013+A1:2021 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 61482-2:2020, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)  
AS/NZS 1906.4:2010, Class R (high visibility)

Product code: 1035.40

ScanGlobal Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant fluo reflective perforated striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Equipped for use with kneepads  
Storage: mobile phone/walkie-talkie, flashlight, and pen  
Pockets: chest, sleeve, side (x2, open access), seat (x 2) and inner  
Two radio/gas loops  
Adjustable at: wrists, legs, and waist  
Velcro strips for rank and name badges  
Two-way Aramid zipper closure  
Chemical, oil, and stain-resistant  
99% long staple cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange  
Navy

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)  
Bodyburn rate 7%  
NFPA 70E – ASTM F1959 (arc flash)  
HRC 2 / ATPV 9.4 cal/cm2  
ASTMF1506

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 A2 (welding)  
EN ISO 11612:2015, A1 A2 B1 C1 E1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13034:2005+A1:2009, Type 6 (chemical protection)  
IEC 61482-2:2009, Class 1 (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)

Limited availability. Superseded by ScanAlliance FR

Product code: 1035.48

ScanRadix Inherent FR Boiler Suit — Multi-Hazard, Inherent FR



FEATURES

Superior wicking properties and soft handfeel  
Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms, legs and back  
Pockets: chest (x1 Napoleon, concealed, zipped, x1 covered), sleeve, side (x2, open access) and seat (x1)  
Adjustable at: wrists, legs, and waist  
FR Velcro strips for rank and name badges  
Two-way Aramid zipper closure  
Stitching yarn: FR Aramid thread  
50% Modacrylic, 32% cotton, 9% polyamide, 8% polyarylate, 1% anti-static  
7.6 oz/yd (215 gsm)

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange

NORMS

NFPA 2112:2012 – ASTM F1930 (flash fire)  
Bodyburn rate 3,5%  
NFPA 70E – ASTM F1959 (arc flash)  
HRC 2 / ATPV 9.9 cal/cm2  
ASTM F1506

AS/NZS 1906.4:2010, Class R & Class NF (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 A2 B1 C1 F1 (flame resistant)  
EN 1149-5:2018 (anti-static)  
EN 61482-2:2020 (electric arc), APC 1  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

Please note this article is only available upon request

Product code: 1035.16

ScanPyro Tropic AS ZP Offshore Boiler Suit — Heat-regulating



FEATURES

Designed for hot climates and engine rooms  
Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Equipped for use with kneepads  
Mesh Moisture Management at back pleats  
Storage: flashlight (x 2)  
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), seat (x 2), and inner  
Two radio/gas loops  
Adjustable at wrists, waist and legs  
Velcro strips for rank and name badges  
Two-way YKK zipper closure  
99% cotton with UV protection, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

White  
Orange  
Red  
Royal Aqua  
Navy  
Bottle Green

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high-visibility)  
AS/NZS 4399:2020 UPF rating 50+ (UV protection)



Product code: 1035.17

ScanPyro Tropic AS ZP Women Offshore Boiler Suit — Heat-regulating



FEATURES

Designed for hot climates and engine rooms  
Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, legs, and back  
Equipped for use with kneepads  
Mesh Moisture Management at back pleats  
Storage: flashlight (x 2)  
Pockets: chest (x 2, slanted, concealed, zipped), sleeve, side (x 2, open access), seat (x 2), and inner  
Two radio/gas loops  
Adjustable at wrists, waist and legs  
Velcro strips for rank and name badges  
Two-way YKK zipper closure  
99% cotton with UV protection, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

White  
Royal Aqua

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high-visibility)  
AS/NZS 4399:2020 UPF rating 50+ (UV protection)

Product code: 1036.07

ScanPyro Anchor Pro 003 Winter Offshore Boiler Suit — Multi-Hazard



FEATURES

Thermal insulation to -20°C (-4°F)  
Lined and padded body, sleeves, and legs  
Ultra soft down feel padding for optimal comfort  
Flame-resistant reflective striping 50 mm (2.0 in): waist, shoulders, arms, legs, and back  
Equipped for use with kneepads  
Flame-resistant knitted cuffs for extra protection against wind  
Storage: flashlight and pen  
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner  
Two radio/gas loops  
Adjustable at: wrists  
Velcro strips for rank and name badges  
Two-way YKK zipper closure  
Shell: 99% cotton, 1% carbon fiber  
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber  
Lining: 55% modacrylic, 45% cotton  
Padding: 100% modacrylic

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1035.30

ScanPyro Anchor Pro Offshore Boiler Suit — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back  
Equipped for use with kneepads  
Storage: flashlight and pen  
Pockets: chest (x 2, concealed, zipped), side (x 2, open access), sleeve, seat (x 2), cargo, and inner  
Two radio/gas loops  
Adjustable at: wrists, waist and legs  
Velcro strips for rank and name badges  
Two-way YKK zipper closure  
Shell: 99% cotton, 1% carbon fiber  
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Product code: 1036.44

ScanTriple HV 003 Thermal Offshore Boiler Suit — Multi-Risk



FEATURES

Thermal insulation to -39°C (-38,2°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)  
Flame-resistant / anti-static fleece lining  
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs and back  
Equipped for use with kneepads  
Flame-resistant knitted cuffs for extra protection against wind  
Storage: mobile phone / walkie talkie and flashlight  
Pockets: chest (x 1), side (x 2, slanted and covered), cargo (x 2), seat (x 2 covered), hammer (x 1) and inner (x 3)  
Two radio/gas loops  
Detachable hood, compatible with safety helmet  
Velcro strips for rank and name badges  
Two-way YKK zipper closure on front  
Adjustable at: wrist, waist and legs  
Side seam zippers  
5000mm water column  
5000mvp breathable  
Shell: 98% polyester, 2% carbon fiber  
Knitted lining: 60% modacrylic, 40% cotton  
Fleece lining: 60% modacrylic, 40% cotton  
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)  
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)  
EN 343:2019, Class 3-1-X (foul weather)  
EN 1149-5:2018 (anti-static)  
STANDARD 100 by OEKO-TEX® Class II



Product code: 1030.04



ScanArctic    **Waterproof Winter Boiler Suit — High-Viz**

FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)  
3M reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, legs, and back  
Equipped for use with kneepads  
Knitted cuffs for extra protection against wind  
Storage: flashlight  
Pockets: chest (x 2), side (x 2, slanted and covered), sleeve (x 1), seat (x 2 covered), hammer pocket (x 1) and inner (x 2)  
Radio / gas loop  
Hood compatible with safety helmet  
Velcro strips for rank and name badges  
Two-way YKK zipper closure on front  
Ankle to knee YKK zippers  
Shell: 100% polyester Oxford / PU-coated (breathable)  
Lining body: 100% polyester teddy  
Lining sleeves, legs and pocketing: 100% recycled polyester  
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy  
High-Viz Orange & Grey

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN 342:2017, Icler 0.413 (B) 3 W (cold weather)  
EN 343:2019, Class 4-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 3 (high-visibility)

Product code: 1018.01



ScanCambrian    **High-pressure Boiler Suit**

FEATURES

Protects against hydraulic fluid and the hazards of high-pressure cleaning  
Water- and dirt-repellent shell  
Adjustable ventilation under arms  
Storage (waterproof): walkie-talkie, flashlight  
Pockets: left leg (zipped), chest (zipped), sleeve (ID card) and leg (x 1)  
Waterproof cuffs, adjustable with Velcro  
Light weight shell fabric with Dynema® fiber  
Reinforced knees  
Adjustable hood with room for hearing protection  
Striped fabric clearly identifies protected areas

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Grey

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)

*We recommend wearing this in combination with our ScanCalverley high-pressure waterproof protective boots (see section Footwear - Boots)*

*Special item: please allow up to 14 working days for delivery*

Product code: 1035.05



ScanPyro AS 001    **Offshore Jacket — Multi-Hazard**

FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): shoulders, arms, and back  
Pockets: chest (x 2, slanted, concealed, zipped), and sleeve  
Two radio/gas loops  
Adjustable at: wrists and waist  
Velcro strips for rank and name badges  
YKK zipper closure on front  
99% cotton, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Orange & Navy

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 61482-2:2020, APC=1 ATPV=6,1 cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Type R (high-visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with ScanPyro AS 002*

Product code: 1035.32



ScanPyro Anchor Pro 001    **Offshore Jacket — Multi-Hazard, High-Viz**

FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back  
Pockets: chest (x 2) and sleeve  
Two radio/gas loops  
Adjustable at: wrists and waist  
Velcro strips for rank and name badges  
Two-way YKK zipper closure on front  
Shell: 99% mercerized cotton, 1% carbon fiber  
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
Wearing ScanPyro Anchor Pro 001 Jacket in combination with ScanPyro Anchor Pro 002 Trousers together conforms to class 3 protection  
EN 1149-5:2018 (anti-static)  
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV Protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high-visibility)  
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with ScanPyro Anchor Pro 002*



Product code: 1035.14

ScanVedette Pro Softshell Jacket — Multi-Hazard, High-Viz

FEATURES

Durable water repellent (DWR)/ PFC free  
Inner fleece with anti-static finish  
Zipped pockets: chest (x1 Napoleon), waist (x2)  
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, sleeves, shoulders  
Two radio/gas loops  
Adjustable at: wrists  
Flame-resistant zipper closure on front  
10.000mm water column  
5000mvp breathable  
Shell fabric: 100% Polyester / PU-membrane, 350 gsm  
Backing fabric: 60% Modacrylic, 38% Co, 2% Carbon, fleece 200 gsm

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C2 F2 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
EN 1149-5:2018 (anti-static)  
EN 61482-2:2020, APC=1 ATPV=16 cal/cm²  
ELIM=16 cal/cm² (electric arc)  
EN ISO 13034: 2005+A1:2009, Type 6 PB (chemical protection)  
OEKO-TEX® Standard 100 Class II

ANSI 107:2020, Type R Class 2 ( high-visibility)

Product code: 1057.03

ScanConverter HV Waterproof multi season 3-in-1 jacket — High-Viz

FEATURES

Waterproof breathable polyester (PFC free) outer jacket with removable fleece jacket  
Fleece jacket with anti-pilling and anti-static finish  
Pockets outerjacket: chest (x 1), waist (x 2), inner (x 1)  
Pockets fleece jacket: waist (x 2)  
3M reflective striping 50 mm (2.0 in): 2 stripes at front and back, 2 stripes on the sleeve  
Radio/gas loop  
Detachable hood, compatible with safety helmet  
Key hanger  
Velcro strips for rank and name badges  
Adjustable at: sleeves and bottom  
YKK zipper closure on front  
Waterproof zipper pockets on outer jacket  
Taped seams  
5000mm water column  
5000mvp breathable  
Shell fabric: 100% Polyester / PU-coated  
Fleece fabric: 100% Polyester polar fleece (anti-pilling + antistatic finish)

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019, Class 3-1-X (foul weather)  
EN 14058:2017 (23XWP) (cold weather)  
EN ISO 20471:2013+EN ISO 20471:2013/A1:2016, Class 2 (high-visibility)

ANSI 107:2015 Type R, Class 2, non-FR (high-visibility)

Product code: 1030.01

ScanPolar HV 001 Waterproof Winter Jacket — High-Viz

FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/air velocity 0.4 m/s)  
Pockets: chest (x 2), waist (x 2), inner (x 2)  
Radio/gas loop  
Hood compatible with safety helmet  
3M reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back  
Knitted cuffs for extra protection against wind  
Velcro strips for rank and name badges  
Adjustable at: wrists and waist  
Two-way YKK zipper closure on front  
Windstopper  
Shell: 100% polyester Oxford / PU-coated (breathable)  
Lining body: 100% polyester teddy  
Lining sleeves and pocketing: 100% recycled polyester  
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy  
High-Viz Orange & Grey

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN 342:2017, Icler 0.454 (B)-3-W (cold weather)  
EN 343:2019, Class 4-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
Wearing ScanPolar HV 001 Jacket in combination with ScanPolar HV 002 Trousers together conforms to class 3 protection

Designed to be worn in combination with ScanPolar HV 002

Product code: 1036.40

ScanTriple HV 001 Thermal Offshore Jacket — Multi-Risk

FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/air velocity 0.4 m/s)  
Flame-resistant / anti-static fleece lining  
Flame-resistant reflective striping 50 mm (2.0 in): chest, waist, shoulders, arms, and back  
Flame-resistant knitted cuffs for extra protection against wind  
Detachable hood, compatible with safety helmet  
Storage: mobile phone / walkie-talkie  
Pockets: chest (x 1), waist (x 2), inner (x 3)  
Two radio/gas loops  
Adjustable at: wrists and waist  
Velcro strips for rank and name badges  
Two-way YKK zipper closure on front  
5000mm water column  
5000mvp breathable  
Shell: 98% polyester, 2% carbon fiber  
Knitted lining: 60% modacrylic, 40% cotton  
Fleece lining: 60% modacrylic, 40% cotton  
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 14116:2015 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
Wearing ScanTriple HV 001 Jacket in combination with ScanTriple HV 002 Trousers together conforms to class 3 protection  
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)  
EN 343:2019, Class 3-1-X (foul weather)  
EN 1149-5:2018 (anti-static)  
STANDARD 100 by OEKO-TEX® Class II

Designed to be worn in combination with ScanTriple HV 002



Product code: 1037.20

ScanRix FR/AS 001 Padded Rain Parka — Multi-Risk



FEATURES

Flexible and strong shell fabric  
Flame-resistant reflective striping 50 mm (2.0 in): chest, shoulders, arms, and back  
Flame-resistant knitted cuffs for extra protection against wind  
Reflective striping 15 mm (0.6 in): collar  
Tuck-in hood compatible with safety helmet  
Adjustable at: waist  
Pockets: waist (x 2, concealed), inner (x 1)  
Two-way zipper closure on front  
3000mm water column  
Shell: 50% anti-static polyester, 50% flame-resistant PU  
Lining: 100% flame-resistant cotton  
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019, Class 3-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
Wearing ScanRix FR/AS 001 Parka in combination with ScanRix FR/AS 002 Trousers together conforms to class 3 protection  
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)  
EN 1149-5:2018 (anti-static)

*Designed to be worn in combination with ScanRix FR/AS 002*

Product code: 1037.08

ScanRain Reflect FR/AS 001 Rain Jacket — Multi-Risk



FEATURES

Flexible and strong shell fabric  
Flame-resistant reflective striping 50 mm (2.0 in): hood, chest, shoulders, arms, and back  
Hood compatible with safety helmet  
Adjustable at: wrists  
Pockets: waist (x 2, covered)  
Flame-resistant YKK zipper closure  
3000mm water column  
50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red  
High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019, Class 3-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
Wearing ScanRain FR/AS 001 Jacket in combination with ScanRain FR/AS 003 Bib & Brace together conforms to class 3 protection  
EN ISO 14116:2015, Index 1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13034:2005 +A1:2009 - type 6 in combination with Trousers  
ScanRain Reflect FR AS 003 (liquid chemicals)

*Designed to be worn in combination with ScanRain Reflect FR/AS 003*

Product code: 1045.20

ScanRain HDR 001 Rain Jacket — Heavy Duty Performance



FEATURES

Hot frequency welded seams for heavy duty performance: waterproof, windproof, foul weather protection  
Durable and flexible PVC/PU  
Fuel and oil resistant according to EN 343  
Tuck-in hood compatible with safety helmet  
Raglan sleeves  
Adjustable at: wrists  
Pockets: waist (x2, covered)  
15 mm (0.6 in) reflective striping: collar, waist, and cuffs  
YKK zipper closure  
3000mm water column  
50% PVC, 30% recycled polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019 Class 4-1 (foul weather)

*Designed to be worn in combination with ScanRain HDR 003*

Product code: 1045.10

ScanShower Rain Suit — Lightweight with Reflective Striping



FEATURES

Jacket:  
– Tuck-in hood compatible with safety helmet  
– Mesh ventilation at back  
– Reflective striping 50 mm (2.0 in): chest and arms  
– Pockets: waist (x 2, covered)  
– Elasticised wind cuffs at wrists

Trousers:

– Reflective striping: legs  
– Elasticised waist  
– Pockets: side (x 2, open access)  
– Adjustable at legs

3000mm water column  
65% recycled polyester, 35% PVC  
Sales quantity: 12 sets per size

SIZES

S/M – L/XL – 2XL/3XL

COLOURS

Fluo Orange

NORMS

–

Product code: 1059.01

ScanFleece High Viz Triple Layer Jacket



FEATURES

Breathable and insulated  
Elasticized cording prevents garment from shifting  
Stitched reflective striping  
Pockets: chest (covered)  
Windproof and water repellent  
Anti-pilling fabric  
Fabric: polyester micro fleece  
Shell: PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Orange

NORMS

CE Certified  
EN ISO 13688 (general requirements)  
EN ISO 20471:2013, Class 3 (high-visibility)

Product code: 1020.41

ScanVibe Work Jacket



FEATURES

Pockets: chest (x 1 phone), waist (x 2 zipped, slanted) and sleeve (x 1)  
Two radio/gas loops  
Loop with D-ring  
Headphone port / inside headphone holders  
Adjustable at: wrist and waist  
65% cotton, 35% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Navy

NORMS

–

*Designed to be worn in combination with ScanClipper or ScanCargo*



Product code: 1055.04

ScanSignal **Signal Safety Vest — High-Viz**



**FEATURES**

Reflective striping shoulders (50 mm / 2.0 in) and chest (60 mm / 2.36 in)  
Adjustable velcro front closure (100% nylon)  
Pocket: chest  
Storage: mobile phone/walkie talkie and pen  
70% PET polyester, 30% polyester

**SIZES**

XS/S – M/L – XL/2XL

**COLOURS**

High-Viz Yellow

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)

ANSI 107:2020 Type R, Class 2, non-FR (high-visibility)

Product code: 1055.01

ScanSignet FR AS **Signal Vest — Multi-Risk**



**FEATURES**

Flame-retardant  
Anti-static  
Quilted reflective stripes  
Fabric contains carbon wire  
Adjustable Velcro closures  
100% Oxford polyester signal vest with PU coating

**SIZES**

M – L – XL – 2XL – 3XL – 4XL

**COLOURS**

High-Viz Yellow  
High-Viz Orange

**NORMS**

CE Certified  
EN ISO 1149-5:2008 (anti-static)  
EN ISO 14116:2008 (flame-retardant)  
EN ISO 20471:2013, Class 2 (high-visibility)

Product code: 1055.17

ScanAlliance 002 **Offshore Trousers — UV protection**



**FEATURES**

Fluo reflective reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Storage: flashlight  
Pockets: side and seat (x 2), cargo  
100% fine cotton twill with UV protection

**SIZES**

S – M – L – XL – 2XL – 3XL

**COLOURS**

Royal Aqua

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010 Type R (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with ScanAlliance 001*

*ScanAlliance 002 will be discontinued once our existing inventory is sold*

Product code: 1035.08

ScanPyro AS 002 **Offshore Trousers — Multi-Hazard**



**FEATURES**

Flame-resistant reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Storage: flashlight  
Pockets: side (x 2), seat (x 2) and cargo  
99% cotton, 1% carbon fiber

**SIZES**

XS – S – M – L – XL – 2XL – 3XL

**COLOURS**

Orange & Navy

**NORMS**

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 61482-2:2020, APC=1 ATPV=6,1 cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010 (high-visibility)  
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with ScanPyro AS 001*



Product code: 1035.34

ScanPyro Anchor Pro 002 Offshore Trousers — Multi-Hazard



FEATURES

Flame-resistant reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Storage: flashlight  
Pockets: side and seat (x 2), cargo  
Shell: 99% mercerized cotton, 1% carbon fiber  
High-Viz: 80% cotton, 19% polyester, 1% carbon fiber

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015, Class 1 A1 (welding)  
EN ISO 11612:2015, A1 B1 C1 F1 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)  
Wearing ScanPyro Anchor Pro 002 Trousers in combination with ScanPyro Anchor Pro 001 Jacket together conforms to class 3 protection  
EN1149-5:2018 (anti-static)  
IEC 61482-2:2018, APC=1 ATPV=6,1cal/cm² ELIM=5,5 cal/cm² (electric arc)  
EN 13758-2:2003+A1:2006, 50+ (UV Protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R+F (high visibility)  
AS/NZS 4399:1996, UPF rating 50+ (UV Protection)

*Designed to be worn in combination with ScanPyro Anchor Pro 001*

Product code: 1035.46

ScanAlliance FR 002 Offshore Trousers — Multi-Risk



FEATURES

Flame-resistant fluo reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Storage: flashlight  
Pockets: side and seat (x 2), cargo  
99% mercerized cotton, 1% carbon fiber

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Royal Aqua

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 (high visibility)

AS/NZS 4399:1996, UPF rating 50+ (UV protection)  
AS/NZS 1906.4:2010 Type R (high visibility)

*Designed to be worn in combination with ScanAlliance FR 001*

*ScanAlliance FR 002 will be discontinued once our existing inventory is sold*

Product code: 1036.42

ScanTriple HV 002 Thermal Offshore Brace Trousers — Multi-Risk



FEATURES

Thermal insulation to -43°C (-45,4°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)  
Flame-resistant / anti-static lining  
Flame-resistant reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Pockets: side (x 2, slanted and covered), cargo (x 2), seat (x 2) and hammer (x 1)  
Elasticised waist for optimal fit  
(Removable) elasticised suspenders  
Adjustable at: legs  
Side seam zippers  
5000mm water column  
5000mvp breathable  
Shell: 98% polyester, 2% carbon fiber  
Lining: 60% modacrylic, 40% cotton  
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 14116:2015 (flame-resistant)  
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)  
Wearing ScanTriple HV 002 Trousers in combination with ScanTriple HV 001 Jacket together conforms to class 3 protection  
EN 342:2017, Icler 0.328 (B) 2-WP (cold weather)  
EN 343:2019, Class 3-1-X (foul weather)  
EN 1149-5:2018 (anti-static)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanTriple HV 001*

Product code: 1037.22

ScanRix FR/AS 002 Padded Rain Trousers — Multi-Risk



FEATURES

Flexible and strong shell fabric  
Flame-resistant reflective striping 50 mm (2.0 in): legs  
Pockets: side (x 2, slanted, concealed), seat (covered)  
Elasticised waist with detachable elastic suspenders  
Adjustable at: legs  
Side seam zippers  
3000mm water column  
Shell: 50% anti-static polyester, 50% flame-resistant PU  
Lining: 100% flame-resistant cotton  
Padding: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019, Class 3-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)  
Wearing ScanRix FR/AS 002 Trousers in combination with ScanRix FR/AS 001 Parka together conforms to class 3 protection  
EN ISO 14116:2015 Outer fabric: Index 1, Inner fabric: Index 3 (flame-resistant)  
EN 1149-5:2018 (anti-static)

*Designed to be worn in combination with ScanRix FR/AS 001*



Product code: 1030.15

ScanPolar HV 002    Waterproof Winter Trousers — High-Viz



FEATURES

Thermal insulation to -50°C (-58°F) after 5 wash cycles at 40°C (medium activity, exposure of 1 hour/ air velocity 0.4 m/s)  
Pockets: side (x 2, slanted and covered), seat (x 2, covered) and hammerpocket (x 1)  
3M reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Elasticized waist with detachable elasticised suspensers  
Adjustable at: legs  
Ankle to knee side seam zippers  
Shell: 100% polyester Oxford / PU-coated (breathable)  
Lining: 100% recycled polyester  
Padding: 100% recycled polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Navy  
High-Viz Orange & Grey

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN 342:2017, Icler 0.454 (B)-3-W (cold weather)  
EN 343:2019, Class 4-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)  
Wearing ScanPolar HV 002 Trousers in combination with ScanPolar HV 001 Jacket together conforms to class 3 protection

*Designed to be worn in combination with ScanPolar HV 001*

Product code: 1037.09

ScanRain Reflect FR/AS 003    Rain Trousers Bib & Brace — Multi-Risk



FEATURES

Flexible and strong shell fabric  
Flame-resistant reflective striping 50 mm (2.0 in): legs  
Elasticised waist at back  
Elastic shoulder straps with snap-click buckles  
Pocket: front (covered)  
Adjustable at: legs  
3000mm water column  
50% anti-static polyester, 50% flame-resistant PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

High-Viz Yellow & Red  
High-Viz Yellow & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019, Class 3-1-X (foul weather)  
EN ISO 20471:2013+A1:2016, Class 1 (high-visibility)  
Wearing ScanRain FR/AS 003 Bib & Brace in combination with ScanRain FR/AS 001 Jacket together conforms to class 3 protection  
EN ISO 14116:2015, Index 1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13034:2005 +A1:2009 – type 6 in combination with Jacket ScanRain Reflect FR AS 001 (liquid chemicals)

*Designed to be worn in combination with ScanRain Reflect FR/AS 001*

Product code: 1045.22

ScanRain HDR 003    Rain Trousers Bib & Brace — Heavy Duty Performance



FEATURES

Hot frequency welded seams for heavy duty performance: waterproof, windproof, foul weather protection  
Durable and flexible PVC/PU  
15 mm (0.6 in) reflective striping: pocket and legs  
Elasticised waist at back  
Elastic shoulder straps with snap-click buckles  
Pocket: front (covered)  
Adjustable at: legs  
3000mm water column  
50% PVC, 30% recycled polyester, 20% PU

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Fluo Orange & Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 343:2019 Class 4-1 (foul weather)

*Designed to be worn in combination with ScanRain HDR 001*

Product code: 1020.45

ScanClipper    Bib & Brace Trousers



FEATURES

Pockets: side (x 2 slanted), seat (x 2 covered), front (x 1 covered) cargo (x 1), phone (x 1) and hammer (x 1)  
Storage: flashlight  
Elastic shoulder straps with snap-click buckles  
Reinforced knees  
Equipped for use with kneepads  
Adjustable at waistband  
Belt loop with D-ring  
Triple stitched side seams  
Shell fabric: 65% cotton, 35% polyester  
Contrast fabric: 100% polyester

SIZES

S – M – L – XL – 2XL – 3XL

COLOURS

Navy

NORMS

–

*Designed to be worn in combination with ScanVibe*



Product code: 1020.20

ScanCargo Multi-Pocket Trousers



**FEATURES**  
Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)  
Storage: flashlight  
Equipped for use with kneepads  
Adjustable at waist  
Belt loop with D-ring  
Triple stitched side seams  
65% cotton, 35% polyester

**SIZES**  
28" – 46"

**COLOURS**  
Navy

**NORMS**  
–

Product code: 2014.30

ScanSierra Reflect 002 Offshore Trousers



**FEATURES**  
3M reflective striping 50 mm (2.0 in): legs  
Equipped for use with kneepads  
Storage: flashlight  
Pockets: side and seat (x2), cargo  
Domestic wash: 60°C / 140°F and tumble dry on low heat  
100% fine cotton twill with UV protection

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
Navy

**NORMS**  
CE-certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with ScanSierra Reflect 001 L/S*

*Please note this article is only available upon request*

Product code: 1020.23

ScanCargo 005 Multi-Pocket Shorts



**FEATURES**  
Pockets: side (x2 slanted), seat (x2 covered), cargo (x1 zipped), phone (x1) and hammer (x1)  
Storage: flashlight  
Adjustable at waist  
Belt loop with D-ring  
Triple stitched side seams  
65% cotton, 35% polyester

**SIZES**  
28" – 40"

**COLOURS**  
Navy

**NORMS**  
–

Product code: 2021.10

ScanUtility Canvas Belt



**FEATURES**  
Plastic buckle with clam-style closure  
Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)  
100% polyester

**SIZES**  
95 cm (37.4 in)  
110 cm (43.3 in)  
130 cm (51.2 in)  
145 cm (57.1 in)

**COLOURS**  
High-Viz Yellow  
Navy

**NORMS**  
–



Product code: 1035.44

ScanAlliance FR 001 **Work Shirt — Multi-Risk**



**FEATURES**

Flame-resistant fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist  
Pockets: chest (x 2), pen pocket opening, and sleeve  
Radio/gas loop  
Kent collar  
99% mercerized cotton, 1% carbon fiber with UV protection

**SIZES**

S – M – L – XL – 2XL – 3XL

**COLOURS**

Royal Aqua

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 (high visibility)

AS/NZS 4399:1996, UPF rating 50+ (UV protection)  
AS/NZS 1906.4:2010 Type R (high visibility)

*Designed to be worn in combination with ScanAlliance FR 002*

*ScanAlliance 001 FR will be discontinued once our existing inventory is sold*

Product code: 1055.15

ScanAlliance 001 **Work Shirt — UV Protection**



**FEATURES**

Fluo reflective striping 50 mm (2.0 in): shoulders, arms and waist  
Pockets: chest (x 2), pen pocket opening, and sleeve  
Radio/gas loop  
Kent collar  
100% fine cotton twill with UV protection

**SIZES**

S – M – L – XL – 2XL – 3XL

**COLOURS**

Royal Aqua

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 40+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

ANSI 107:2015 Type O, Class 1 (high visibility)

AS/NZS 1906.4:2010 Type R (high visibility)  
AS/NZS 4399:1996, UPF rating 50+ (UV protection)

*Designed to be worn in combination with ScanAlliance 002*

*ScanAlliance 001 will be discontinued once our existing inventory is sold*

Product code: 2014.25

ScanSierra Reflect 001 L/S **Work Shirt**



**FEATURES**

3M reflective striping 50 mm (2.0 in): shoulders and arms  
Pockets: chest (x2, pleated and covered) and sleeve  
Pen pocket opening  
Velcro strips for rank and name badges  
Domestic wash: 60°C / 140°F and tumble dry on low heat  
100% fine cotton twill with UV protection

**SIZES**

S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**

Navy

**NORMS**

CE-certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 1906.4:2010, Class R (high visibility)  
AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Designed to be worn in combination with ScanSierra Reflect 002*

*Please note this article is only available upon request*

Product code: 2014.13

ScanSierra 001 L/S **Work Shirt**



**FEATURES**

Pockets: chest (x2, pleated and covered) and sleeve  
Pen pocket opening  
Radio/gas loop  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry on low heat  
100% fine cotton twill with UV protection

**SIZES**

S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**

Navy

**NORMS**


CE-certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

*Please note this article is only available upon request*



Product code: 2014.18



ScanSierra Women L/S

Work Shirt

**FEATURES**  
Pockets: chest (x2, pleated and covered)  
Pen pocket opening  
Radio/gas loop  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry on low heat  
100% fine cotton twill with UV protection

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL


**COLOURS**  
Navy

**NORMS**  
CE-certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note this article is only available upon request

Product code: 1021.35



ScanTurtle

Turtleneck with zipper

**FEATURES**  
Quick dry fabric  
Moisture absorbing  
Comfortable to bare skin due to cotton inside  
High-Visibility  
58% cotton, 42% polyester

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL


**COLOURS**  
High-Viz Yellow

**NORMS**  
–

ScanTurtle will be discontinued once our existing inventory is sold

Product code: 2014.19

NO IMAGE AVAILABLE



ScanSierra Women S/S

Work Shirt

**FEATURES**  
Pockets: chest (x2, pleated and covered)  
Pen pocket opening  
Radio/gas loop  
Velcro strips for rank and name badges  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry on low heat  
100% fine cotton twill with UV protection

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL


**COLOURS**  
Navy

**NORMS**  
CE-certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996 UPF rating 50+ (UV protection)

Please note this article is only available upon request

Product code: 1021.94



ScanPique HV Tropic

Dry Fit Polo Shirt - High-Viz

**FEATURES**  
Ultra-lightweight quick dry fabric  
Heat-seal reflective striping 50 mm (2.0 in)  
UPF 50+  
Domestic wash at 40°C (104°F)  
Ribbed cuffs & collar  
Buttoned placket  
100% polyester


**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
High-Viz Yellow

**NORMS**  
CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 20471:2013+A1:2016, Class 2 (high-visibility)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)

ANSI 107:2020 Type R, Class 2 (high-visibility)

Product code: 1035.70



ScanPhoenix

Work Shirt — Multi-Hazard

**FEATURES**  
Pockets: chest (x 2), pen pocket opening, and sleeve  
Radio/gas loop  
Kent collar  
99% cotton, 1% carbon fiber with UV protection

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:1996, UPF rating 50+ (UV protection)


ScanPhoenix will be discontinued once our existing inventory is sold

MARITIME OUTFITTERS since 1974

41



Product code: 1031.02



### ScanNato 150 **Nato Ribbed Jumper**


**FEATURES**  
Crew neck  
Pocket: chest with flap  
Velcro strip for rank or name badge  
Polyester / cotton shoulder and sleeve patches  
Pen pocket on sleeve  
Epaulets can be affixed to shoulders  
50% wool, 50% anti-pilling acrylic

**SIZES**  
S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1032.07



### ScanPilot Advanced L/S **Uniform Shirt**

**FEATURES**  
Easy-to-iron finish  
Lightweight cotton polyester  
Tailored fit  
Top fused, stand-up collar  
Pockets: chest (x2, pleated and covered)  
Pen pocket opening  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry low heat  
60% cotton, 40% polyester


**SIZES**  
XS – S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
White

**NORMS**  
–

*Please note: the design of our ScanPilot L/S has been updated. We will begin shipping this new design ScanPilot Advanced L/S following the sale of our existing inventory.*

Product code: 2021.01



### ScanTie **Officers Tie**

**FEATURES**  
Width: 7.5 cm (2.95 in)  
100% polyester microfiber

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
–

*Other colours upon request*

Product code: 1032.06



### ScanPilot Women L/S **Uniform Shirt**


**FEATURES**  
Lightweight cotton polyester  
Top fused, stand-up collar  
Pockets: chest (x2, pleated and covered)  
Pen pocket opening  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry low heat  
60% cotton, 40% polyester

**SIZES**  
XS – S – M – L – XL – 2XL – 3XL

**COLOURS**  
White

**NORMS**  
–

Product code: 2021.05



### ScanConveyance **Reversible Leather Belt**


**FEATURES**  
Coated split cow leather on both sides  
Reversible by means of a twistable buckle to show either a black or a brown side

**SIZES**  
One size

**COLOURS**  
Black and brown

**NORMS**  
–

Product code: 1032.08



### ScanPilot Advanced S/S **Uniform Shirt**

**FEATURES**  
Easy-to-iron finish  
Lightweight cotton polyester  
Tailored fit  
Top fused, stand-up collar  
Pockets: chest (x2, pleated and covered)  
Pen pocket opening  
Epaulets can be affixed to shoulders  
Domestic wash: 60°C / 140°F and tumble dry low heat  
60% cotton, 40% polyester

**SIZES**  
XS – S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
White

**NORMS**  
–

*Please note: the design of our ScanPilot S/S has been updated. We will begin shipping this new design ScanPilot Advanced S/S following the sale of our existing inventory.*



Product code: 2014.12

ScanSafari Stretch 001 L/S Uniform Shirt



FEATURES

Stretch fabric for enhanced comfort and movement  
Tailored fit  
Pockets: chest (x2, pleated and covered) and sleeve  
Pen pocket opening  
Epaulets can be affixed to shoulders  
Domestic wash: 40°C / 104°F and tumble dry low  
80% cotton, 18% polyester, 2% spandex

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

*Please note: the design of our ScanSafari L/S has been updated. We will begin shipping this new design ScanSafari Stretch 001 L/S following the sale of our existing inventory.*

Product code: 2014.17

ScanSafari Stretch Women L/S Uniform Shirt



FEATURES

Stretch fabric for enhanced comfort and movement  
Tailored fit  
Pockets: chest (x2, pleated and covered) and sleeve  
Pen pocket opening  
Epaulets can be affixed to shoulders  
Domestic wash: 40°C / 104°F and tumble dry low  
80% cotton, 18% polyester, 2% spandex

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

*Also available with short sleeves*

*Please note: the design of our ScanSafari Women L/S has been updated. We will begin shipping this new design ScanSafari Stretch Women L/S following the sale of our existing inventory.*

Product code: 2014.21

ScanSafari Tropic 001 S/S Uniform Shirt



FEATURES

Designed to be worn in hot climates  
Pockets: chest (x2, pleated and covered) and sleeve  
Pen pocket opening  
Epaulets can be affixed to shoulders  
65% cotton, 35% polyester

SIZES

XS – S – M – L – XL – 2XL – 3XL

COLOURS

Khaki

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS 4399:2020 UPF rating 50+ (UV protection)

*Please note: the design of our ScanSafari Tropic 001 S/S has been updated. We will begin shipping this new design following the sale of our existing inventory.*

Product code: 2015.13

ScanSafari Stretch 002 Uniform Trousers



FEATURES

Stretch fabric for enhanced comfort and movement  
Pockets: side (x2, slanted) and seat (x2, welted)  
Domestic wash: 40°C / 104°F and tumble dry low  
80% cotton, 18% polyester, 2% spandex

SIZES

44 – 58 (EU)  
28"/29" – 42" (UK/USA)

COLOURS

Khaki

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

*Please note: the design of our ScanSafari 002 has been updated. We will begin shipping this new design ScanSafari Stretch 002 following the sale of our existing inventory.*

Product code: 2015.15

ScanSafari Stretch 005 Uniform Shorts



FEATURES

Stretch fabric for enhanced comfort and movement  
Pockets: side (x2, slanted) and seat (x2, welted)  
Domestic wash: 40°C / 104°F and tumble dry low  
80% cotton, 18% polyester, 2% spandex

SIZES

44 – 58 (EU)  
28"/29" – 42" (UK/USA)

COLOURS

Khaki

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 13758-2:2003+A1:2006, 50+ (UV protection)  
STANDARD 100 by OEKO-TEX® Class II

AS/NZS 4399:2017 UPF rating 50+ (UV protection)

*Please note: the design of our ScanSafari 005 has been updated. We will begin shipping this new design ScanSafari stretch 005 following the sale of our existing inventory*

Product code: 2021.03

ScanGarrison Woven Web Belt



FEATURES

Metal buckle with clam-style closure  
Adjustable length  
70% polyester, 30% cotton

SIZES

One size

COLOURS

Khaki

NORMS

–

*Can be ordered with embossed company logo  
Also available in navy, upon request*



Product code: 1510.11

ScanCuisine Advanced 001 Chef Coat — Flame-resistant, Antibacterial , Stretch

FEATURES

Flame-resistant and antibacterial protection  
Stretch fabric for increased freedom of movement  
Single breasted centre front closure with press buttons  
Stand-up collar  
Pockets: chest (1x), arm (1x with thermometer divider)  
French cuffs  
Navy details on shoulder and cuffs  
Tailored fit  
Domestic wash: 60°C/140°F and tumble dry low heat  
80% cotton, 18% polyester, 2% spandex

SIZES

44 - 64 (EU)  
34" - 54" (UK/USA)

COLOURS

White

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanCuisine Advanced 002, ScanNaperon Bib Advanced, ScanSkull Advanced or ScanDana Advanced*

*Please note: the design of our ScanCuisine 001 has been updated. We will begin shipping this new design ScanCuisine Advanced 001 following the sale of our existing inventory.*

Product code: 1511.06

ScanCuisine Advanced 002 Chef Trousers — Flame-resistant, Antibacterial, Stretch

FEATURES

Flame-resistant and antibacterial protection  
Stretch fabric for increased freedom of movement with small check pattern  
Tailored fit  
Flat front  
Elasticized waistband at sides  
Pockets: side (x2 slanted) and seat (2x, double welted)  
Zipper fly  
Domestic wash: 60°C/140°F and tumble dry low heat  
80% cotton 18% polyester 2% spandex

SIZES

44 - 64 (EU)  
28"/29" - 48" (UK/USA)

COLOURS

White navy check

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanCuisine Advanced 001, ScanNaperon Bib Advanced, ScanSkull Advanced or ScanDana Advanced*

*Please note: the design of our ScanCuisine 002 has been updated. We will begin shipping this new design ScanCuisine Advanced 002 following the sale of our existing inventory.*

Product code: 1532.12

ScanNaperon Bib Advanced Chef Bib Apron — Flame-resistant, Antibacterial, Stretch

FEATURES

Flame-resistant and antibacterial protection  
Stretch fabric for optimal fit  
Adjustable straps with press button closure  
Pockets: front (x2 slanted)  
Navy details  
Total length: 91cm (35.8 in)  
Domestic wash: 60°C/140°F and tumble dry low heat  
80% cotton, 18% polyester, 2% spandex

SIZES

One size

COLOURS

White

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanSkull Advanced or ScanDana Advanced*

Product code: 1513.10

ScanServe Men Men's Catering Trousers — Antibacterial

FEATURES

Flat front  
Pockets: side (x 2, slanted) and seat, double welted  
Zipper fly  
Elasticised waist  
50% polyester, 50% cotton, sateen weave

SIZES

44 - 64 (EU)  
28"/29" - 48" (UK/USA)

COLOURS

Black

NORMS

Antibacterial

Product code: 1513.20

ScanServe Women Women's Catering Trousers — Antibacterial

FEATURES

Flat front  
Pockets: side (x 2, slanted)  
Zipper fly  
Elasticised waist  
50% polyester, 50% cotton, sateen weave

SIZES

34 - 48 (EU)  
26" - 37" (UK/USA)

COLOURS

Black

NORMS

Antibacterial



Product code: 1533.12



### ScanDana Advanced

#### Chef Bandana Cap — Flame-resistant, Antibacterial, Stretch

**FEATURES**

Flame-resistant and antibacterial protection  
Stretch fabric for optimal fit  
Navy details  
Tail closure at back  
Domestic wash: 60°C/140°F and tumble dry low heat  
80% cotton, 18% polyester, 2% spandex  
Sales quantity: 3 pieces

**SIZES**

One size

**COLOURS**

White

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 14116:2015 Index 3 (flame-resistant)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanNaperon Bib Advanced*

Product code: 1533.04



### ScanSkull Advanced

#### Chef skull cap — Flame-resistant, Antibacterial, Stretch

**FEATURES**

Flame-resistant and antibacterial protection  
Stretch fabric for optimal fit  
Navy details  
Sleek design  
Domestic wash: 60°C/140°F and tumble dry low heat  
80% cotton, 18% polyester, 2% spandex  
Sales quantity: 3 pieces

**SIZES**

One size

**COLOURS**

White

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 14116:2015 Index 3 (flame-resistant)  
STANDARD 100 by OEKO-TEX® Class II

*Designed to be worn in combination with ScanCuisine Advanced 001, ScanCuisine Advanced 002, ScanNaperon Bib Advanced*

Product code: 2021.10



### ScanUtility

#### Canvas Belt

**FEATURES**

Plastic buckle with clam-style closure  
Fits waists sized 95 cm (37.4 in) to 145 cm (57.1 in)  
100% polyester

**SIZES**

95 cm (37.4 in)  
110 cm (43.3 in)  
130 cm (51.2 in)  
145 cm (57.1 in)


**COLOURS**

High-Viz Yellow  
Navy

**NORMS**

-

Product code: 1038.04



### ScanBdry

#### Body Dry Thermal Wear

**FEATURES**

Fine-knit jersey  
Superior wicking properties - Polycolon® technology  
Comfortable on bare skin  
Top: round neck  
Trousers: comfortable signature elastic waistband  
100% Shoeller® polypropylene

**SIZES**

S – M – L – XL – 2XL


**COLOURS**

Navy

**NORMS**

-

Product code: 1040.03



### ScanBdry FR/ARC/AS

#### Body Dry Thermal Wear — Multi-Hazard

**FEATURES**

Inherent FR fine-knit jersey  
High moisture permeability  
Comfortable on bare skin  
Top: round neck  
Trousers: elasticised waistband  
59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon fiber

**SIZES**

S – M – L – XL – 2XL

**COLOURS**

Navy

**NORMS**

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)  
IEC 61482-2:2009, Class 1 (electric arc)

Product code: 6000.01

YOUR RANK

ScanRank

Velcro Rank Strip

FEATURES

Dimensions: 14 x 2 cm (5.5 x 0.8 in)  
100% nylon

SIZES

One size

COLOURS

Navy

NORMS

-

Product code: 6200.01

YOUR NAME

ScanName

Velcro Name Strip

FEATURES

Dimensions: 14 x 2 cm (5.5 x 0.8 in)  
100% nylon

SIZES

One size

COLOURS


Navy

NORMS

-

ScanEpaulets

Soft Type



FEATURES

Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)

SIZES


One size

COLOURS

Navy

NORMS

-



Propeller

1 gold stripe + propeller

2 gold stripes + propeller

3 gold stripes + propeller

4 gold stripes + propeller

Product code 6005.00

Product code 6005.10

Product code 6005.20

Product code 6005.30


Product code 6005.40

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

ScanEpaulets

Soft Type



FEATURES

Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)

SIZES


One size

COLOURS

Navy

NORMS

-



Single diamond

1 gold stripe + diamond

2 gold stripes + diamond

3 gold stripes + diamond

4 gold stripes + diamond

Product code 6006.00

Product code 6006.10

Product code 6006.20

Product code 6006.30

Product code 6006.40

Please note: delivery time will take up to 45 working days when item is out of stock

Check the Scandia website for the complete set of epaulet designs

MARITIME OUTFITTERS since 1974

51



ScanEpaulets   **Soft Type**



**FEATURES**  
Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- |                         |                      |
|-------------------------|----------------------|
| 1 gold stripe + circle  | Product code 6007.10 |
| 2 gold stripes + circle | Product code 6007.20 |
| 3 gold stripes + circle | Product code 6007.30 |
| 4 gold stripes + circle | Product code 6007.40 |

**SIZES**

One size

**COLOURS**

Navy

**NORMS**

-

*Please note: delivery time will take up to 45 working days when item is out of stock*

*Check the Scandia website for the complete set of epaulet designs*

ScanEpaulets   **Soft Type**



**FEATURES**  
Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- |                                  |                      |
|----------------------------------|----------------------|
| Lightning bolts                  | Product code 6014.00 |
| 1 gold stripe + lightning bolts  | Product code 6014.10 |
| 2 gold stripes + lightning bolts | Product code 6014.20 |
| 3 gold stripes + lightning bolts | Product code 6014.30 |

**SIZES**

One size

**COLOURS**

Navy

**NORMS**

-

*Please note: delivery time will take up to 45 working days when item is out of stock*

*Check the Scandia website for the complete set of epaulet designs*

ScanEpaulets   **Soft Type**



**FEATURES**  
Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- |                              |                      |
|------------------------------|----------------------|
| 1 gold stripe + ice crystal  | Product code 6013.10 |
| 2 gold stripes + ice crystal | Product code 6013.20 |
| 3 gold stripes + ice crystal | Product code 6013.30 |

**SIZES**

One size

**COLOURS**

Navy

**NORMS**

-

*Please note: delivery time will take up to 45 working days when item is out of stock*

*Check the Scandia website for the complete set of epaulet designs*

ScanEpaulets   **Soft Type**



**FEATURES**  
Hand embroidered shoulder epaulets with Velcro closure  
Dimensions LxW: 95 x 55 mm (3.7 in x 2.2 in)



- |                |                      |
|----------------|----------------------|
| 1 gold stripe  | Product code 6016.10 |
| 2 gold stripes | Product code 6016.20 |
| 3 gold stripes | Product code 6016.30 |
| 4 gold stripes | Product code 6016.40 |

**SIZES**

One size

**COLOURS**

Navy

**NORMS**

-

*Please note: delivery time will take up to 45 working days when item is out of stock*

*Check the Scandia website for the complete set of epaulet designs*



**SCANFLOW 001**  
Fleece Jacket, page 60

**SCANFLOW 002**  
Fleece Trousers, page 60

**SCANASTERN**  
S3 ESD Reflective Safety  
Ankle Boot, page 156



**SCANPOLARISED**  
Adjustable Safety  
Glasses, page 94



**SCANPIQUE**  
Polo shirt, page 64

**SCANRUGGED**  
S3 Safety Sneaker, page 152







**SCANMARINER**  
Winter Parka, page 58

**SCANTEE L/S**  
T-shirt, page 62

**SCANCARGO**  
Multi-Pocket Trousers,  
page 36

**SCANTRACTION**  
S3 Microfibre ESD Safety  
Shoe, page 153



**SCANTEE L/S**  
T-shirt, page 62

**SCANCARGO**  
Multi-Pocket Trousers,  
page 36

**SCANRUGGED**  
S3 Safety Sneaker,  
page 152





Product code: 1045.15

ScanMariner Winter Parka



**FEATURES**  
Water-repellent and breathable winter parka  
Two-way waterproof zipper closure  
Pockets: chest (1x), waist (2x), inner (2x)  
Radio/gas loop  
Adjustable at: hood  
Polyester knitted cuffs for extra protection against wind  
5000mm water column  
4000mvp breathability  
Shell: 94% polyester, 6% spandex  
Lining: 100% nylon

**SIZES**  
S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1025.23

ScanSurveyor Softshell Jacket



**FEATURES**  
Water-repellent and breathable polyester soft shell jacket  
3-layered polyester twill with TPU lamination  
Durable water repellent (DWR)/ PFC free  
Inner fleece with anti-pilling finish  
Zipped pockets: chest (x1 Napoleon), waist (x2)  
Two radio/gas loops  
Tricot cuffs incl. thumbhole for extra protection against wind  
Headphone port/inside headphone holders  
5000mm water column  
4000mvp breathable  
100% recycled polyester (300 gsm)

**SIZES**  
S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1023.29

ScanSweatShirt Sweater



**FEATURES**  
Crew neck  
Ribbed cuffs, hem, and collar  
Soft handfeel  
Stretchable  
Brushed cotton inside for warmth and comfort  
Washable at 40°C / 104°F  
95% cotton, 5% elastane

**SIZES**  
XS – S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1027.20

ScanJogging Sweatpants — Organic Cotton



**FEATURES**  
Elasticised waistband with drawstring  
Pockets: waist (x 2 zipped)  
Tapered leg with shell fabric cuffs  
Soft handfeel, brushed inside  
Natural stretch for optimal fit  
100% organic cotton

**SIZES**  
S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

*Designed to be worn in combination with ScanAthletic or ScanHoodie or ScanSweatshirt*



Product code: 1024.20

ScanFlow 001 **Fleece Jacket**



**FEATURES**  
Adjustable bottom hem  
Zipped side pockets with contrasting mesh lining  
Anti-pilling  
100% polyester polar fleece

**SIZES**  
XS - S - M - L - XL - 2XL - 3XL - 4XL

**COLOURS**  
Navy & Yellow  
Black & Orange

**NORMS**  
-

*Designed to be worn in combination with ScanFlow 002*

Product code: 1027.10

ScanFlow 002 **Fleece Trousers**



**FEATURES**  
Elasticated waistband with draw string  
Elasticated hems at bottom  
Zipped side pockets  
Anti-pilling  
100% polyester polar fleece

**SIZES**  
XS - S - M - L - XL - 2XL - 3XL - 4XL

**COLOURS**  
Navy & Yellow  
Black & Orange

**NORMS**  
-

*Designed to be worn in combination with ScanFlow 001*

Product code: 1021.33

ScanTee **T-shirt**



**FEATURES**  
Soft handfeel  
Taped shoulder and neck  
Rib-knit crew neck  
100% combed organic cotton, pre-shrunk

**SIZES**  
S - M - L - XL - 2XL - 3XL

**COLOURS**  
White  
Navy

**NORMS**  
-

Product code: 1021.40

ScanTristate **Quick drying T-shirt**



**FEATURES**  
Ultra-lightweight quick dry fabric  
Antibacterial and anti-odour  
Stretch fabric for increased freedom of movement  
Mesh back panel for extra breathability  
Flatlock seams for reduced irritation  
Soft handfeel for enhanced comfort  
Crew neck  
Heat-seal reflective detailing  
Domestic wash at 30°C / 86°F  
Shell: 88% polyester, 12% elastane  
Mesh: 92% polyester, 8% elastane

**SIZES**  
S - M - L - XL - 2XL - 3XL

**COLOURS**  
Navy

**NORMS**  
-

Product code: 1021.09

ScanToronto **T-shirt**



**FEATURES**  
Slightly fitted modern ringer style with contrast colour on neck and sleeves  
Taped neck line with elastane  
Single jersey 100% combed cotton, pre-shrunk

**SIZES**  
S - M - L - XL - 2XL

**COLOURS**  
White & Blue  
Red & White  
Blue & White  
Navy & White  
Black & White

**NORMS**  
-

Product code: 1021.02

ScanTorres **T-shirt, V-neck**



**FEATURES**  
Heavy weight premium quality T-shirt with V-neck  
100% combed cotton, pre-shrunk

**SIZES**  
S – M – L – XL – 2XL

**COLOURS**  
White  
Black

**NORMS**  
–

Product code: 1021.25

ScanTyler **T-shirt**



**FEATURES**  
T-shirt with long sleeves  
Tubular construction for increased comfort  
Taped neckline  
100% combed cotton, pre-shrunk

**SIZES**  
S – M – L – XL – 2XL

**COLOURS**  
White  
Orange  
Red  
Blue  
Navy  
Black

**NORMS**  
–

Product code: 1021.34

ScanTee L/S **T-shirt**



**FEATURES**  
Soft handfeel  
Taped shoulder and neck  
Rib-knit crew neck  
100% combed organic cotton, pre-shrunk

**SIZES**  
S – M – L – XL – 2XL – 3XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1021.08

ScanTiaret Women's **Women's Top, V-neck**



**FEATURES**  
V-neck stretch in single jersey  
95% cotton and 5% elasthan

**SIZES**  
S – M – L – XL

**COLOURS**  
White  
Red

**NORMS**  
–



Product code: 1021.80

ScanPique Polo shirt



**FEATURES**  
Fine soft cotton/ polyester pique  
Natural stretch for optimal fit  
Domestic wash: 40°C / 104°F and tumble dry on low heat  
Ribbed cuffs and collar  
Buttoned placket  
Good colour fastness  
Low shrinkage  
60% cotton, 40% polyester

**SIZES**  
XS – S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
White  
Navy

**NORMS**  
–

Product code: 1021.81

ScanPique L/S Polo shirt



**FEATURES**  
Fine soft cotton pique  
Natural stretch for optimal fit  
Washable at 40°C / 104°F  
Ribbed cuffs and collar  
Good colour fastness  
Low shrinkage  
100% pre-shrunk cotton

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
White  
Navy

**NORMS**  
–

*Please note: ScanPique L/S colour white and navy will be discontinued once our existing inventory is sold.*

Product code: 1021.90

ScanPique Epaulets S/S Polo shirt



**FEATURES**  
Fine soft cotton / polyester pique  
Natural stretch for optimal fit  
Domestic wash: 40°C / 104°F and tumble dry on low heat  
Ribbed cuffs and collar  
Buttoned placket  
Good colour fastness  
Low shrinkage  
Epaulets can be affixed to the shoulders  
Epaulet length 12,5 cm / 5.1 inch for size S  
60% cotton, 40% polyester

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
Navy

**NORMS**  
–

Product code: 1021.91

ScanPique Epaulets L/S Polo shirt



**FEATURES**  
Fine soft cotton / polyester pique  
Natural stretch for optimal fit  
Domestic wash: 40°C / 104°F and tumble dry on low heat  
Ribbed cuffs and collar  
Buttoned placket  
Good colour fastness  
Low shrinkage  
Epaulets can be affixed to the shoulders  
Epaulet length 12,5 cm / 5.1 inch for size S  
60% cotton, 40% polyester

**SIZES**  
S – M – L – XL – 2XL – 3XL – 4XL

**COLOURS**  
Navy

**NORMS**  
–

*Please note this article is only available upon request*

Product code: 1021.57

ScanParis Women's Women's polo shirt



**FEATURES**  
Two buttons at front  
Side slits  
Neck line and shoulder seams moved forward  
100% cotton

**SIZES**  
S – M – L – XL – 2XL

**COLOURS**  
White  
Royal Blue  
Navy  
Black

**NORMS**  
–





**SCANKNIT**  
Basic Knitted Winter Gloves, page 77



**SCANRALLY REFLECT**  
Boiler Suit — UV protection, page 17

**SCANPALLADIUM PRO**  
Impact Protection Gloves, page 84







**SCANPYRO ANCHOR PRO 003**  
Offshore Boiler Suit — Multi-Hazard, page 23



**SCANFLEXOR**  
Neoprene working glove with anti-slip, page 70

**SCANBLIZZARD**  
Impact Protection Water-repellent Winter  
Working Gloves, page 75

**SCANTITAN**  
S3 Ice Boot, page 158





Product code: 4010.04

ScanPalm Leather Palm Working Gloves



FEATURES

CE category II  
Rubber reinforced safety cuff 7 cm (2.8 in)  
Reinforced, lined palm  
Elasticised back  
Palm: 100% cow split leather  
Back cuff: 35% cotton, 65% polyester  
Sales quantity: 12 pairs

SIZES

8/M - 9/L - 10/XL - 12/3XL

COLOURS

Grey & High-Viz Yellow

NORMS

CE Certified  
EN ISO 21420:2020 (general requirements)  
EN388:2016+A1:2018 (4244X) (standard safety gloves)

Product code: 4010.15

ScanTechTouch Quick-Drying Touchscreen Gloves



FEATURES

Lightweight  
Conductive fingertips for use with touchscreens  
Quick-drying  
Anti-odour  
Machine washable 30°C (86°F)  
Shell: 100% recycled polyester  
Suede fingertips: 60% polyester, 40% PU  
Sales quantity: 6 pairs

SIZES

9/L - 10/XL

COLOURS

Black

NORMS

-

Product code: 4010.18

ScanDriver Cowhide Driver Working Gloves



FEATURES

CE category II  
Premium A-grade LWG leather  
Elasticised back  
100% LWG cow leather  
Sales quantity: 12 pairs

SIZES

8/M - 9/L - 10/XL - 12/3XL

COLOURS

Natural

NORMS

CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (3143X) (standard safety gloves)  
EN 407:2020 (4132XX) (heat and flame-resistant)

ANSI 105:2016 cut resistance level A1  
ANSI 105:2016 puncture resistance level 4  
ANSI 105:2016 abrasion resistance level 3  
ANSI 105:2016 flame resistance level 4  
ANSI 105:2016 heat degradation resistance level 2

Product code: 4020.03

ScanSingle Working Gloves



FEATURES

Seamless knitted liner  
Ribbed cuffs  
30% cotton, 70% polyester  
Sales quantity: 12 pairs

SIZES

One size

COLOURS

White

NORMS

-

Product code: 4010.32

ScanFlexor Neoprene Working Glove with Anti-Slip



FEATURES

CE category II  
Silicone pattern on palm for extra grip  
Anti slip finger tips  
Optimal dexterity  
Adjustable at cuff  
Hangloop  
Palm: 60% nylon, 40% PU  
Back: 96% polyester, 4% Spandex  
Cuff: 80% rubber, 20% polyester  
Lining: 100% polyester and foam  
Sales quantity: 12 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

Black & High-Viz Yellow

NORMS

CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (3131X) (standard safety gloves)

ANSI 105:2016 puncture resistance level 3  
ANSI 105:2016 abrasion resistance level 6

Product code: 4020.09

ScanDot Working (Under-)Gloves



FEATURES

CE category II  
Seamless knitted liner  
Anti-slip silicone dots  
Ribbed cuffs  
Ambidextrous  
Liner: 100% nylon  
Dots: 100% PVC  
Sales quantity: 12 pairs

SIZES

9/L - 10/XL

COLOURS

White & blue

NORMS

CE Certified  
EN 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (314XX) (standard safety gloves)



Product code: 4010.06



ScanTight Mechanic Leather Working Gloves

**FEATURES**  
CE category II  
Premium LWG goat leather  
Elastic cuff with velcro closure  
Rib knitted cotton back  
Palm: 100% LWG goat leather  
Back: 100% cotton  
Sales quantity: 12 pairs

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Natural & navy

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (3142X) (standard safety gloves)

Product code: 4040.02



ScanResolute Seamless Knitted Liner and Latex Dipping Gloves

**FEATURES**  
CE Category II  
Seamless knitted glass fiber lining  
Crinkle latex dipping  
Ribbed cuffs  
High flexibility  
Liner: 60% HPPE, 10% Glass Fiber, 15% Spandex, 15% Nylon  
Dipping: 100% Latex  
Sales quantity: 12 pairs

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4444D) (standard safety gloves)

*Please note: the design of ScanResolute is an update from ScanSecure. We will begin shipping this new design following the sale of our existing inventory.*

Product code: 4010.14



ScanMicroFlex Nitrile Working Gloves

**FEATURES**  
CE category II  
Black nitrile foam palm coating  
Anti-slip, oil-resistant  
Sanitized® Actifresh, antimicrobial treatment for hygienic freshness  
Continuous knitted wrist  
Liner: 95% recycled nylon, 5% spandex  
Cuff: 80% recycled nylon, 12% polyester, 8% spandex  
Coating: 100% nitrile  
Sales quantity: 12 pairs

**SIZES**  
7/S - 8/M - 9/L - 10/XL

**COLOURS**  
Grey & black

**NORMS**  
CE Certified  
EN 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4131X) (standard safety gloves)

Product code: 4010.11



ScanArx Oil-resistant Nitrile Working Gloves

**FEATURES**  
CE category II  
Double dipped nitrile  
Oil-resistant  
Protect to 100°C (212°F)  
Liner: 100% cotton  
Coating: 100% nitrile  
Sales quantity: 12 pairs

**SIZES**  
9/L - 10/XL

**COLOURS**  
Blue & natural

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4122X) (standard safety gloves)

Product code: 4070.03



ScanLaTect Polychloroprene Latex Working Gloves

**FEATURES**  
CE category III  
Full protection against chemicals (AKL)  
Protection against bacteriological contamination  
Cotton flock lining  
Contains natural latex  
Excellent finger-sensitivity  
Anatomical fit  
Distinct palm surface  
Total length: 40 cm (15.8 in)  
Sales quantity: 10 pairs/polybag

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 420:2003 (general requirements)  
EN 388:2003 (1111) (standard safety gloves)  
EN 374U-3:2003 (AKL) (chemical-resistance)

Product code: 4070.10



ScanClean Latex Dishwashing Gloves

**FEATURES**  
CE category I  
Natural latex  
Powder free  
Sales quantity: 12 pairs

**SIZES**  
One size (XL)

**COLOURS**  
Yellow

**NORMS**  
-

Product code: 4071.01



ScanOnce Disposable Working Gloves

**FEATURES**  
CE category I  
Nitrile  
Powder free  
Extra light  
Maximum dexterity  
Sales quantity: 200 pcs

**SIZES**  
One size (XL)

**COLOURS**  
Blue

**NORMS**  
CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN ISO 374-1:2003 (chemical-resistance)  
EN 388:2003 (standard safety gloves)

Product code: 4030.19



ScanKryo Gauntlet Pro Highly-insulating Cryogenic Gauntlet

**FEATURES**  
CE category III  
Insulation against cryogenic liquids and gases (-200°C / -328°F)  
Waterproof and breathable PU Porelle® inner glove  
Palm with Kevlar® inner layer  
Optimal dexterity  
Anti-slip fingertips  
Adjustable cuff  
Quick drying  
Lightweight and comfortable  
Length 42 cm (16.5 in)  
70% polyester, 22% rubber, 4% PU, 3% kevlar, 1% polyformaldehyde  
Sales quantity: 1 pair

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (1243X) (standard safety gloves)  
EN 511:2006 (111) (cold protection)  
Tests conducted using liquid nitrogen (-200°C / -328°F)

*Designed to be worn in combination with ScanKryo Apron & ScanKryo Shoecover, and also available in the ScanKryo Kit.*

Product code: 4030.17



ScanBlizzard Impact Protection Water-repellent Winter Working Gloves

**FEATURES**  
CE category II  
Impact TPR protection  
Waterrepellent palm and back  
Silicone palm for improved grip  
Soft faux fur lining  
Reinforced palm and thumb  
Hang loop  
Cold resistance to -30°C (-22°F)  
Palm: 59% micro fiber, 28% PVC synthetic leather, 11% silicone, 2% aramid  
Back: 72% TPR, 28% polyester  
Lining: 65% polyester, 31% aramid, 4% neoprene  
Cuff: 63% neoprene, 31% PVC, 3% polyester, 3% spandex  
Sales quantity: 6 pairs

**SIZES**  
8/M - 9/L - 10/XL - 11/2XL

**COLOURS**  
High-Viz Yellow, black & grey

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016 (4X44FP) (standard safety gloves)  
EN 511:2006 (X20) (cold protection)

ANSI 105:2016 cut resistance level A5  
ANSI 105:2016 puncture resistance level 5  
ANSI 105:2016 abrasion resistance level 6

Product code: 4030.21



ScanXtreMittens Highly Insulating Winter Mitts

**FEATURES**  
CE Category II  
Cold resistance to -50°C (-58°F)  
Windproof  
Waterrepellent and breathable Hipora® membrane  
Goat leather palm, thumb, and fingertips  
Foam and hydrofoil insulation  
Removable 3-finger lining for improved grip  
Hand part is lined in fur, cuff part in fleece  
Strap wrist closure, drawstring closure at cuff for effortless open/close  
Hang loop  
Length: 43.5 cm (17.1 in)  
Outer shell: 100% polyester, 100% goat leather  
Lining: 100% polyester, 100% fur  
Sales quantity: 1 pair

**SIZES**  
S/M - L/XL


**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (2224) (standard safety gloves)  
EN 511:2006 (431) (cold protection)

ANSI 105:2016 cut resistance level A4  
ANSI 105:2016 puncture resistance level 5  
ANSI 105:2016 abrasion resistance level 5



Product code: 4030.05



### ScanFluo Insulated Winter Working Gloves


**FEATURES**  
CE category II  
PVC double dipped  
Liquid / watertight  
Liner: 60% PVC, 25% acrylic, 15% polyester  
Coating: 100% PVC  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
High-Viz Orange

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN388:2016+A1:2018 (4141X) (standard safety gloves)  
EN 511:2006 (X21) (cold protection)

Product code: 4030.11



### ScanChill Pro Insulated Cold Resistance Working Gloves

**FEATURES**  
CE Category II  
Cold resistance to -20°C (-4°F)  
Silicone pattern on palm and fingers for extra grip  
Ribbed cuff for wind protection  
Dry fast technology  
Palm: 50% nylon, 50% polyurethane  
Back: Cordura® with water repellent finish - 100% polyester  
Bag insert: water-repellent and breathable membrane  
Padding: 100% micro polyester  
Lining: 3M™ Thinsulate™ - 100% polyester  
Cuff: 93% polyester, 7% spandex  
Sales quantity: 6 pairs


**SIZES**  
9/L - 10/XL

**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (2232X) (standard safety gloves)  
EN 511:2006 (12X) (cold protection)

ANSI/ISEA 105:2016 cut resistance level A2  
ANSI/ISEA 105:2016 abrasion resistance level 6

Product code: 4030.23



### ScanKristoff Insulated Winter Working Gloves

**FEATURES**  
CE Category II  
Waterrepellent palm and back  
Double reinforced palm  
Elasticised back  
Ribbed cuff for extra wind protection  
Cold resistance up to -10°C (14°F)  
Palm: 100% Cow split leather  
Back leather: 100% Cow split leather  
Back Cordura®: 100% Polyester  
Cuff: 100% Polyester  
Padding: 3M™ Thinsulate™  
Lining: 100% Polyester polar fleece  
Sales quantity: 12 pairs


**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Grey, aqua & navy

**NORMS**  
CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN 388:2016 +A1:2018 (4244X) (standard safety gloves)  
EN 511:2006 (13X) (cold protection)

ANSI 105:2016 cut resistance level A3  
ANSI 105:2016 puncture resistance level 4  
ANSI 105:2016 abrasion resistance level 5

Product code: 4030.01



### ScanKnit Basic Knitted Winter Gloves

**FEATURES**  
CE-category I  
3M Thinsulate™  
Ribbed cuffs  
100% soft acrylic  
Sales quantity: 20 pairs

**SIZES**  
L

**COLOURS**  
Black

**NORMS**  
-

Product code: 4030.20



### ScanFroze Pro Insulated Winter Working Gloves


**FEATURES**  
CE Category II  
Waterproof and wind-repellent latex double dipping on palm and back  
PFC Free  
Knitted lining  
Looped lining for thermal insulation  
Protection against cold to -10°C (14°F)  
Excellent flexibility and dexterity  
Liner: 100% polyester  
Dipping: 100% latex (double)  
Lining: 100% polyester  
Sales quantity: 12 pairs

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (3342X) (standard safety gloves)  
EN 511:2006 (020) (cold protection)

Product code: 4075.02



**ScanChloroTest** Chloroprene Working Gloves


**FEATURES**  
CE category III  
Full protection against chemicals (AKL)  
Protection against bacteriological contamination  
Cotton flock lining  
Stretched cuff  
Excellent finger-sensitivity  
Anatomical fit  
Profiled palm surface (grooves)  
Good grip on wet and oily parts  
Sales quantity: 10 pairs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN 388:2003 (1111) (standard safety gloves)  
EN 374:2003 (AKL) (chemical-resistance)

Product code: 4075.03



**ScanTrilTest** Nitrile Working Gloves


**FEATURES**  
CE category III  
Full protection against chemicals (AJL)  
Protection against bacteriological contamination  
Palm profile for a sure grip  
Seamless cotton liner  
Free from natural latex  
Approved for food handling and processing according to EU1935/2004  
Sales quantity: 10 pairs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 420:2003 (general requirements)  
EN 388:2003 (3121) (standard safety gloves)  
EN 374:2003 (AJK) (chemical-resistance)

Product code: 4075.09



**ScanFlexText 27** PVC Working Gloves


**FEATURES**  
CE category III  
Double dipped PVC  
Interlock liner  
Full protection against chemicals (AKL)  
Protection against bacteriological contamination  
Liquid / watertight  
Total length: 27 cm (10.6 in)  
Liner: 100% cotton  
Coating: 100% PVC  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Red

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4131X) (standard safety gloves)  
EN ISO 374-1:2016 type B (AKL) (chemical-resistance)  
EN ISO 374-5:2016 (micro-organisms resistance)

Product code: 4075.07



**ScanPetroTest** Polychloroprene Nitrile Working Gloves


**FEATURES**  
CE category III  
Full protection against chemicals (AJL)  
Protection against bacteriological contamination  
High mechanical resistance  
Good grip on wet and oily parts  
Cotton flock lining  
Smooth palm  
Anatomical fit  
Sales quantity: 10 pairs

**SIZES**  
One size

**COLOURS**  
Dark grey

**NORMS**  
CE Certified  
EN 420:2003 (general requirements)  
EN 388:2003 (2XX1) (standard safety gloves)  
EN 374:2003 (AJK) (chemical-resistance)

Product code: 4075.10



**ScanFlexText 40** PVC Working Gloves


**FEATURES**  
CE category III  
Double dipped PVC  
Interlock liner  
Full protection against chemicals (AKL)  
Protection against bacteriological contamination  
Liquid / watertight  
Total length: 40 cm (15.8 in)  
Liner: 100% cotton  
Coating: 100% PVC  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Red

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4131X) (standard safety gloves)  
EN ISO 374-1:2016 type B (AKL) (chemical-resistance)  
EN ISO 374-5:2016 (micro-organisms resistance)

Product code: 4075.08



**ScanChemTest** Butyl Working Gloves

**FEATURES**  
CE category III  
Full protection against chemicals (BCI)  
Protection against bacteriological contamination  
Approved against radioactive contamination  
Highly flexible  
Roughened surface  
Sales quantity: 10 pairs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 420:2010 (general requirements)  
EN 388:2003 (XX1X) (standard safety gloves)  
EN 374:2003 (BCI) (chemical-resistance)  
EN 421:2010 (radiation and radioactive resistance)



Product code: 4040.07

ScanDefender Cut Resistant Working Gloves



**FEATURES**  
CE Category II  
HCT fiber  
Micro foam nitrile palm  
Anti-slip palm  
High abrasion results  
Works well in oil condition  
Glove: 100% HCT fiber  
Cuff: 90% HCT fiber, 5% elastic, 5% polyester  
Coating: 100% micro foam nitrile  
Sales quantity: 12 pairs

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Grey & black

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4443D) (standard safety gloves)

ANSI 105:2016 cut resistance level A4

*Please note: the design of ScanDefender is an update from ScanCut. We will begin shipping this new design following the sale of our existing inventory.*

Product code: 4040.10

ScanBlade Cut Resistant Working Gloves - Oil Resistant



**FEATURES**  
CE category II  
Seamless glass fibre liner  
Oil resistant nitrile palm  
Cut level C  
Lightweight, lint free  
Liner: 100% multifilament glass fiber  
Palm: 100% nitrile coating  
Sales quantity: 12 pairs

**SIZES**  
9/L - 10/XL

**COLOURS**  
Grey & black

**NORMS**  
CE Certified  
EN 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4442C) (standard safety gloves)  
EN 407:2020 (X1XXXX) (heat and flame-resistance)

ANSI 105:2016 cut resistance level A3

Product code: 4040.12

ScanSlice Food Handling and Processing Gloves



**FEATURES**  
CE category II  
Lightweight and breathable  
Washable at 40°C (104°F)  
Extra long cuff  
Cut D protection  
Tight fit to maintain high dexterity while working  
Ambidextrous  
Designed for use in kitchens  
Palm and back: 52% HT nylon, 22% steel, 26% polyester  
Cuff: 35% HT nylon, 16% steel, 34% polyester, 15% elastic  
Binding: 100% polyester  
Sales quantity: 3 pairs

**SIZES**  
8/M - 9/L - 10/XL

**COLOURS**  
Blue

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (224XD) (standard safety gloves)  
EN 407:2020 (X1XXXX) (contact heat level 1)

Product code: 4040.17

ScanSharp High Performance Razor Wire Gauntlets



**FEATURES**  
CCE category II  
Reinforced anti-slip silicone palm  
Highest rated cut levels, EN 388 level F and ANSI level A9  
Padded knuckles  
Mesh lining with Kevlar® layer  
Total length 45 cm (17.7 in)  
Main fabric: Superfabric® (USA), 57% polymer, 43% polyester  
Anti-slip fabric: 52% polymer, 39% polyester, 9% silicone  
Inner layer: 100% Kevlar®  
Mesh lining: 100% polyester  
Sales quantity: 1 pair

**SIZES**  
7/8 (S/M) - 9/10 (L/XL)

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4X44F) (standard safety gloves)

ANSI 105:2016 cut resistance level A9

*Designed to be worn in combination with ScanSharp Apron RW and also available in the ScanRazorwire kit.*

Product code: 4040.05

ScanChain Cut Resistant Chain Mail Glove



**FEATURES**  
CE Category II  
Ambidextrous  
Rubberised fastening strap with snap button and adjustable buckle  
Corrosion-resistant  
Ideal for meat and poultry processing  
Heat-resistance to 100°C (212°F)  
100% Stainless steel mesh  
Sales quantity: 1 pc


**SIZES**  
7/S - 8/M - 9/L - 10/XL

**COLOURS**  
Grey

**NORMS**  
CE Certified  
EN 1082-1:1996 (cut- and stab-resistant)

FDA standard

Product code: 4080.13



**ScanAlumin** Aluminium Coated Welding Gauntlets


**FEATURES**  
CE category II  
Palm: 100% cow leather  
Back: 100% aluminized leather fabric  
Fleece lining: 50% cotton, 50% polyacrylic  
Cuff lining: 100% cotton  
Inner layer: 100% polyurethane  
Sales quantity: 6 pairs

**SIZES**  
One size

**COLOURS**  
Silver, navy & red

**NORMS**  
CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN 388:2016 (3234X) (standard safety gloves)  
EN 407:2004 (412X4X) (heat and flame-resistance)  
EN 12477:2002+A1:2005 type A & B (welding)  
  
*Please note: ScanAlumin will be discontinued once our existing inventory is sold.*

Product code: 4050.26



**ScanGourmet** Heat- & cold-resistant silicone oven mitt


**FEATURES**  
CE category III  
Designed for use in kitchens  
100% durable, high quality silicone  
BPA free  
100% hygiene protective/safe for food handling  
3-finger design for improved grip  
Optimal dexterity  
Liquid/watertight  
Multi-purpose, heat- and cold-resistant:  
Cold-resistant to -40°C (40°F)  
Heat-resistant for 1 hour to 260°C (500°F)  
Heat-resistant for ≥ 5 minutes to 340°C (644°F)  
Easy clean and Dishwasher safe (hang to dry)  
Anti-slip dot pattern on inner surface, internal/external grip  
Ambidextrous  
Combinable with ScanSingle  
Hang loop  
Total length 40 cm (15.7 in)  
Sales quantity: 1 pair

**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
CE-certified  
EN 420:2003+A1:2009 (general requirements)  
EN 388:2016 (3130X) (standard safety gloves)  
EN 407:2004 (43424X) (heat and flame-resistance)  
EN 511:2016 (021) (cold resistance)  
  
ANSI 105:2016 cut resistance level A2  
ANSI 105:2016 puncture resistance level 1  
ANSI 105:2016 abrasion resistance level 4  
ANSI 105:2016 flame resistance level 4  
ANSI 105:2016 heat degradation resistance level 4  
  
LFGB standard  
FDA standard

Product code: 4050.03



**ScanGlow** MED-approved Firefighter Gloves


**FEATURES**  
CE category III  
Aluminized aramid fiber with wool and polyester fire-retardant lining  
Aramid silicone fiber palm (anti-slip)  
100% polyurethane waterproof and breathable membrane  
Sales quantity: 1 pair

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 420:2003 (general requirements)  
EN 388 (standard safety gloves)  
EN 407 (heat and flame-resistance)  
EN 659:2003+A1:2008 (firefighting)  
  
MED approved

Product code: 4080.25



**ScanDeterrence** Aluminized Welding Heat Shield


**FEATURES**  
Split cowhide leather with PFR aluminized back  
Radiant heat reflection  
Stitched with Kevlar® yarn  
Sales quantity: 5 pairs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 532:1995

Product code: 4080.02



**ScanWeld** Leather Welding Gloves

**FEATURES**  
CE category II  
16 cm (6.3 in) long cuff  
Total length: 38 cm (15 in)  
Palm and back: 100% cow split leather  
Fleece lining: 50% cotton, 50% polyacrylic  
Cuff lining: 100% cotton  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Brown

**NORMS**  
CE Certified  
EN 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4234X) (standard safety gloves)  
EN 407:2020 (41324X) (heat and flame-resistance)  
EN 12477:2001+A1:2005 Type A (welding)



Product code: 4020.13

ScanBlockade Oil-Blocker Impact Protection Gloves



FEATURES

CE category II  
Impact TPR protection  
Water-repellent palm and back  
Oil-resistant reinforced palm  
Optimal dexterity  
Palm: 100% goat leather  
Back: 100% goat leather  
Impact back: 100% TPR  
Impact palm: 100% EVA rubber  
Cuff: 100% cow split leather  
Lining: 100% polyester and foam  
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

Natural

NORMS

CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN 388:2016+A1:2018 (2143XP) (standard safety gloves)

ANSI 105:2016 cut resistance level A2  
ANSI 105:2016 puncture resistance level 4  
ANSI 105:2016 abrasion resistance level 4

Product code: 4015.01

ScanKinetic Anti-Vibration Working Gloves



FEATURES

CE category II  
Padded with anti-vibration foam in palm and fingers  
Reinforced anti-slip palm and fingertips  
Adjustable elasticized cuff  
Good dexterity  
Knuckle patch  
Palm: 100% goat leather with synthetic leather palm  
Back: 100% goat leather  
Padding: foam  
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

Tan & black

NORMS

CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (3532X) (standard safety gloves)  
EN ISO 10819:2013+A1:2019+A2:2022

ANSI 105:2016 cut resistance level A2  
ANSI 105:2016 puncture resistance level 4  
ANSI 105:2016 abrasion resistance level 3

Product code: 4010.34

ScanPalladium Pro Impact Protection Gloves



FEATURES

CE category II  
TPU finger and knuckle protection  
Reinforced palm and fingers in Schoeller®-Keprotec grip material with DuPont™ Kevlar®  
Space between thumb and saddle finger with reinforced DuPont™ Kevlar® grip  
Adjustable cuff  
Hangloop  
Palm: 100% synthetic leather  
Palm reinforcement: 15% Kevlar®, 60% Nylon, 10% spandex, 15% EVA Rubber  
Back: 60% nylon, 35% PVC, 5% spandex  
Impact: 100% TPR  
Cuff: 85% nylon, 15% polyester  
Sales quantity: 6 pairs

SIZES

8/M - 9/L - 10/XL

COLOURS

High-Viz Yellow & black

NORMS

CE Certified  
EN ISO 21420:2020 (general requirements)  
EN 388:2016+A1:2018 (4342XP) (standard safety gloves)

ANSI 105:2016 cut resistance level A4  
ANSI 105:2016 puncture resistance level 3  
ANSI 105:2016 abrasion resistance level 6

Product code: 4060.03

ScanVolt 03 Rubber Insulating Electrical Gloves

**FEATURES**  
CE category III  
Protects against high voltages and electrical hazards  
Max. use voltage: 7.500V. AC, RMS  
Highly flexible and comfortable to wear  
100% latex  
Sales quantity: 1 pair

**SIZES**  
One size

**COLOURS**  
High Viz Orange

**NORMS**  
CE Certified  
EN 420:2003+A1:2009 (general requirements)  
EN 60903:2003 (Class 1) (electrical-resistant)  
IEC 60903:2014 (electrical-resistant)

*Please note that ScanVolt 03 must be tested every 12 months after manufacturing date when unused. After opening the ScanVolt 03 must be tested every 6 months. Due to stock regulation, it may occur that testing must be carried out immediately upon receipt.*

*Recommended Pneumatic Glove Tester for compulsory air inflation test also available.*

*The periodic dielectric test can be conducted on request at accredited test institutes (e.g., Eurthco, United Kingdom)*



Product code: 6100.05

Pneumatic Glove Tester Test Equipment for Electrical Resistant Gloves

**FEATURES**  
To carry out your own air inflation test as recommended by EN 60903 and IEC 903 standards  
Air inflation by hand and immersion in water  
Fast, efficient, and easy to use

**SIZES**  
One size

**COLOURS**  
Grey

**NORMS**  
-



Product code: 4090.01

ScanFix Glove Clip

**FEATURES**  
Easy to attach  
Firm grip  
Safety release/ breakaway connector  
Nonconductive  
Noncorrosive  
Helps prevent glove loss and reduce hand injuries  
Sales quantity: 1 piece

**SIZES**  
One size

**COLOURS**  
Blue

**NORMS**  
-







↑  
**SCANADAPT NIGHT**  
Omnifit 3-way adjustable safety glasses, page 94

**SCANRALLY REFLECT**  
Boiler Suit, page 17

→  
**SCANNOVAYA**  
Omnifit Sub-Zero Safety Goggles, page 96

**SCANNOVAYA FACESHIELD**  
Faceshield for Sub-Zero Goggles, page 96








**SCANCLAVAS**  
Balaclava, page 107

**SCANALLIANCE**  
Boiler Suit, page 19



**SCANSENSOR**  
Welding shield electronic with  
auto darkening visor, page 112





Product code: 3530.70



**ScanGazer** OTG Anti-fog and Anti-scratch Safety Glasses

**FEATURES**  
Polycarbonate, clear lens (anti-fog, anti-scratch)  
Lightweight nylon frame  
Over the glasses (OTG) coverage  
Adjustable temples  
UV 400 protection  
Transmission protection: 90-91% (Cat.0)  
Frame: Nylon  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 166:2001-1 F (personal eye protection)  
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.01



**ScanClear** Safety Glasses


**FEATURES**  
Polycarbonate, clear, single lenses (anti-fog, anti-scratch)  
Lightweight nylon frame  
Non-slip arms  
Soft, secure nose piece  
180°C optically correct  
Flexible side arms and frame pitch create a specialized fit for a wide range of face types  
UV 400 protection  
Transmission protection: 90-91% (Cat.0)  
Frame: Nylon & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Navy & Light grey

**NORMS**  
CE Certified  
EN 166:2001-1 FT (personal eye protection)  
EN 170:2002-2C – 1.2 (UV filters)  
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.02



**ScanGrey** Safety Glasses

**FEATURES**  
Polycarbonate, brown, single lenses (anti-fog, anti-scratch)  
Lightweight nylon frame  
Non-slip arms  
Soft, secure nose piece  
180°C optically correct  
Flexible side arms and frame pitch create a specialized fit for a wide range of face types  
UV 400 protection  
Transmission protection: 18,8-20% (Cat.2)  
Frame: Nylon & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Cobalt blue & Light grey

**NORMS**  
CE Certified  
EN 166:2001-1 FT (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 – 5-2.5 (sunglare filters for industrial use)  
ANSI-Z87.1-2020 – Z87+ (American National Standard for occupational and educational personal eye and face protection devices)

Product code: 3510.15



**ScanOculus** Safety Glasses

**FEATURES**  
Polycarbonate, smoke lens (anti-fog, anti-scratch)  
Lightweight polycarbonate frame  
Soft, secure TPR nose piece  
Ergonomic design, requires no adjustment  
Omnifit: for all kinds of faces  
180°C optically correct  
UV 400 protection  
Transmission protection: 11-12% (Cat. 3)  
Frame: Polycarbonate  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black & High-Viz Yellow

**NORMS**  
CE Certified  
EN 166:2001-1 FT KN (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 – 5-3.1 (sunglare filters for industrial use)  
ANSI-Z87.1-2010 – Z87+S (standard for eye and face protection)  
AS/NZS 1337.1:2010 – I Cat. 3 (eye protectors for industrial applications)

*Please note: ScanOculus will be discontinued once our existing inventory is sold.*

Product code: 3510.25



**ScanAdapt Clear** Omnifit 3-way Adjustable Safety Glasses


**FEATURES**  
Ultra anti-fog and super anti-scratch  
Polycarbonate, clear lens  
Light weight  
3-way adjustable for various face types  
UV 400 protection  
Transmission protection: 90-91% (Cat.0)  
Frame: Nylon & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black & Orange

**NORMS**  
CE Certified  
EN ISO 16321-1:2022 (UL1.2-CT-1-K-N-1-M) (personal eye protection)  
ANSI Z87.1-2020 – Z87+ X (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I O (eye protectors for industrial applications)

Product code: 3510.27



**ScanAdapt Grey** Omnifit 3-way Adjustable Safety Glasses

**FEATURES**  
Ultra anti-fog and super anti-scratch  
Polycarbonate, grey lens  
Light weight  
3-way adjustable for various face types  
UV 400 protection  
Transmission protection: 11-12% (Cat.3)  
Frame: Nylon & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black & Aqua

**NORMS**  
CE Certified  
EN ISO 16321-1:2022 (GL3-CT-1-K-N-1-M) (personal eye protection)  
ANSI Z87.1-2020 – Z87+ S X (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I Cat. 3 (eye protectors for industrial applications)

Product code: 3510.29



### ScanAdapt Night

Omnifit 3-way adjustable safety glasses

**FEATURES**  
Ultra anti-fog and super anti-scratch  
Polycarbonate, yellow lens  
Light weight  
3-way adjustable for various face types  
UV 400 protection  
Transmission protection: 86-87% (Cat.0)  
Frame: Nylon & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black & High-Viz Yellow

**NORMS**  
CE Certified  
EN ISO 16321-1:2022 (UL1.2-CT-1-K-N-1-M) (personal eye protection)  
ANSI Z87.1-2020 – Z87+ X (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I O (eye protectors for industrial applications)

Product code: 3510.17



### ScanPolarised

Adjustable Safety Glasses


**FEATURES**  
Polarised anti-fog and anti-scratch polycarbonate lens  
Lightweight  
Soft secure nose piece  
Extra flat temples  
Non-slip adjustable arms  
UV 400 protection  
Transmission protection: 8-17,8% (Cat.3)  
Frame : Nylon + TPR  
Lens : Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 166:2001-1 FT (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 – 5-3.1 (sunglare filters for industrial use)  
ANSI-Z87.1-2020 – Z87+ U6 S (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I Cat.3 (eye protectors for industrial applications)

Product code: 3510.28



### ScanSpex Grey

Adjustable Safety Glasses


**FEATURES**  
Ultra anti-fog and super anti-scratch polycarbonate, grey lens  
Light weight  
Soft secure nose piece  
Non-slip adjustable arms  
UV 400 protection  
Transmission protection: 11-12% (Cat.3)  
Frame: recycled fishing nets (PA6=Nylon) & TPR  
Lens: polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Navy & Orange

**NORMS**  
CE Certified  
EN 166:2001-1 FTKN (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 – 5-3.1 (sunglare filters for industrial use)  
ANSI-Z87.1-2020 – Z87+ S+S X (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I Cat. 3 (eye protectors for industrial applications)

Product code: 3510.19



### ScanNexus

Gasketed safety glasses

**FEATURES**  
Ultra anti-fog and super anti-scratch Polycarbonate, clear lens  
Including removable EVA foam gasket for advanced eye protection against dust, debris, particulates or windy environments  
Including adjustable elastic strap  
Wide breath of vision  
Omnifit: for all kinds of faces  
Light weight  
Metal Free  
UV 400 protection  
Transmission protection: 85,6% (Cat.0)  
Frame: Polycarbonate & TPR  
Lens: Polycarbonate  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black & White

**NORMS**  
CE Certified  
EN 166:2001-1 FTKN (personal eye protection)  
EN 170:2002-2C – 1.2 (UV filters)  
ANSI-Z87.1-2020 – Z87+ U6 X (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I O (eye protectors for industrial applications)

Product code: 3520.11



### ScanSoniX

Omnifit Safety Goggles

**FEATURES**  
Ultra anti-fog and super anti-scratch Polycarbonate lens  
UV 400 protection  
Adjustable elastic strap with anti-slip  
Wide breadth of vision  
Omnifit: for all kinds of faces  
Light weight  
Comfortable to wear over prescription eyewear  
Easy lens replacement  
Transmission protection: 90-91% (Cat.0)  
Sales quantity: 5 pairs including 2 dark grey spare lenses

**SIZES**  
One size

**COLOURS**  
Black & High-Viz Yellow

**NORMS**  
CE Certified  
EN 166:2001-1 34 BTKN (personal eye protection)  
EN 170:2002 (clear)-2C – 1.2 (UV filters)  
EN 172:1994/A1:2000/A2:2001 (grey) – 5-2.5 (sunglare filters for industrial use)  
ANSI Z87.1-2020 – Z87+ X (clear) (American National Standard for occupational and educational personal eye and face protection devices)  
ANSI Z87.1-2020 – Z87+ S X (grey) (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I O (clear) & I Cat. 2 (grey) – (eye protectors for industrial applications)

Product code: 3550.04



### ScanSoniX Replacement Lens

Grey Replacement Lens for ScanSoniX Goggles

**FEATURES**  
Ultra anti-fog and super anti-scratch Polycarbonate grey lens  
UV 400 protection  
Wide breadth of vision  
Easy lens replacement  
Lens to combine with frame ScanSonix Safety Goggles  
Transmission protection: 18,8-20% (Cat.2)  
Sales quantity: 3 lenses


**SIZES**  
One size

**COLOURS**  
Dark grey

**NORMS**  
CE Certified  
EN 166:2001-1 34 BTKN (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 (grey) – 5-2.5 (sunglare filters for industrial use)  
ANSI Z87.1-2020 – Z87+ S X (grey) (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 – I Cat. 2 (eye protectors for industrial applications)



Product code: 3520.15



### ScanToX Omnifit Chemical Splash Goggles

**FEATURES**

Goggles with clear acetate anti-fog lens  
Chemical splash protection  
Flame-resistant  
Indirectly vented infection control  
Wide breadth of vision  
Adjustable elastic strap with anti-slip  
Engineered for various face types  
Comfortable to wear over prescription eyewear and half mask respirators  
UV 400 protection  
Transmission protection: 86,5% (Cat.0)  
Frame: PVC & Nylon  
Lens: Acetate  
Sales quantity: 5 pairs

**SIZES**

One size


**COLOURS**

Orange & Black

**NORMS**

CE Certified  
EN 166:2001-1 345 S (personal eye protection)  
EN 170:2002-2C -1.2 (UV filters)  
ANSI Z87.1-2020 - D3 D4 D5 (American National Standard for occupational and educational personal eye and face protection devices)  
AS/NZS 1337.1:2010 - I O / 3 4 5 S (eye protectors for industrial applications)

Product code: 3520.17



### ScanNovaya Omnifit Sub-Zero Safety Goggles

**FEATURES**

Ski inspired goggle for cold and extreme weather  
Anti-fog and anti-scratch Polycarbonate CP double grey lens (cold resistance to -23°C / -9,4°F)  
Soft face foam  
Adjustable elastic strap  
Wide breadth of vision  
Omnifit: for all kinds of faces  
Light weight  
Comfortable to wear over prescription eyewear  
UV 400 protection  
Transmission protection: 8-17,8% (Cat.3)  
Compatible with ScanNovaya faceshield  
Frame: TPR  
Lens: Polycarbonate + CP double lens  
Sales quantity: 5 pairs

**SIZES**

One size

**COLOURS**

Black

**NORMS**

CE Certified  
EN 166:2001-3 BT (personal eye protection)  
EN 172:1994/A1:2000/A2:2001 (grey) 1 BT - 5-3.1 (sunglare filters for industrial use)  
ANSI-Z87.1-2020 - Z87+ U6 S (grey) (American National Standard for occupational and educational personal eye and face protection devices)  
CSA Z94.3-2015-CSA+S (grey) (standard for eye and face protection)

*Designed to be worn in combination with the ScanNovaya Faceshield*

Product code: 3530.55



### ScanNovaya Faceshield Faceshield for Sub-Zero Goggles

**FEATURES**

Clear polycarbonate faceshield  
Snow sports inspired faceshield for cold and extreme weather  
Compatible with ScanNovaya goggles  
Protection against high-speed particles at extreme temperatures  
Easy to attach  
Sales quantity: 5 pcs

**SIZES**

One size

**COLOURS**

Clear

**NORMS**

CE Certified  
EN 166:2001 - BT (personal eye protection)  
ANSI-Z87.1-2020 - Z87+ (American National Standard for occupational and educational personal eye and face protection devices)  
CSA Z94.3-2015-CSA+ (standard for eye and face protection)

*Designed to be worn in combination with the ScanNovaya Safety Goggles*

Product code: 3540.09



### ScanSafeWeld Welding Goggles

**FEATURES**

Polycarbonate, green, shade 5 lenses  
Adjustable, allows for perfect adherence to face  
Soft, ergonomic, vented side shields  
Anti-scratch

**SIZES**

One size

**COLOURS**

Green

**NORMS**

CE Certified  
EN 166:2001-1 SFT (personal eye protection)  
EN 169:2002 (personal eye protection)  
EN 175:1997 SFT (protection against optical radiation)

Product code: 3540.11



### ScanSightWeld Welding Goggles

**FEATURES**

Goggles with polycarbonate, green, shade 5 lens  
Wide breadth of vision  
Ergonomic nose piece creates a customised fit  
Comfortable to wear over prescription eyewear  
Wide, hypoallergenic, elasticised headband

**SIZES**

One size


**COLOURS**

Green

**NORMS**

CE Certified  
EN 166:2001 FT (personal eye protection)  
EN 170:2002 (UV filters)  
EN 169:2002 (personal eye protection)  
EN 175:1997 FT (protection against optical radiation)

Product code: 3550.07



### ScanSpecStrap Heavy duty strap for spectacles

**FEATURES**

Flexible knitted adjustable strap  
Easy release  
Fits to all kinds of frames  
Sales quantity: 12 pcs

**SIZES**

One size

**COLOURS**

Black

**NORMS**

-

Product code: 3020.13

ScanClick Pro Adhesive goggle/headlamp clips for safety helmets



- FEATURES**

Easy fixation by non-softening 3M adhesive tape

To prevent goggles or a headlamp from slipping off the helmet

Usable on all types of safety helmets

100% ABS plastic

Sales quantity: 2 pcs
- SIZES**

One size
- COLOURS**

High-Viz Yellow
- NORMS**

-

Please note: We have updated the design for ScanClick. The new ScanClick Pro will replace the outgoing ScanClick once our existing inventory is sold.

Product code: 3550.20

ScanStation Eyewashing Station with Twin Eyewash Bottles



- FEATURES**

Two bottles with 500 ml sterilised water

Including wall holder
- SIZES**

One size
- COLOURS**

-
- NORMS**

CE Approved

Product code: 3550.17

ScanEyewashing Eyewash Bottle



- FEATURES**

Bottle containing a 0.9% sterile sodium chloride solution

Comes complete with an ergonomic eye cup, a dust cap, and easy-to-read instructions

Intended for use in eye wash stations or on its own

Sales quantity: 12 bottles
- SIZES**

One size
- COLOURS**

-
- NORMS**

CE Approved

Product code: 3010.35

Centurion 1100 Classic Vented Safety helmet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -10°C (14°F)

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red

White

Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.34

Centurion 1100 Classic Non-Vented Safety helmet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -10°C (14°F)

Electrical resistance to 440 Vac

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red

White

Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.36

Centurion 1125 Classic Vented Safety helmet with wheel ratchet



- FEATURES**

High-density polyethylene helmet

Comfortable and adjustable head insert with sweatband

Insert slots on sides for effortless 6-point liner mounting

Cold resistance to -30°C (-22°F)

5-year working lifetime

Composition of fabric: polyethylene

Multiple accessories available

Helmet can be branded with a company logo
- SIZES**

One size
- COLOURS**

Blue

Green

Orange

Red


White

Yellow
- NORMS**

EN 397:2012+A1:2012 (industrial safety helmets)



Product code: 3010.37



Centurion 1125 Classic Non-Vented

Safety helmet with wheel ratchet


**FEATURES**  
High-density polyethylene helmet  
Comfortable and adjustable head insert with sweatband  
Insert slots on sides for effortless 6-point liner mounting  
Cold resistance to -30°C (-22°F)  
Electrical resistance to 1.000 Vac  
Designed to protect against electrical surges (20.000 Vac)  
5-year working lifetime  
Composition of fabric: polyethylene  
Multiple accessoires available  
Helmet can be branded with a company logo

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
Orange  
Red  
White  
Yellow

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets) ANSI Z89.1-2014 Type I Class E

Product code: 3010.55



Centurion Concept Vented SP

Safety helmet with wheel ratchet


**FEATURES**  
ABS safety helmet  
Electrical resistance to 1.000 VAC for use on low voltage insulations  
Comfortable and adjustable head insert with Dry-Tech sweatband  
Insert slots on sides for easy, universal mounting  
Lateral Deformation (LD)  
Molten Metal Protection (MM)  
Cold resistance to -40°C (-40°F)  
5-year working lifetime  
Composition of fabric: acrylonitrile butadiene styrene (ABS)  
Multiple accessoires available  
Helmet can be branded with a company logo

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
White

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets)  
EN 50365:2002 Class 0 (electrically insulating helmets)  
ANSI Z89.1-2014 Type I class C

Product code: 3010.39



Centurion Concept Vented

Safety helmet


**FEATURES**  
ABS safety helmet  
Electrical resistance to 1.000 Vac for use on low voltage insulations  
Comfortable and adjustable head insert with Dry-Tech sweatband  
Insert slots on sides for effortless 6-point liner mounting  
Lateral Deformation (LD)  
Molten Metal Protection (MM)  
Cold resistance to -40°C (-40°F)  
5-year working lifetime  
Composition of fabric: acrylonitrile butadiene styrene (ABS)  
Multiple accessoires available  
Helmet can be branded with a company logo

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
Orange  
Red  
White  
Yellow

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets)  
EN 50365:2002 Class 0 (electrically insulating helmets)  
ANSI Z89.1-2014 Type I class C

Product code: 3010.12



Peltor G3000D helmet

Safety helmet


**FEATURES**  
Produced using high quality, UV-stabilised, ABS plastic  
One of the lightest safety helmets available  
Designed to protect against low temperatures (to -30° C.) and electrical surges (to 440 V), featuring a shorter screen that offers increased ease of movement without compromising anti-dazzle protection  
Helmet insert can be turned 180°, allowing for climbing and work in confined spaces

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
Orange  
Red  
White  
Yellow  
High-Viz Yellow

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.38



Centurion Concept Non-Vented

Safety helmet


**FEATURES**  
ABS safety helmet  
Electrical resistance to 1.000 Vac  
Designed to protect against electrical surges (20.000 Vac)  
Comfortable and adjustable head insert with Dry-Tech sweatband  
Insert slots on sides for effortless 6-point liner mounting  
Lateral Deformation (LD)  
Molten Metal Protection (MM)  
Cold resistance to -40°C (-40°F)  
5-year working lifetime  
Composition of fabric: acrylonitrile butadiene styrene (ABS)  
Multiple accessoires available  
Helmet can be branded with a company logo

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
Orange  
Red  
White  
Yellow

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets)  
EN 50365:2002 Class 0 (electrically insulating helmets)  
ANSI Z89.1-2014 Type I Class E

Product code: 3010.13



Peltor G3000D Ratchet helmet

Safety helmet with wheel ratchet insert

**FEATURES**  
Produced using high quality, UV-stabilised, ABS plastic  
One of the lightest safety helmets available  
Designed to protect against low temperatures (to -30° C.) and electrical surges (to 440 V), featuring a shorter screen that offers increased ease of movement without compromising anti-dazzle protection  
Helmet insert can be turned 180°, allowing for climbing and work in confined spaces

**SIZES**  
One size

**COLOURS**  
Blue  
Green  
Orange  
Red  
White  
Yellow

**NORMS**  
EN 397:2012+A1:2012 (industrial safety helmets)

Product code: 3010.15

Petzl Vertex Vent **Ventilated safety helmet**



FEATURES

Comprehensive worksite protection  
6-point textile suspension adapts to the shape of the wearer's head; helmet can be centred and adjusted for optimal positioning  
Headband lowers for an optimal fit  
Dual chinstrap reduces risk of helmet slip, loss, and entanglement (strength greater than 50 daN)  
Outer shell absorbs shock and is unventilated to protect wearer against electrical hazards, molten splash, and flames  
Vent holes feature sliding shutters for adjustment of airflow during wear  
Materials: ABS (acrylonitrile butadiene styrene), nylon, polycarbonate, high-strength polyester, polyethylene

SIZES

One size

COLOURS

Blue  
Orange  
Red  
White  
Yellow  
High-Viz Yellow

NORMS

CE Certified  
EN 397:2012+A1:2012 (industrial safety helmets)  
EN 12492:2012+A1:2012 (helmets for mountaineers)  
EAC  
ANSI Z89.1 Type I Class E

Product code: 3010.18

Petzl Vertex Best **Safety helmet**



FEATURES

Comprehensive worksite protection  
6-point textile suspension adapts to the shape of the wearer's head; helmet can be centred and adjusted for optimal positioning  
Headband lowers for an optimal fit  
Dual chinstrap reduces risk of helmet slip, loss, and entanglement (strength greater than 50 daN)  
Outer shell absorbs shock and is unventilated to protect wearer against electrical hazards, molten splash, and flames  
Materials: ABS (acrylonitrile butadiene styrene), nylon, polycarbonate, high-strength polyester, polyethylene

SIZES

One size

COLOURS

Black  
Blue  
Orange  
Red  
White  
Yellow  
High-Viz Yellow

NORMS

CE Certified  
EN 397:2012+A1:2012 (industrial safety helmets)  
EN 12492:2012+A1:2012 (helmets for mountaineers)  
EN 50365  
EAC  
AS/NZS 1801  
ANSI Z89.1 Type I Class E

Product code: 3010.07

OBX helmet **Safety helmet with glasses**



FEATURES

Polyethylene helmet  
Includes fully retractable visor, adjustable head insert, and sweatband  
Insert slots on sides for easy, universal mounting  
4-year working lifetime

SIZES

One size

COLOURS

Blue  
Green  
White  
Yellow

NORMS

CE Certified  
EN 166F  
NF EN 397/A1:2000 (industrial safety helmets)  
EN 50365:2002 (electrically insulating helmets)

Product code: 3010.40

ScanBlaze **MED approved Fireman's helmet**



FEATURES

This firefighter's helmet is made from composite material  
Includes an embedded, retractable dark visor and leather neck protection  
Heat-resistant to 250°C (482°F)

SIZES

One size

COLOURS

Red and Black

NORMS

EN 443:2008  
MED approved

*Special item: please allow up to 14 working days for delivery*

Product code: 3020.01

ScanStrap **Elasticated Chinstrap for safety helmet**



FEATURES

Elasticated  
Easy to mount  
Adjustable in length  
Compatible with most safety helmets  
Strap: 100% nylon  
Buckle: 100% ABS plastic

SIZES

One size

COLOURS

Orange

NORMS

-

Product code: 3020.00

ScanTriStrap **3-point Chinstrap**



FEATURES

3-point chinstrap for the G3000 helmet  
Strap: 100% polypropylene  
Buckle: 100% ABS plastic

SIZES

One size

COLOURS


Orange

NORMS

-



Product code: 3020.40



### Centurion Kalis Dry Cooling System

**Helmet Pad**


**FEATURES**  
Inuteq-Dry® cooling technology  
Cools the head down to 15°C below ambient temperature  
Lightweight, non-toxic and durable  
Activated with a small amount of water  
Re-activation is only required every 1-3 days  
Stays 100% dry, inside and outside  
When fitted to a Centurion helmet, the helmet continues to meet the requirements of EN 397

**SIZES**  
One size

**COLOURS**  
Yellow & Black

**NORMS**  
CE Certified

Product code: 3020.55



### Insert for Centurion 1100 Classic

**Replacement suspension cradle**


**FEATURES**  
Insert for Centurion 1100 safety helmets

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
-

Product code: 3020.51



### Sweatband (Centurion 1100 & 1125)

**Sweatband for Centurion 1100 & 1125 safety helmet**


**FEATURES**  
Sweatband for use in the Centurion 1100 & 1125 helmet  
Black brushed nylon  
Laminated to 2mm foam

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
-

Product code: 3020.56



### Insert for Centurion 1125 Classic

**Replacement suspension cradle**

**FEATURES**  
Wheel ratchet insert for Centurion 1125 safety helmets  
Sweatband included

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
-

Product code: 3020.59



### Insert + sweatband for Centurion Concept (Slip)

**Cradle with slip ratchet + pre-mounted dry-tech sweatband**


**FEATURES**  
Insert for Centurion Concept safety helmets  
Sweatband included

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
-

Product code: 3020.23



### ScanInsert for OBX

**Insert for OBX safety helmet (ratchet insert)**

**FEATURES**  
Ratchet insert for OBX helmets  
Sweatband included

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
-

Product code: 3010.09

### ScanBumpcap

Baseball bump cap



**FEATURES**  
Cotton cover with shortened 3 cm (1.18 in) visor with inner ABS hard cap  
Adjustable Velcro strap  
Two mesh side vents  
ScanBumpcap should not be used as an industrial safety helmet

**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN 812:2012 (industrial bump caps)

Product code: 3021.01

### ScanClava FR/AS

Balaclava — Flame-resistant, Anti-static



**FEATURES**  
Fine-knit Jersey cotton blend  
High moisture permeability  
Comfortable to wear  
59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon  
Sales quantity: 3 pcs

**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)

Product code: 3020.07

### ScanDyad

Reversible knitted beanie



**FEATURES**  
Reversible  
100% soft acrylic  
Sales quantity: 3 pcs

**SIZES**  
One size

**COLOURS**  
Navy & Black

**NORMS**  
-

Product code: 3020.04

### ScanClavaS

Balaclava



**FEATURES**  
HV Yellow detailing allows for immediate identification of crew  
Anti-pilling  
Rib knitted 100% soft acrylic  
Sales quantity: 3 pcs

**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
-

Product code: 3020.03

### ScanInsulate

Insulating inner lining



**FEATURES**  
Compatible with most safety helmets  
Extra-long neck  
100% brushed cotton  
Padded fleece lining

**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
STANDARD 100 by OEKO-TEX® Class II

Product code: 3020.06

### ScanTarga FR/AS

Multifunctional Headwear — Flame-resistant, Anti-static



**FEATURES**  
Fine-knit Jersey cotton blend  
Designed for wear as a scarf, cap, bandana, mask, balaclava, and helmet liner  
Length: 50 cm (19.6 in)  
59% Protal® modacrylic, 37% cotton, 2% elastane, 2% carbon  
Sales quantity: 3 pcs


**SIZES**  
One size

**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11612:2015, A1 B1 C1 (flame-resistant)  
EN 1149-5:2018 (anti-static)



Product code: 3020.52



ScanTarga Fleece

Fleece — Neck warmer


**FEATURES**  
Cold and wind protection  
Adjustable drawcord for modified coverage  
Two sides anti-pilling  
Anti-static finish  
100% polyester polar fleece (weight 280 gsm)  
Sales quantity: 3 pcs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
-

Product code: 3530.07



ScanBionic PC visor clear

Faceshield for ScanBionic Shell


**FEATURES**  
Polycarbonate clear visor for ScanBionic face shield  
Sales quantity: 10 pcs

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
EN 166:2001  
EN 169:2002  
EN 170:2002

Product code: 3530.05



ScanBionic Shell

Adjustable fold up shell – with suspension


**FEATURES**  
Excellent visibility  
Adjustable, interchangeable visor  
Secure visor attachment with breathable, interchangeable, and washable headband  
100% dielectric, can be worn with most goggles and respirators  
Sales quantity: 4 pcs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Approved  
EN 166:2001

Product code: 3530.08



ScanBionic PC visor dark

Faceshield for ScanBionic Shell


**FEATURES**  
Polycarbonate dark visor for ScanBionic face shield  
Sales quantity: 10 pcs

**SIZES**  
One size

**COLOURS**  
Dark

**NORMS**  
EN 166:2001  
EN 169:2002  
EN 170:2002

Product code: 3530.09



ScanBionic AC visor clear

Faceshield for ScanBionic Shell


**FEATURES**  
Acetate clear visor for ScanBionic face shield  
Sales quantity: 10 pcs

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
EN 166:2001  
EN 169:2002  
EN 170:2002

Product code: 3530.11



ScanBionic adapter

Adapter for fastening ScanBionic

**FEATURES**  
Attaches quickly and easily to a variety of helmets  
Provides complete head and face protection

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Approved  
EN 166:2001

Product code: 3530.01



**ScanLuna** Adjustable fold-up headband

**FEATURES**  
Adjustable fold up headrack made from hypo allergenic material  
Foam sweatband  
Wheel ratchet adjustment at nape  
90° flip-up visor  
To use with ScanVisor range  
Visor sold separately

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Approved  
EN 166:2004  
EN 175:1999

Product code: 3530.14



**ScanVisor PC** Faceshield / Polycarbonate

**FEATURES**  
Clear Polycarbonate replacement faceshield  
To be used in conjunction with ScanLuna / ScanClip

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
CE Approved  
EN 166  
EN 170

Product code: 3530.03



**ScanClip** Faceshield holder for helmet

**FEATURES**  
Attaches easily to all helmet types  
Flip-up mechanism allows the visor to be set at various angles  
Shock resistant  
Effortless lens replacement  
Rear spring for perfect stability  
Designed for use with ScanVisor series  
Visor sold separately

**SIZES**  
One size

**COLOURS**  
Silver

**NORMS**  
CE Approved  
EN 166:2004  
EN 175:1999

Product code: x3530.15



**ScanVisor EA** Faceshield / Electric Arc

**FEATURES**  
Clear Polycarbonate replacement faceshield with electric arc protection  
To be used in conjunction with ScanLuna / ScanClip

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
CE Approved  
EN 166

Product code: 3530.34



**Petzl Vizen for Petzl helmets** Faceshield for Vertex and Strato helmets

**FEATURES**  
Full-coverage shield protects the eyes and face from short-circuit electrical arcs  
Exceptional 180° peripheral vision  
Scratch- and fog-resistant  
Compatible with Vertex and Strato helmets  
Quick and easy installation (EasyClip attachment system)  
Pivots quickly from work position to storage position on top of the helmet  
Weight: 180 g  
Material: polycarbonate

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
EN166, 1BT8  
EN 170, 2C-1,2, GS ET-29, Class 1  
ANSI Z87.1 EAC

Product code: 3530.16



**ScanVisor AC** Faceshield / Acetate

**FEATURES**  
Clear Acetate replacement faceshield  
To be used in conjunction with ScanLuna / ScanClip

**SIZES**  
One size

**COLOURS**  
Clear

**NORMS**  
CE Approved  
EN 166



Product code: 3530.25

Peltor V4F Visor PC (10) **Faceshield for helmet**



FEATURES

Multi visor system  
Polycarbonate visor with good impact and scratch resistance  
Sales quantity: 10 pcs

SIZES

One size

COLOURS

Clear

NORMS

EN 166:1995

Product code: 3540.04

ScanSensor **Welding shield electronic with auto darkening visor**



FEATURES

High quality heat resistant materials  
Adjustable ratchet head-band  
Field of vision 95x39 mm.  
2 Arc sensors  
Solar cell power supply and li-ion batteries  
Extra Inner and outer anti spatter lens  
Auto darkening filter changes from light shade to dark shade when wearer begins welding  
Switching time: 0.3 ms  
External shade control 9-13  
Adjustable opening delay: 0.1-0.8 sec  
Automatically turns off after 15-20 minutes  
Operating Temperature -5°C to +55°C (23°F to 131°F)

SIZES

One size

COLOURS

Black

NORMS

CE 1/1/1/2  
AS/NZS 1338.1  
EN 175  
ANSI Z87.1  
CSA Z94.3

Product code: 3540.05

ScanSwingBack **Welding Shield, including ScanXantos lens**



FEATURES

Lightweight welding shield  
Polypropylene frame  
Impact-resistant and durable  
Harness size 56-64 cm  
Adjustable straps (x2)  
Weight 430 g  
Glass holder sizes: 105 x 50 mm, 108 x 51 mm, 110 x 50 mm, 110 x 55 mm, and 110 x 60 mm

SIZES

One size

COLOURS

Black

NORMS

EN 175:1997

Product code: 5012.22

ScanSilence ML2 **Passive Earmuffs - Mountable - Level 2**



FEATURES

Protection against moderate industrial noise levels and loud sounds  
Lightweight  
Mountable to various helmet types/brands  
Adapter pair included  
Limited contact pressure for all-day comfort  
Easy working / parking position  
Small ear cups with maximal ear protection  
Adjustable cup height  
Anti-scratch cups  
Hygienic soft replaceable, allergy-tested PVC ear cushions  
Weight: 234,2 g (8.2 o.z.)  
CE EN Attenuation: H=34dB, M=28dB, L=20dB, SNR=30dB  
ANSI Attenuation: NRR=23dB  
AS/NZS Attenuation: SLC80=26.3dB Class 5  
Sales quantity: 1 pair  
Optional: ScanSilence HK2 for ear cushions and foam replacement

SIZES

One size

COLOURS

HV Orange

NORMS

CE Certified  
EN 352-3:2020 (general requirements - earmuffs attached to an industrial safety helmet)  
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)  
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5010.62

ScanSilence L2 **Passive Earmuffs - Headband - Level 2**



FEATURES

Protection against hazardous moderate industrial noise levels and loud sounds  
Lightweight  
Omnifit headband  
Limited contact pressure for all-day comfort  
Compatible with various safety helmets  
Easy working / parking position  
Foldable for easy portability and storage  
Small ear cups with maximal ear protection  
Adjustable cup height  
360° rotating anti-scratch cups  
Hygienic soft replaceable, allergy-tested PVC ear cushions  
Weight: 207,9 g (7.3 o.z.)  
CE EN Attenuation: H=35dB, M=28dB, L=20dB, SNR=31dB  
ANSI Attenuation: NRR=23dB  
AS/NZS Attenuation: SLC80=28.8dB Class 5  
Sales quantity: 1 pc  
Optional: ScanSilence HK2 for ear cushions and foam replacement

SIZES

One size

COLOURS

HV Orange

NORMS

CE Certified  
EN 352-1:2020 (general requirements - earmuffs)  
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)  
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5012.24

ScanSilence ML3 **Passive Earmuffs - Mountable - Level 3**



FEATURES

Protection against very high noise levels and loud sounds  
Lightweight  
Mountable to various helmet types/brands  
Adapter pair included  
Limited contact pressure for all-day comfort  
Easy working / parking position  
Small ear cups with maximal ear protection  
Adjustable cup height  
Anti-scratch cups  
Hygienic soft replaceable, allergy-tested PVC ear cushions  
Weight: 248,6 g (8.8 o.z.)  
CE EN Attenuation: H=36dB, M=32dB, L=23dB, SNR=33dB  
ANSI Attenuation: NRR=26dB  
AS/NZS Attenuation: SLC80=27.3dB Class 5  
Sales quantity: 1 pair  
Optional: ScanSilence HK3 for ear cushions and foam replacement

SIZES

One size

COLOURS


HV Yellow

NORMS

CE Certified  
EN 352-3:2020 (general requirements - earmuffs attached to an industrial safety helmet)  
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)  
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5010.64

ScanSilence L3 **Passive Earmuffs - Headband - Level 3**



FEATURES

Protection against very high noise levels and loud sounds  
Lightweight  
Omnifit headband  
Limited contact pressure for all-day comfort  
Compatible with various safety helmets  
Easy working / parking position  
Foldable for easy portability and storage  
Small ear cups with maximal ear protection  
Adjustable cup height  
360° rotating anti-scratch cups  
Hygienic soft replaceable, allergy-tested PVC ear cushions  
Weight: 209,6 g (7.4 o.z.)  
CE EN Attenuation: H=38dB, M=32dB, L=23dB, SNR=34dB  
ANSI Attenuation: NRR=27dB  
AS/NZS Attenuation: SLC80=31.7dB Class 5  
Sales quantity: 1 pc  
Optional: ScanSilence HK3 for ear cushions and foam replacement

SIZES

One size

COLOURS

HV Yellow

NORMS

CE Certified  
EN 352-1:2020 (general requirements - earmuffs)  
ANSI S3.19-1974 (American National Standard method for measurement of real-ear protection of hearing protectors and physical attenuation of ear muffs)  
AS/NZS 1270:2002 (acoustics-hearing protectors)

Product code: 5030.29

ScanSilence HK2 **Hygiene Kit — Moderate industrial noise levels**



FEATURES

Compatible with ScanSilence L2 and ScanSilence ML2  
Replacement ear cushions and foam absorbents  
Weight: 34 g (1.0 o.z)  
Absorbent: foam  
Ear cushions: foam filling + PVC cover  
Sales quantity: 20 pairs

SIZES

One size

COLOURS

Black

NORMS

-

Product code: 5030.31

ScanSilence HK3 **Hygiene Kit — Very high noise levels**



FEATURES

Compatible with ScanSilence L3 and ScanSilence ML3  
Replacement ear cushions and foam absorbents  
Weight: 38 g (1.1 o.z)  
Absorbent: foam  
Ear cushions: foam filling + PVC cover  
Sales quantity: 20 pairs

SIZES

One size

COLOURS

Black

NORMS

-

Product code: 5030.33

ScanSilence Clip **Ear protection clip**



FEATURES

Easy to attach  
Firm grip  
Lightweight  
Noncorrosive  
Prevents loss of ear protection  
Compatible with all ScanSilence headbands  
Sales quantity: 1 pcs

SIZES

One size

COLOURS


Black

NORMS

-



Product code: 5527.01




**FEATURES**  
Slow expanding polyurethane foam  
Soft foam helps provide low pressure inside the ear canal  
Tapered shape conforms quickly to fit comfortably in most ear canals  
SNR 36dB  
Particularly suited for low frequency noise  
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System  
Vibrant colours – neon yellow colour for hearing protection compliance sighting  
Sales quantity: 250 pairs per box

**SIZES**  
One size

**COLOURS**  
High-Viz Yellow

**NORMS**  
CE Certified  
EN 352-2:2002

Product code: 5527.02




**FEATURES**  
Slow expanding polyurethane foam  
Soft foam helps provide low pressure inside the ear canal  
Tapered shape conforms quickly to fit comfortably in most ear canals  
SNR 36dB  
Particularly suited for low frequency noise  
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System  
Vibrant colours – neon yellow colour for hearing protection compliance sighting  
Sales quantity: 200 pairs per box

**SIZES**  
One size

**COLOURS**  
Blue & High-Viz Yellow

**NORMS**  
CE Certified  
EN 352-2:2002

Product code: 5527.05




**FEATURES**  
Three flange design  
Made from soft and durable TPE material for optimum comfort  
Earplugs are corded, allowing the wearer to keep the plugs together and make them quickly available  
Firm stem for easy insertion and removal  
SNR 25dB  
Can be washed with mild detergent  
Supplied in a durable storage case  
Sales quantity: 50 pairs per box

**SIZES**  
One size

**COLOURS**  
Blue & Orange

**NORMS**  
CE Certified  
EN 352-2:2002

Product code: 55527.04




**FEATURES**  
Patented tri-flange design in pre-moulded material makes them a fit for most ear canals  
Available in one size only  
Firm, long stem for easy insertion and removal  
Made from soft and durable material  
SNR 32dB  
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System  
Can be washed up to 50 times with mild detergent  
Supplied in re-closable packaging  
Separate cord which can be removed and reinserted for optional uncorded or corded wear  
Sales quantity: 50 pairs per box

**SIZES**  
One size

**COLOURS**  
Blue & Yellow

**NORMS**  
CE Certified  
EN 352-2:2002

Product code: 5527.03




**FEATURES**  
Distinctive pod design  
Semi flexible stem helps easy insertion and removal  
Made from unique 3M™ EAR-Form™ Foam on the tip  
The soft foam eartip shape and size moulds comfortably to the wearers ear canal for improved wearability  
No roll-down required thus keeping the earplugs hygienically clean during fitting  
SNR 38dB  
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System  
Sales quantity: 400 pairs per box

**SIZES**  
One size

**COLOURS**  
Blue & Yellow

**NORMS**  
CE Certified  
EN 352-2:2002

Product code: 5527.07



**FEATURES**  
Flexible and durable band featuring pressure diffusion technology  
Soft semi-aural foam eartips seal entrance part of ear canal  
Designed to be worn in U-T-C and B-T-H wearing mode for minimal interference with other PPE such as head protection  
SNR 26dB (U-T-C) and SNR 25dB (B-T-H)  
Compatible with the 3M™ EAR-Fit™ Dual-Ear Validation System  
Sales quantity: 10 pairs per box

**SIZES**  
One size

**COLOURS**  
Blue & Orange

**NORMS**  
CE-Certified  
EN 352-2:2002

Product code: 4510.02

ScanRespi FFP2/V Single Use Half Mask Respirator with Valve



<b>FEATURES</b> Protects against non toxic dust /mist, smoke and aerosols Lightweight Contoured fit Easy breathing / speaking 4-layer innovative filter technology Latex free Staple free, welded elasticized twin headbands Adjustable nose bridge Comfortable foam nose seal Valve ensures extended wearing comfort by preventing the accumulation of moisture inside mask Sales quantity: 10 pcs	<b>SIZES</b> One size  <b>COLOURS</b> White  <b>NORMS</b> CE Certified EN 149:2001+A1:2009 (filtering half mask) Assigned Protection Factor 10 (APF)  AS/NZS 1716:2012 (respiratory protective devices) NIOSH 95
--	--

Product code: 4510.03

ScanRespi FFP3/V Single Use Half Mask Respirator with Valve



<b>FEATURES</b> Protects against non toxic dust /mist, smoke and aerosols Lightweight Contoured fit Easy breathing / speaking 4-layer innovative filter technology Latex free Adjustable elasticized twin headbands for tight fit Adjustable nose bridge Comfortable foam seal Valve ensures extended wearing comfort by preventing the accumulation of moisture inside mask Sales quantity: 5 pcs	<b>SIZES</b> One size  <b>COLOURS</b> White  <b>NORMS</b> CE Certified EN 149:2001+A1:2009 (filtering half mask) Assigned Protection Factor 20 (APF)  AS/NZS 1716:2012 (respiratory protective devices)
---	--

Product code: 4511.01

ScanMask 100/2 Half mask with 2 filter connections



<b>FEATURES</b> Lightweight ergonomic design Adjustable, double head straps Double filter connection Fitted with sturdy, comfortable facial seal Designed for use with ScanFilter 100/2	<b>SIZES</b> One size (adjustable)  <b>COLOURS</b> Black/orange  <b>NORMS</b> EN 140:1998
--	--

Product code: 4511.02

ScanMask 330 Half mask with single threaded filter connection to EN 148/1



<b>FEATURES</b> Lightweight ergonomic design Adjustable, double head straps EN 148/1 filter connection Designed for use with ScanFilter DIRIN	<b>SIZES</b> One size (adjustable)  <b>COLOURS</b> Black  <b>NORMS</b> EN 140:1998
---	---

Product code: 4512.02

ScanSfera Full face breathing mask



<b>FEATURES</b> Octopus designed adjustable head strap Polycarbonate, convex shield with high impact construction, allows user to retain 85% of their natural sight Frontal speech diaphragm enables communication Easy cleaning and replacement Includes half-mask Flame- and radiating heat-resistant EN 148/1 filter connection Designed for use with ScanFilter DIRIN	<b>SIZES</b> One size  <b>COLOURS</b> Black  <b>NORMS</b> EN 136:1998
---	--

Product code: 4512.03


DPI Mask C701 Full face breathing mask



<b>FEATURES</b> Polycarbonate shield Optical Class 1 (EN 166) Anti-fog mask certified as Class 3 (EN 136) Maximum comfort and breathability 5-point fixation Hypoallergenic material Threaded filter connection (EN 148/1) Designed for use with ScanFilter DIRIN Easy maintenance Sales quantity: 1 pc	<b>SIZES</b> One size  <b>COLOURS</b> Black  <b>NORMS</b> EN 148-1 EN 136:98 - Class 3 EN 166 - Class 1 (panoramic optical visor) STANAG 2920 (ballistic test method for personal armour materials and combat clothing)
---	---



Product code: 4520.08



### ScanFilter 100/2 A1B1

Filter for ScanMask 100/2

**FEATURES**  
Filter for organic/acid vapours, and gases  
Sales quantity: 12 pcs

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 141:2000 A1 B1  
EN 14387:2004 (respiratory protective devices)

Product code: 4521.01



### ScanFilter Dirin A2

DIRIN filter


**FEATURES**  
Filter for organic gases and vapours  
EN 148/1 connection

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4520.10



### ScanFilter 100/2 A1P3

Filter for ScanMask 100/2


**FEATURES**  
Filter for organic gas and vapours, dust, fumes, and mist  
Sales quantity: 8 pcs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A1 P3  
EN 143:2000  
EN 14387:2004 (respiratory protective devices)

Product code: 4521.04



### ScanFilter Dirin K2

DIRIN filter


**FEATURES**  
Filter for ammonia and organic ammonia derivatives

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 K2  
EN 14387:2004 (respiratory protective devices)

Product code: 4520.11



### ScanFilter 100/2 A1B1E1K1

Filter for ScanMask 100/2


**FEATURES**  
Filter for organic, inorganic, acid, and ammonia vapours and gases, excluding carbon monoxide  
Sales quantity: 8 pcs

**SIZES**  
One size

**COLOURS**  
Black and Orange

**NORMS**  
EN 141:2000 A1 B1 E1 K1  
EN 14387:2004 (respiratory protective devices)

Product code: 4521.06



### ScanFilter Dirin P2

DIRIN filter

**FEATURES**  
Filter for ammonia and organic ammonia derivatives

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 143:2000+A1:2006 P2

Product code: 4520.12



### ScanFilter 100/2 A1B1E1K1P3

Filter for ScanMask 100/2


**FEATURES**  
Combined gas, dust, fume, and mist filter  
Protection against organic, inorganic, acid, and ammonia vapours and gases, excluding carbon monoxide  
Sales quantity: 8 pcs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A1 B1 E1 K1 P3  
EN 143:2000  
EN 14387:2004 (respiratory protective devices)

Product code: 4521.08



### ScanFilter Dirin A2B2

DIRIN filter

**FEATURES**  
Filter for organic, inorganic gases and vapours

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2 B2  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.09

ScanFilter Dirin A2P2 **DIRIN filter**



**FEATURES**  
Filter for organic and inorganic gases and vapours, solid and liquid particles

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2 P2  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.16

ScanFilter Dirin A2B2E2K2 **DIRIN filter**



**FEATURES**  
Filter for organic and inorganic gases and vapours, acid gases and vapours, ammonia, and ammonia derivatives  
Sold individually

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
EN 141:2000 A2 B2 E2 K2  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.10

ScanFilter Dirin A2P3 **DIRIN filter**



**FEATURES**  
Filter for organic gases and vapours, dust, fumes and mist

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2 P2  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.17

ScanFilter Dirin A2B2E2K1P3 **DIRIN filter**



**FEATURES**  
Filter for organic and inorganic gases and vapours, solid and liquid particles, acid gases and vapours, ammonia, and ammonia derivatives

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2 B2 E2 K1 P3  
EN 14387:2004+A1:2008 (respiratory protective devices)

Product code: 4521.15

ScanFilter Dirin A2B2P3 **DIRIN filter**



**FEATURES**  
Filter for organic and inorganic gases and vapours, solid and liquid particles

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN 141:2000 A2 B2 P3  
EN 14387:2004+A1:2008 (respiratory protective devices)



Product code: 5510.42

### 3M Protecta Comfort Belt Style Fall Arrest Harness

Fall Arrest Harness



FEATURES

For fall arrest, vertical ladder climbing, work positioning  
Frontal and rear mounted large D-rings:  
steel – zinc plated black electro-deposition paint  
Pass-through buckles: steel – zinc plated black electro-deposition paint  
Adjustable legs, chest, torso and waist  
Torso spring adjuster: steel – zinc plated black electro-deposition paint  
Rear fall indicator  
Hip padding  
Auto-resetting lanyard keeper  
Hook and loop web ends  
Protected labels  
Operating temperature: -from 35°C to +57°C  
Composition: 45 mm polyester water & dirt resistant webbing  
Weight capacity: 140 kg

SIZES

XS/S – M/L – XL/2XL

COLOURS

Black & Red

NORMS

CE EN361:2002  
EN358:1999

Product code: 5510.45

### 3M Protecta Standard Vest Style Fall Arrest Harness

Standard Vest Style with Horizontal Legs



FEATURES

Rear fall arrest D-ring  
Adjustable chest strap height  
Pass through buckles  
Clear identification of fall arrest anchorage points  
Stain and water resistant webbing  
Modern black components – zinc plated steel with electro deposit paint finish  
Protected labels for long-term identification and inspection  
Articulated rings on horizontal leg straps for greater freedom of movement  
Operating temperature: -from 35°C to +57°C  
Weight capacity: 140 kg

SIZES

XS/S – M/L – XL/2XL

COLOURS

Black

NORMS

CE Certified  
EN 361

Product code: 5510.52

### 3M Protecta Comfort Belt-Style Fall Arrest Suspension Harness

Fall arrest harness with two attachment points



FEATURES

Front and rear fall arrest steel-zinc plated D-ring  
Multiple positioning attachment points  
Large cranked D-ring suspension attachment point  
Quick connecting leg buckles  
Adjustable shoulders, legs, and waist  
Front and rear fall indicators  
Dorsal/shoulder, hip, and leg padding  
Two auto-resetting lanyard keepers  
Gear/tool loops  
Protected labels  
45 mm water- and dirt-resistant polyester webbing  
Polyester threading  
Operating temperature range: -35°C/ +57°C (-31°F / 135°F)  
Weight capacity: 140 kg (308.6 lbs)

SIZES

S – M/L – XL

COLOURS

Black & Red

NORMS

CE Certified  
EN 361:2002 (full body fall arrest harness)  
EN 358:2018 (work positioning belt)  
EN 813:2008 (sit harness)

Product code: 5510.44

### 3M Protecta Pro Welders Harness

Welders Harness



FEATURES

5 adjustable points  
Pass through steel buckles  
Large rear D-ring  
Label pouch  
Torso adjusters  
Fall Indicators  
Composition: 45 mm modacrylic Kevlar® webbing  
Stitching: high strength Kevlar® thread  
Buckles: high strength zinc-plated steel pass through  
D-rings: zinc plated wrought steel  
Breaking strength: > 2600daN

SIZES

M/L

COLOURS

Orange

NORMS

CE Certified  
EN 361

Product code: 5510.46

### DBI Sala Delta Harness with quick connect buckles

Fall Protection Harness



FEATURES

Water repellant webbing to reduce attraction of mold and dirt  
Lanyard keepers  
Torso size adjuster  
Comfort hip padding  
Quick connect aluminium buckles  
Stand-up dorsal D-ring  
Impact indicators  
Capacity: 1 person or 140 kg  
Maximum arresting force: 6 kN MAF

SIZES

One size

COLOURS

Yellow & Blue

NORMS

CE Certified  
EN 361

Product code: 5510.47

### DBI Sala Delta Comfort harness with quick connect buckles comfort padding

Comfort Anti-Fall Harness



FEATURES

Water repellant webbing to reduce attraction of mold and dirt  
Comfort shoulder and hip padding  
Range of gear loops, connectors and storage points for tools and pouches  
Vertical torso size adjuster clips  
Lightweight aluminum alloy buckles for fast and easy connections  
Impact indicators  
Vented mesh parts for cooling  
Capacity: 1 person or 140 kg  
Maximum arresting force: 6 kN MAF

SIZES

S – M/L – XL


COLOURS

Yellow & Blue

NORMS

CE Certified  
EN 361

Product code: 5900.13



### 3M Protecta Work Positioning Belt

**Work Positioning Belt**


**FEATURES**  
Comfort pad anti abrasion cover and waterproof  
45 mm wide polyester webbing  
Stitching: high-strength polyester thread  
Breaking strength: > 2600 daN  
High-strength zinc-plated steel  
Attachment D-rings in zinc-plated forged steel  
Quick adjustment pass thru buckles  
Capacity: 140 kg

**SIZES**  
S - M/L - XL

**COLOURS**  
Black & Red

**NORMS**  
EN 358:1999

Product code: 5515.15



### 3M Protecta Steel Carabiner Hook

**Screw Carabiner**


**FEATURES**  
Screw locking  
17 mm opening  
High strength steel  
White zinc-plated  
Breaking strength: > 25 kN

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
EN 362:2004/B

Product code: 5510.30



### DBI Sala Girder Loop Heavy Duty Temporary Anchorage Point 0.83 m

**Heavy Duty Girder Loop**

**FEATURES**  
Portable, simple and quick to fit  
Rubber interior offers extremely high level of protection  
Individual serially numbered, for quality control purposes  
Maximum diameter of anchorage possible 23 cm  
Maximum square section of anchorage: 18 cm x 18 cm  
Webbing: 45mm width, 100% polyester  
Breaking strength: >3400 daN  
Thread: high strength, 100% polyester  
Triangular links: breaking strength > 2200 daN,  
8 mm diameter bar, stainless steel with polished finish  
System breaking Strength: >15 KN

**SIZES**  
0.83 m

**COLOURS**  
-

**NORMS**  
EN 795, Class B

Product code: 5525.38



### 3M Protecta Sling Galvanised steel 1 m

**Sling Sleeve Anchorage System**


**FEATURES**  
Use for temporary anchoring around a rigid support  
Galvanized cable, 6 mm diameter  
Length: 1 m thimble loop  
Metallic thimble  
Breaking strength: >2000 daN

**SIZES**  
1 m

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 795, Class B

Product code: 5510.31



### DBI Sala Choking Girder Loop Heavy Duty Temporary Anchorage Point 2 m

**Heavy Duty Choking Girder Loop**

**FEATURES**  
Portable, simple and quick to fit  
Rubber interior offers extremely high level of protection  
Individual serially numbered, for quality control purposes  
Stainless steel half round D-links  
6 mm thick cloth reinforced rubber anti-slip interior surface  
Webbing: 45mm width, 100% polyester  
Breaking strength: >3400 daN  
Thread: high strength, 100% polyester  
Triangular links: breaking strength > 2200 daN,  
8 mm diameter bar, stainless steel with polished finish  
System breaking Strength: >15 KN

**SIZES**  
2 m

**COLOURS**  
Blue

**NORMS**  
EN795, Class B

Product code: 5515.12



### 3M Protecta Manucroche Connector

**Manucroche Anchor Connector**

**FEATURES**  
Thread diameter 6 mm  
Stainless steel AISI 302  
Electro polishing  
Plastic handles  
Breaking strength: 2450 daN

**SIZES**  
40 cm

**COLOURS**  
Blue & Red

**NORMS**  
EN 362  
EN 0082  
EN 037  
EN 160  
EN 10  
EN 93  
EN 46463B



3M Protecta Work Positioning Rope Lanyard **Lanyard**



FEATURES		SIZES
Rope: polyamide white colour		1.5 m
10,5 mm diameter		2.0 m
Identification thread		
Yellow and red wear indicator		
Double locking (A & B) Snap Hook		<b>COLOURS</b>
White zinc plated (A & B)		White & Red
High strength steel		<b>NORMS</b>
System breaking strength: 2200 daN		EN 354
1,5 metre length	Product code: 5525.68	
2,0 metre length	Product code: 5525.69	

3M Protecta Pro Welders Twin Leg Shock Absorbing Lanyard with Scaffolding Hook **Welders Lanyard**



FEATURES		SIZES
Heat-resistant up to 371°C (700°F)		1.5 m
Steel twist lock carabiner, 17 mm opening (23kN)		2.0 m
Steel scaffold hooks, 50 mm opening (25 kN)		
Composition: reinforced webbing with Nomex®/Kevlar®		<b>COLOURS</b>
Weight Capacity: 100 kg		Black
1,5 metre length	Product code: 5520.65	<b>NORMS</b>
2,0 metre length	Product code: 5520.66	EN 355:2002

Product code: 5520.45

3M Protecta Rope Lanyard 1.3 m **Y-lanyard**



FEATURES		SIZES
Rope: polyamide white colour		1.3 m
10,5 mm diameter		
Identification thread		<b>COLOURS</b>
Yellow and red wear indicator		White & Red
1x screw type carabiner 3M Protecta Steel Carabiner Hook		<b>NORMS</b>
2x snap hook 3M Protecta Automatic Snap Hook (steel)		EN 354
High strength steel		
System breaking strength: 2200 daN		

Product code: 5525.66

3M Protecta Shock Absorbing Lanyard 2 m **Shock Absorbing Lanyard with Rope Single Leg**



FEATURES		SIZES
Connector-A:		2 m
Snap hook		
Self-locking		<b>COLOURS</b>
Breaking strength: 22 kN		Black & Red
Opening: 19 mm		
Material: steel – zinc plated		<b>NORMS</b>
Connector-B:		CE Certified
Scaffold hook		EN 355:2002
Self-locking		
Breaking strength: 23 kN		
Opening: 50 mm		
Material: steel – zinc plated		
Composition: polyamid / polyester		
Weight capacity: min. 50 kg / max. 140 kg		
Maximum peak force: <6 kN		
Operating temperature: -35°C / +57°C		

3M Protecta Pro Welders Single Leg Shock Absorbing Lanyard with Scaffolding Hook **Welders Lanyard**



FEATURES		SIZES
Heat-resistant up to 371°C (700°F)		1.5 m
Steel twist lock carabiner, 17 mm opening (23kN)		2.0 m
Steel scaffold hook, 50 mm opening (25 kN)		
Composition: reinforced webbing with Nomex®/Kevlar®		<b>COLOURS</b>
Weight Capacity: 100 kg		Black
1,5 metre length	Product code: 5520.60	<b>NORMS</b>
2,0 metre length	Product code: 5520.61	EN 355:2002

Product code: 5525.62

3M Protecta Shock Absorbing Lanyard Rope 1.8 m Twin Legs **Shock Absorbing Lanyard**



FEATURES		SIZES
Connector-A:		1.8 m
Oval carabiner		
Screw gate		<b>COLOURS</b>
Breaking strength: 25 kN		Black & Red
Opening: 17 mm		
Material: steel – zinc plated		<b>NORMS</b>
Connector-B:		CE Certified
Scaffold hook		EN355:2002
Self-locking		
Breaking strength: 23 kN		
Opening: 50 mm		
Material: steel – zinc plated		
Composition: polyamid / polyester		
Weight capacity: min. 50 kg / max. 140 kg		
Maximum peak force: <6 kN		
Operating temperature: -35°C / +57°C		

3M Protecta Shock Absorbing Lanyard  
Shock Absorbing Lanyard with Elastic Single Leg



- FEATURES**

Connector-A:  
Oval carabiner  
Twist lock self-locking  
Breaking strength: 25 kN  
Opening: 18 mm  
Material: steel – zinc plated

Connector-B:  
Scaffold hook – anchor end  
Self-locking  
Breaking strength: 23 kN  
Opening: 50 mm  
Material: steel – zinc plated  
Material: polyester

Composition: polyester  
Weight capacity: min. 50 kg / max. 140 kg  
Maximum peak force: <6 kN  
Operating temperature: -35°C / +57°C
- SIZES**

1.5 m  
2.0 m

**COLOURS**

Black & Red

**NORMS**

CE Certified  
EN 355:2002

1,5 metre length	Product code: 5525.65
2,0 metre length	Product code: 5525.57

3M Protecta Shock Absorbing Lanyard Elastic Webbing Twin legs Shock  
Absorbing Lanyard with Elastic Twin Legs



- FEATURES**

Connector-A:  
Oval carabiner  
Twist lock self-locking  
Breaking strength: 25 kN  
Opening: 18 mm  
Material: steel – zinc plated

Connector-B:  
Scaffold hook – anchor end  
Self-locking  
Breaking strength: 23 kN  
Opening: 50 mm  
Material: steel – zinc plated

Weight capacity: min. 50 kg / max. 140 kg  
Maximum peak force: <6 kN  
Operating temperature: -35°C / +57°C
- SIZES**

1.5 m  
2.0 m

**COLOURS**

Black & Red

**NORMS**

CE Certified  
EN 355:2002

1,5 metre length	Product code: 5525.60
2,0 metre length	Product code: 5525.61

Product code: 5526.00



3M Protecta Rebel Self-Retracting Lifeline 2 m Self-Retracting Lifeline

- FEATURES**

Single-leg  
UV-resistant  
Connection at shoulder level  
Zinc plated snap hook  
Opening: 17 mm  
Composition: 25 mm wide polyester webbing  
Housing: nylon  
Recall spring material: stainless steel  
Capacity: 140 kg
- SIZES**

2 m

**COLOURS**

Red & Black

**NORMS**

CE Certified  
EN360:2002

Product code: 5526.20



3M Protecta Rebel Leading Edge 12 m Self-Retracting Lifeline

- FEATURES**

Thermoplastic housing  
12 m length galvanised cable  
Protection against sharp, abrasive, and leading edges  
Zinc lifeline hook and zinc anchorage hook  
Swiveling self-locking snap hook with indicator  
Side lifeline with ergonomic handle  
Self-locking anchorage carabiner  
Capacity: 140 kg
- SIZES**

12 m

**COLOURS**

Red & Black

**NORMS**

CE Certified  
EN360:2002

3M Protecta Lifeline (stainless steel) Self-Retracting Lifeline



- FEATURES**

Thermoplastic housing  
Stainless steel cable  
Ergonomic carrying handle and cable handle  
Side cable exit  
Swivel hook  
Impact indicator  
Self-locking snap hook  
Capacity: 140 kg

10 metre length  
15 metre length  
20 metre length  
25 metre length
- SIZES**

10 m  
15 m  
20 m  
25 m

**COLOURS**

Red

**NORMS**

EN 360
- Product code: 5526.10  
Product code: 5526.08  
Product code: 5526.06  
Product code: 5526.12



3M Protecta Rebel Lifeline (galvanised) **Self-Retracting Lifeline**



FEATURES		SIZES
Thermoplastic housing		10 m
Galvanised steel cable		15 m
Ergonomic carrying handle and cable handle		20 m
Side cable exit		
Swivel hook		
Impact indicator		
Self-locking snap hook		
Capacity: 140 kg		
		COLOURS
		Red
		NORMS
		EN 360
10 metre length	Product code: 5526.11	
15 metre length	Product code: 5526.09	
20 metre length	Product code: 5526.07	

Product code: 5525.86



3M Protecta Pro Line Temporary Lifelines 20 m **Temporary Horizontal Lifeline**

FEATURES		SIZES
Ratchet handle to tension the lifeline		20 m
Fall Arrest rated for 2 users		
Built-in shock absorber reduces end loadings to preserve the structure		
Storage bag included		
		COLOURS
		Red
		NORMS
		CE Certified
		EN 795, Class C

Product code: 5525.26

3M Protecta Rebel SLR with Sling 1.5 m **Single Lifeline**



FEATURES		SIZES
Galvanised steel cable		1.5 m
Swivel hook		
Capacity: 140 kg		
		COLOURS
		-
		NORMS
		CE Certified
		EN 360

3M Protecta Viper Rope Grab & Viper LT Kernmantle Rope **Rope Grab with Energy Absorber**



FEATURES		SIZES
Vertical fall arrest 140 kg user		5 m
Rooftop work restraint 100 kg user		10 m
Rooftop fall arrest 100 kg user		15 m
Energy absorber for fall arrest applications		20 m
Fall arrest device with automatic locking function		25 m
System breaking strength: > 15 kN		30 m
Vipex LT Kernmantle rope Ø 12.5 mm		
		COLOURS
		-
		NORMS
		EN 353
		EN 358
5 metre length	Product code: 5520.49	
10 metre length	Product code: 5520.50	
15 metre length	Product code: 5520.51	
20 metre length	Product code: 5520.52	
25 metre length	Product code: 5520.53	
30 metre length	Product code: 5520.54	

Product code: 5525.70

3M Protecta Mobile Tripod Anchorage System **Mobile Tripod Anchorage System**



FEATURES		SIZES
Telescopic adjustable feet		1,69 m (closed up)
Automatic locking legs when opening		
Stabilizer pad on each foot		
4 high strength anchorage points		
Aluminium section design		
Cast head in high-strength aluminium		
8 height setting points (1,35 m à 2,35 m)		
Working diameter : Ø 1,54 m à Ø 2,56 m		
Breaking strength: > 1200 daN		
Capacity: 1 person or 140 kg		
		COLOURS
		Grey
		NORMS
		CE Certified
		EN 795:2012, Type B

Product code: 5510.25



DBI Sala Suspension Trauma Safety Strap **Suspension Trauma Protection Set**

FEATURES		SIZES
Zipper closures		One size
Hook: heat-treated alloy steel		
Fits most harness brands, styles, and sizes		
Composition: 19 mm (0.75 inch) wide nylon webbing		
Durable 600D nylon		
Capacity: 141 kg (310 lbs)		
		COLOURS
		-
		NORMS
		-

Product code: 5515.16

3M Protecta Automatic Snap Hook (Steel) Automatic Snap Hook

**FEATURES**  
Steel snap hook: double locking  
50 mm opening  
Nickel plated  
Elastic strenght: >1750 daN  
Breaking strength: >2450 daN  
Attachment point with 20 mm diameter

**SIZES**  
One size

**COLOURS**  
-

**NORMS**  
EN 362



Product code: 5525.71


3M Protecta Rescue Winch Pulley 20 m Rescue Winch

**FEATURES**  
Winch adaptable to 3M Protecta Mobile Tripod Anchorage System  
Anti-release safety system  
Auto locking friction lining  
Reduction ratio: 4,5/1  
Average speed: 10 cm per handle revolution  
Stainless steel Ø 5 mm / 20 m with snap hook swivel  
Breaking Strenght: 1,2 T  
Composition: zinc steel and apoxy black paint  
Capacity: 1 person or 136 kg

**SIZES**  
20 m

**COLOURS**  
-

**NORMS**  
CE Certified  
EN 1496



Product code: 5520.70

DBI Sala Nano Lok for Hot Work Use Single Leg 2 m Self Retracting Lifeline for Welding, Grinding and Heat Applications

**FEATURES**  
Reinforced webbing with Nomex®/Kevlar®  
Swiveling anchorage loop  
Automatic quick-activating fall arrestor  
Impact-resistant housing  
Impact indicator  
Arc flashed to 8 calories (8 cal/cm2)  
16 kN (3.600 lb) gate hook  
Aluminium snap rebar hook, 57 mm opening  
Can be connected at foot level  
Capacity: 140 kg

**SIZES**  
2 m

**COLOURS**  
Black & Blue

**NORMS**  
CE Certified  
EN 360:2002



Product code: 5520.71

DBI Sala Nano Lok for Hot Work Use Twin Leg 2 m Self Retracting Lifeline for Welding, Grinding and Heat Applications

**FEATURES**  
Reinforced webbing with Nomex®/Kevlar®  
Swiveling anchorage loop  
Automatic quick-activating fall arrestor  
Impact-resistant housing  
Impact indicator  
Arc flashed to 8 calories (8 cal/cm2)  
16 kN (3.600 lb) gate hook  
Alumimium snap rebar hooks, 57 mm opening  
Can be connected at foot level  
Capacity: 140 kg

**SIZES**  
2 m

**COLOURS**  
Black & Blue

**NORMS**  
CE Certified  
EN 360:2002



Product code: 5525.80

DBI Sala Lift light weight winch 36 m Lightweight work support & rescue winch

**FEATURES**  
6:1 gear ratio with average lifting speed of 3.9 m/min  
Quick-mount bracket  
Free-wheel mode for operator manoeuvrability  
Overload clutch  
Safety hook with impact indicator  
Reserve lifeline  
Cable type: galvanised  
Composition: predominantly aluminium, zinc plated steel and polyethylene  
Lifting force: 315 kg  
Maximum working capacity: 160 kg  
Transportation bag included

**SIZES**  
36 m

**COLOURS**  
-

**NORMS**  
EN 1496





Product code: 5900.17

ScanSharp Apron RW **High Performance Razor Wire Apron**



FEATURES

Total length 91 cm (35.8 in)  
Adjustable at neck and waist  
Comfortable fit  
Extra wide chest profile for excellent protection  
Exceeds cut level 5  
Applications: razorwire, beveling, glass handling  
Shell fabric: Superfabric® (USA) 57% Polymer, 43% Polyester  
Polyester mesh lining  
Sales quantity: 1 piece

SIZES

One size

COLOURS

Black/orange

NORMS

CE Certified  
EN ISO 13688:2013+A1:2021 (general requirements)  
EN 388:2016+A1:2018 (4542) (mechanical risks)

ANSI105:2016 (cut resistance level A7)

*Designed to be worn in combination with ScanSharp Gauntlets and also available in the ScanRazorwire kit.*

Product code: 5800.06

ScanFoundry **Leather Welding Apron**



FEATURES

Protection against welding hazards  
Adjustable straps at waist and neck  
Total length: 90 cm (35.43 in)  
Bottom width: 68 cm (26.77 in)  
Cowhide leather

SIZES

One size

COLOURS

Beige

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN ISO 11611:2015 Class 2, A1+A2

Product code: 5900.19

ScanCorePro Apron **Chemical Splash Apron**



FEATURES

CE Category III  
Protection against liquid chemicals  
Impermeable to hydrochloric acid (HCl), sodium hydroxide (NaOH), sulphuric acid (H2SO4) and butanol  
Adjustable at neck and waist  
Comfortable fit and re-usable  
Including separate extension strap to enlarge the waist  
Buckle system for quick and easy fastening  
Flexible and lightweight shell fabric  
High abrasion and tear resistance  
Total lenght 110 cm (43.3in)  
Extra wide chest profile for excellent protection  
Shell fabric: 50% Pu, 50% Polyester, PU coated  
Sales quantity: 1 piece

SIZES

One size

COLOURS

Navy

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 14605:2005+A1:2009 - Type 3 PB (chemical protection)

Product code: 5900.18

ScanKryo Apron **Cryogenic Apron**



FEATURES

CE Category III  
Protection against cryogenic liquids and gases  
Adjustable at neck and waist  
Waterproof material  
Comfortable fit  
Total length: 110 cm (43.3 in)  
Extra wide chest profile for excellent protection  
Including separate extension strap to enlarge the waist  
46% Polyurethane, 46% Nylon, 5% Polyester, 2% Spandex, 1% Rubber  
Sales quantity: 1 piece

SIZES

One size

COLOURS

Blue

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 388:2016+A1:2018 (4242X) (mechanical risks)  
EN 511:2006, approved to flexing at extremely low temperatures (-50°C/-58°F) (cold protection)  
Tests conducted using liquid nitrogen

*Designed to be worn in combination with ScanKryo Gauntlets & ScanKryo Shoecover, and also available in the ScanKryo Kit.*

Product code: 5900.25

ScanInferno MED-approved firefighter suit



FEATURES

Designed for firefighters in the maritime sector  
Helmet with leather neck guard and retractable visor  
Heat-resistant, flame-retardant aluminized aramid fiber jacket, and trousers with suspenders  
5-finger aluminized gloves  
Press stud front closures and fire-retardant safety flap backed by Velcro and Kevlar seams  
Nitrile rubber boots, S5, anti-static, anti-acid, anti-flame  
Storage bag

SIZES

One size

COLOURS

-

NORMS

MED  
ISO 15538:200  
SOLAS approved  
Wheelmarking

Special item: please allow up to 14 working days for delivery

Product code: 5901.25

ScanExplorer Two-piece Firefighter Suit — Anti-static



FEATURES

High collar with reflective strip  
Silicone-coated carbon Kevlar® shoulder and elbow protection  
Velcro zipper closure against heat and water damage  
Two "D" rings between pockets on chest and arms  
Two microphone holders and headlamp mounting  
Trousers with adjustable waistband and elasticized braces  
Abrasion, perforation, and cut protection at knees (Kevlar®)  
Waterproof inserts beneath zippers on trouser legs  
Absorbent barrier in hems of trouser legs  
Adjustable cuffs (Nomex®)  
Velcro strip for name badge  
Nomex® outershell 195 gr/sqm  
Water and dirt-repellent fluorocarbon impregnation  
Breathable, windproof and waterproof inner membrane  
Two layer thermal lining (aramid/FR viscose and Kevlar® felt)

SIZES

S - M - L - XL - 2XL - 3XL - 4XL

COLOURS

-

NORMS

EN 469:2005+A1:2006  
EN 1149-5:2008

Special item: please allow up to 14 working days for delivery

Product code: 5600.01

ScanChem Green Chemical Suit



FEATURES

Zipper closure under doubled storm cover  
Elasticated hood  
Velcro and stud button double placket closure  
Elasticated sleeve cuffs  
Elasticated trouser cuffs with elastic footwear band  
Water- and wind proof  
100% polyester with PVC coating

SIZES

S - M - L - XL - 2XL - 3XL

COLOURS

Green

NORMS

CE Certified  
EN ISO 13688:2013 (general requirements)  
EN 14605:2005 + A1:2009 Type 3 (liquid chemicals)  
EN 14605:2005 + A1:2009 Type 4 (liquid chemicals)  
EN 343:2003 + A1:2007 Class 3-1 (foul weather)

Product code: 5700.01

ScanAway Disposable Coverall



FEATURES

Microporous nonwoven fabric  
Breathable  
One-piece coveralls  
Elasticized hood, cuffs, waist (at back) and ankles  
Contrasting navy blue zipper closure with self-adhesive flap  
65 gsm (1.9 oz/yd)  
Sales quantity: 50 pcs/box

SIZES

S - M - L - XL - 2XL

COLOURS

White

NORMS


CE Certified  
EN 13688:2013 (general requirements)  
EN 13034:2005+A1:2009 Type 6B (chemical splash-proof clothing)  
EN ISO 13982-1:2004+A1:2010 Type 5B (solid particle-tight clothing)  
EN 14126:2003+AC:2004 Class 6 (protection against infective agents)  
EN 1073-2:2002 Class 1 (protection against radioactive contamination)  
EN 1149-5:2018 (anti-static)



Product code: 5900.02

ScanKneePad

Kneepads



FEATURES

Soft and durable  
High performance shock absorption  
Cut-to-measure  
100% polyethylene  
Sales quantity: per pair

SIZES

One size

COLOURS

Grey

NORMS

-

*We recommend wearing these with the Scandia boiler suits, and trousers equipped for use with kneepads*

Product code: 5900.01

ScanKneePad with strap

Knee protection with Velcro strap



FEATURES

Level 1 protection  
Main pad: comfortable, sturdy EVA foam with mesh cover  
Protective cap: high-impact, shock-absorbing PE  
Backed by: adjustable elastic straps, PP webbing, and Velcro closures  
Weight range C protection, intended for use by persons weighing at least 50 kg  
Sales quantity: per pair

SIZES

S - M - L

COLOURS

Black

NORMS

CE Certified  
EN 14120:2003+A1:2007

Product code: 5900.05

ScanElbowPad with strap

Elbow protection with Velcro strap



FEATURES

Level 1 protection  
Main pad: comfortable, sturdy EVA foam with mesh cover  
Protective cap: high-impact, shock-absorbing PE  
Backed by: adjustable elastic straps, PP webbing, and Velcro closures  
Weight range C protection, intended for use by persons weighing at least 50 kg  
Sales quantity: per pair

SIZES

S - M - L

COLOURS

Black

NORMS

CE Certified  
EN 14120:2003+A1:2007

Product code: 5900.11

ScanSupport 002

Back support belt



FEATURES

Back support for heavy lifting  
Elasticized  
Velcro closure  
Inclusive of braces

SIZES

S/M - L XL

COLOURS

Black

NORMS

-

Product code: 3020.60

Streamlight HeadsUp Light

HeadsUp Light headlamp



FEATURES

Rubber strap and cloth strap included  
Light output: 85 lumens  
C4-led  
Inclusive 3 AAA batteries

SIZES

One size (adjustable)

COLOURS

-


NORMS

CE approved  
EN 60079-0:2012  
EN 60079-11:2012  
EN 60079-26: 2007  
Atex zone 0 Explosion proof

Product code: 3020.71

Peli HeadsUp Light 2755

HeadsUp Lite headlamp for use on helmet



FEATURES

Bright, lightweight head torch for harsh conditions  
High, low, and flashing modes  
Weather resistant casing which allows for fast and easy battery change  
Low battery warning  
Rubber Strap included  
Safety approved for ATEX Zone 0  
Light output: 72 lumens  
Beam distance: 57 meters  
Inclusive 3 AAA batteries

SIZES

One size (adjustable)

COLOURS

-

NORMS

CE approved  
EN 60079-0:2009  
EN 60079-11:2012  
EN 60079-26: 2007  
Atex zone 0 Explosion proof

Product code: 5830.21

Peli 3315Z0 Medium Light

Lightweight, compact LED torch



FEATURES

Anti-static, impact-resistant modified PC/PBT body  
Anti-static coated polycarbonate (PC) lens  
Length: 15.6 cm  
Light output: 138 lumens  
Beam distance: 146m  
Run time: 19 hours  
Water penetration rating: IP67  
ATEX approved  
Inclusive 3 AA batteries

SIZES

One size

COLOURS

HV Yellow

NORMS

CE approved  
Atex zone 0 Explosion proof  
EN 60079-0:2012  
EN 60079-11:2012  
EN 60079-26:2007

Product code: 7000.16

ScanWhistle

Referee whistle



FEATURES

Chromed steel  
Sales quantity: 12 pcs/box

SIZES

One size

COLOURS

-

NORMS

-





**SCANVIGOR 90L**  
Water Repellent Duffle Bag, page 146



**SCANVIGOR 90L**  
Water Repellent Duffle Bag, page 146

**SCANRALLY REFLECT**  
Boiler Suit, page 17







↑  
SCANANSARI  
Backpack, page 147

→  
SCANANSARI  
Backpack, page 147





Product code: 1029.11

ScanVigor 40L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin  
Wide top closure for easy access  
Waterproof YKK zipper closures at side compartments  
Lockable zipper closure  
Inside mesh compartment  
Inside tarpaulin compartment  
Concealable backpack straps  
Volume: 40L (10.6 Gal.)  
Max. weight 20 kgs (44 lbs.)  
Reinforced bottom 100% PES  
Dimensions (LxWxH): 58 x 24 x 26 cm (22.8 x 9.5 x 10.2")  
Option of adding custom logo  
80% PVC, 20% PES

SIZES

40 L

COLOURS

Cobalt Blue

NORMS

-

Product code: 1029.12

ScanVigor 70L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin  
Wide top closure for easy access  
Waterproof YKK zipper closures at side compartments  
Lockable zipper closure  
Inside mesh compartment  
Inside tarpaulin compartment  
Concealable backpack straps  
Volume: 70L (18.5 Gal.)  
Max. weight 22 kgs (48.4 lbs.)  
Dimensions (LxWxH): 68 x 34 x 36 cm (26.8 x 13.4 x 14.2")  
Option of adding custom logo  
80% PVC, 20% PES

SIZES

70 L

COLOURS

Orange  
Anthracite

NORMS

-

Please note: ScanVigor 70L colour orange will be discontinued once our existing inventory is sold.

Product code: 1029.13

ScanVigor 90L Water Repellent Duffle Bag



FEATURES

Durable laminated tarpaulin  
Wide top closure for easy access  
Waterproof YKK zipper closures at side compartments  
Lockable zipper closure  
Inside mesh compartment  
Inside tarpaulin compartment  
Concealable backpack straps  
Volume: 90L (23.8 Gal.)  
Max. weight 25 kgs (55 lbs.)  
Reinforced bottom 100%PES  
Dimensions (LxWxH): 75 x 36 x 38 cm (29.5 x 14.2 x 15")  
Option of adding custom logo  
80% PVC, 20% PES

SIZES

90 L

COLOURS

Anthracite

NORMS

-

Product code: 1029.20

ScanAnsari Backpack



FEATURES

Shell in 600D, polyester coated PVC  
Stable carrying system offers the maximum comfort  
Adjustable and lockable waistband  
Includes pocket for mobile phone  
Volume: ca 23L  
Dimensions: 33 cm x 42 cm x 17 cm

SIZES

One size

COLOURS

Black

NORMS

-

Product code: 1029.90

ScanBagID Luggage Name Tag



FEATURES

Personalised luggage / safety kit name tag  
Quick and easy identification  
Silver metal eyelet and O-ring for bag connection  
Dimensions L x W: 16 x 3 cm (6.3 x 1.2 in)  
Maximum print length: 12 cm (4.7 in)  
Maximum 14 print characters  
CR Neoprene 3mm (0.1 in)  
Sales quantity: 1 pc

SIZES

One size

COLOURS

Black

NORMS

-



↓  
**SCANOZONE**  
S3 Safety Sneaker, page 153

→  
**SCANVIBE**  
Summer Work Jacket, page 29

**SCANTEE**  
T-shirt, page 61

**SCANCARGO**  
Multi-Pocket Trousers, page 36

**SCANNERO**  
S3 Leather Safety Shoe, page 152







**SCANTEE**  
T-shirt, page 61

**SCANCARGO**  
Multi-Pocket Trousers, page 36

**SCANSANDAL**  
S1P Leather Safety Sandal, page 152



**SCANALLIANCE FR**  
Offshore Boiler Suit — Multi-Hazard, page 19

**SCANRAIDER**  
S3 Summer Rigger Boot, page 157





Product code: 2550.02



**ScanNero S3 Leather Safety Shoe**

**FEATURES**  
S3 shoe  
Upper in water-resistant LWG grain leather and nylon  
Lining in PET-air mesh  
Composite toecap (sizes 47 and 48 Aluminium toecap)  
Proflex antiperforation midsole  
Latex, antibacterial and antimicrobial insole  
Designed specifically for the shipping and offshore industries  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outersole ensures extra durability  
Fuel-Oil resistant outersole  
X-tra grip on wet and oil surface

**SIZES**  
36 - 48 (EU)  
3.5 - 13 (UK)  
4.5 - 14 (USA)


**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.06



**ScanSandal S1 Leather Safety Sandal**

**FEATURES**  
S1 sandal  
Upper in microfiber nubuck touch  
Lining in PET-air net  
Composite toecap  
Proflex antiperforation midsole  
Anatomical formed recycled PET insole  
Designed specifically for wear in hot climates  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outsole ensures extra durability  
Fuel-Oil resistant outersole

**SIZES**  
38 - 47 (EU)  
5 - 12 (UK)  
6 - 13 (USA)

**COLOURS**  
Black and Blue


**NORMS**  
CE Certified  
EN ISO 20344:2021 (methods for footwear)  
EN ISO 20345:2022 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SR (slip resistance)

*Please note: the design of our ScanSandal has been updated. We will begin shipping this new design following the sale of our existing inventory.*

Product code: 2550.48



**ScanRugged S3 Safety Sneaker**

**FEATURES**  
S3 sneaker  
Upper in water-resistant nubuck, suede, leather, microfiber and breathable material  
Lining in PET-air mesh  
Fibreglass toecap  
Non metallic midsole  
PE Washable insole  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outersole ensures extra durability

**SIZES**  
36 - 47 (EU)  
3.5 - 12 (UK)  
4.5 - 13 (USA)


**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.52



**ScanOzone S3 Safety Sneaker**

**FEATURES**  
S3 sneaker  
Upper in water-resistant recycled PET with dirt repellent finish  
Sock collar in Neoprene material  
Recycled PES laces  
Composite toecap  
Recycled PET Dynablock midsole for increased breathability, flexibility, and excellent, lightweight wearing comfort  
Shock and energy absorbing inlet, made from recycled PU, reduces shoe's weight  
PU recycled anatomical foam insole  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outsole ensures extra durability

**SIZES**  
38 - 47 (EU)  
5 - 12 (UK)  
6 - 13 (USA)


**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.50



**ScanTraction S3 Microfibre ESD Safety Shoe**

**FEATURES**  
SS3 ESD shoe  
Microfibre and polyester twill upper with dirt repellent finish  
Lining in PET air mesh  
Composite toecap (sizes 47 and 48 aluminium toecap)  
Proflex anti-perforation midsole  
PU anatomical foam insole  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing, anti-fatigue heel  
Dual density PU/PU outersole ensures extra durability  
Fuel-Oil resistant outsole

**SIZES**  
39 - 48 (EU)  
6 - 13 (UK)  
7 - 14 (USA)


**COLOURS**  
Navy

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)  
IEC 61340-5-1:2016 ESD

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2550.54



**ScanFarox S3 Safety Sneaker with ATOP Smart Lacing**

**FEATURES**  
S3 sneaker  
Upper in water-resistant microfibre nubuck suede and polyester mesh  
Sock collar in Neoprene material  
ATOP reel knob lacing system  
Composite toecap  
Proflex anti-perforation midsole  
Shock- and energy-absorbing inlet, reduces shoe's weight  
PU anatomical foam insole with anti-odor finish  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outsole ensures extra durability

**SIZES**  
36 - 48 (EU)  
3.5 - 13 (UK)  
4.5 - 14 (USA)

**COLOURS**  
Grey

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2560.01



### ScanBro

**Luxury Leather Safety shoe with steel toe cap**

**FEATURES**

Upper in water repellent grain leather  
Lining in breathable, abrasion-resistant leather  
Steel toecap, PU flex sole  
Padded heel for extra comfort  
Anti-static sole  
Shock absorbing heel

**SIZES**

39 - 47 (EU)  
6 - 12 (UK)  
7 - 13 (USA)

**COLOURS**

Black

**NORMS**

EN ISO 20345:2012 (safety footwear)

Product code: 2530.01



### ScanMoccasin

**S2 Safety Moccasin**

**FEATURES**

S2 shoe  
Upper in Dry-Tek (2mm) coated PU microfiber  
Lining in PET-air net  
Composite toecap  
Latex, antibacterial and antimicrobial insole  
Shock absorbing heel  
Toe protection against 200 Joule impact  
Anti-static  
Dual density PU/PU outersole ensures extra durability  
Fuel-Oil resistant outersole  
Water-resistant (WPA) and breathable upper  
X-tra grip on wet and oil surfaces  
Washable at 30°C (86°F)

**SIZES**

38 - 47 (EU)  
5 - 12 (UK)  
6 - 13 (USA)

**COLOURS**

White  
Black

**NORMS**

CE Certified  
EN ISO 20344:2021 (methods for footwear)  
EN ISO 20345:2022 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SR (slip resistance)

Product code: 2550.20



### ScanSentry

**SB Leather Safety Clog**

**FEATURES**

SB Clog  
Flexible upper with heel strap, padded instep, and microfiber insole  
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption  
Heat resistant sole up to 140°C (284°F)  
Anti-static sole  
Shock absorbing heel  
SRC

**SIZES**

36 - 46 (EU)  
3.5 - 13 (UK)  
4.5 - 14 (USA)

**COLOURS**

White  
Black

**NORMS**

CE Certified  
EN ISO 20345:2011 (safety footwear)

SRC compliant

Product code: 2550.22



### ScanBrigade

**SB Leather Safety Clog**

**FEATURES**

SB Clog  
Safety clogs with padded instep, elastic heel strap, microfiber insole, over cap, and Kevlar midsole  
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption  
Sole resists heat up to 140°C (284°F)  
Shock absorbing heel  
SRC

**SIZES**

36 - 46 (EU)  
3.5 - 14 (UK)  
4.5 - 15 (USA)

**COLOURS**

White  
Black

**NORMS**

CE Certified  
EN ISO 20345:2011 (safety footwear)

SRC compliant

Product code: 2550.24



### ScanCommodore

**O1 Leather Safety shoe**

**FEATURES**

O1 clogs  
Flexible upper with heelstrap, padded instep, and microfiber insole  
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption  
Heat resistant sole up to 140°C (284°F)  
Shock absorbing heel

**SIZES**

35 - 51 (EU)  
3 - 15 (UK)  
4 - 16 (USA)

**COLOURS**

White  
Black

**NORMS**

CE Certified  
EN ISO 20347:2012 (occupational footwear)

SRC compliant

Product code: 2550.26



### ScanCadet

**S3 Leather Safety Clog**

**FEATURES**

S3 clogs  
Flexible water repellent upper with counter, padded instep, over cap, and microfiber insole, and Kevlar midsole  
Anti-static, fuel-oil resistant PU sole with 3 point shock absorption  
Sole resists heat up to 140°C (284°F)  
Shock absorbing heel

**SIZES**

35 - 51 (EU)  
3 - 15 (UK)  
4 - 16 (USA)

**COLOURS**

White  
Black

**NORMS**

CE Certified  
EN ISO 20345:2011 (safety footwear)


SRC compliant

MARITIME OUTFITTERS since 1974

155



Product code: 2540.01



### ScanTrainer S3 Leather Safety Shoe

**FEATURES**  
S3 shoe  
Upper in water-resistant LWG grain leather and nylon  
Lining in PET-air mesh  
Composite toecap (sizes 47 and 48 Aluminium toecap)  
Proflex antiperforation midsole  
Latex, antibacterial and antimicrobial insole  
Designed specifically for the shipping and offshore industries  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/PU outersole ensures extra durability  
Fuel-Oil resistant outersole  
X-tra grip on wet and oil surfaces

**SIZES**  
37 - 48 (EU)  
4 - 13 (UK)  
5 - 14 (USA)


**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2520.10



### ScanAstern S3 ESD Reflective Safety Ankle Boot

**FEATURES**  
S3 ESD reflective ankle boot  
Upper in water-resistant suede leather and reflective polyester  
Lining in breathable PET-air mesh  
Composite toecap (sizes 47 and 48 aluminium toecap)  
PU recycled anatomical foam insole  
Recycled PET Dynablock midsole for increased breathability, flexibility, and excellent, lightweight wearing comfort  
Toe protection against 200 joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU/TPU outsole ensures extra durability  
Fuel-oil resistant outsole  
Outsole grip pattern designed specifically for maritime industry

**SIZES**  
37 - 48 (EU)  
4 - 13 (UK)  
5 - 14 (USA)


**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)  
IEC 61340-5-1:2016 ESD

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

SRC (slip resistance)

Product code: 2520.05



### ScanRaider S3 Summer Rigger Boot

**FEATURES**  
Unlined S3 summer boot  
Upper in water-resistant LWG nubuck  
TPU ankle protection and moulded scuff cap  
Aluminium toecap  
Proflex antiperforation midsole  
Anatomical formed PET woven insole  
Insole cooling system  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU-Rubber outersole ensures extra durability  
Fuel-Oil resistant outersole  
Outersole resists heat up to 300°C (572°F)

**SIZES**  
38 - 48 (EU)  
5 - 13 (UK)  
6 - 14 (USA)


**COLOURS**  
Brown

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

HRO (heat resistance)  
SRC (slip resistance)

Product code: 2520.01



### ScanBoot S3 Winter Rigger Boot

**FEATURES**  
Lined S3 winter boot  
Upper in water-resistant LWG nubuck  
Lining in PET fur  
Lining insulates up to -40°C (-40°F)  
TPU ankle protection and moulded scuff cap  
Aluminium toecap  
Proflex anti perforation midsole  
Alu foil coated PE lined insole  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PU-Rubber outersole ensures extra durability  
Fuel-Oil resistant outersole  
Outersole resists heat up to 300°C (572°F)

**SIZES**  
39 - 47 (EU)  
6 - 12 (UK)  
7 - 13 (USA)

**COLOURS**  
Black

**NORMS**  
CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

CI (cold insulation)  
HRO (heat resistance)  
SRC (slip resistance)

Product code: 2520.17

ScanTitan S3 Leather Safety Ankle Boot



FEATURES

S3 ankle boot  
Upper in full grain water-resistant leather  
Alumin treated inner lining for thermal isolation  
Lining regulates foot temperature in warm and cold climate conditions  
Aluminium toecap  
Proflex antiperforation midsole  
PU anatomical foam insole  
Lace-up with lace pocket at tongue  
Easy side zip closure  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Advanced grip sole  
Dual density PU-Rubber outersole ensures extra durability  
Fuel-Oil resistant outersole  
Outersole resists heat up to 300°C (572°F)  
Ankle protection with absorbing heel

SIZES

38 - 47 (EU)  
5 - 12 (UK)  
6 - 13 (USA)

COLOURS

Black

NORMS

CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

ASTM F2413-18 (standard specification for performance requirements for protective (safety) toecap footwear)

CI (cold insulation)  
HRO (heat resistance)  
SRC (slip resistance)

Optional: ScanSpike for optimum Ice-grip while worn in cold/icy climate conditions.

Product code: 2520.04

ScanSafeStep S5 Nitrile Rubber - PVC Safety Boot



FEATURES

S5 boot  
Upper in PVC  
Steel toecap  
Steel midsole  
Toe protection against 200 Joule impact  
Anti-static  
Shock absorbing heel  
Dual density PVC/nitrilic rubber outersole  
Fuel-Oil resistant outersole

SIZES

37 - 49 (EU)  
4 - 14 (UK)  
5 - 15 (USA)

COLOURS

Black

NORMS

CE Certified  
EN ISO 20344:2011 (methods for footwear)  
EN ISO 20345:2011 (safety footwear)

SRC (slip resistance)

Product code: 2520.09

ScanFiresafe S5 Fire and Rescue Safety Boots



FEATURES

S5 boot  
Water repellent Nitrile rubber  
Anti-flame, anti-static, oil and acid-resistant  
Composite toecap and sole  
Non-slip sole  
MED-compliant  
Outer sole resists heat up to 300°C (572°F)  
Shock absorbing heel

SIZES

40 - 46 (EU)  
6.5 - 11 (UK)  
7.5 - 12 (USA)

COLOURS

Black

NORMS

EN 15090 Type 3 - compliant

MED approved

Product code: 2520.13

ScanElectrosafe SBE Dielectric Safety Boot



FEATURES

SBE boot  
Dielectric rubber  
Insulated boot protects wearer against risks associated with line-to-ground voltage faults during interventions on a 1000V alternative current power supply network  
Polymer toecap  
Slip resistant sole

SIZES

38 - 48 (EU)  
5 - 13 (UK)  
6 - 14 (USA)

COLOURS

Beige

NORMS

EN 50321:2019 class 0  
EN ISO 20345:2011 SBE HRO SRC  
EN 13287-compliant

Product code: 2520.11

ScanChemsafe S5 Liquid and Puncture Resistant Safety Boots



FEATURES

S5 boot  
Neoprene rubber  
Provides excellent resistance against acids, fuels, solvents, abrasion, and puncture  
Slip resistant sole  
Composite toecap and anti-perforation midsole

SIZES

38 - 48 (EU)  
5 - 13 (UK)  
6 - 14 (USA)

COLOURS

Black

NORMS

EN ISO 20345:2011 S5 HRO CR SRC  
EN13832-3:2006 - 3 J Q R  
EN13287-compliant

Product code: 2520.15

ScanCalverley High pressure waterproof protective boots



FEATURES

Protective, waterproof boot provides up to 500 bar/7500 psi  
Impervious to water, backed by a textile inner lining to ensure wearer's comfort  
Steel toecap and inserts for maximum safety and durability  
Cleated sole designed to reduce slipping  
Strap on boot shaft allows for adjustment  
Can be outfitted with spikes for wear in icy conditions  
Easy to put on and remove

SIZES

36 - 48 (EU)  
3.5 - 13 (UK)  
4.5 - 14 (USA)

COLOURS

Black/Yellow

NORMS


CE-certified  
EN ISO 20345:2011 SB SRA P FO

Please note: the colour of the ScanCalverley has been updated with a change from Black/Blue to Black/Yellow. We will begin shipping ScanCalverley in Black/Yellow following the sale of our existing inventory.





Product code: 2510.08



### ScanSokket

**Ideal for wear in rubber boots**


**FEATURES**  
Controls moisture and protects against cold  
Soft interlayer creates a cozy, comfortable interior for rubber boots

**SIZES**  
36/37 - 50/51 (EU)  
3.5/4 - 14.5/15 (UK)  
4.5/5 - 15.5/16 (USA)

**COLOURS**  
Blue

**NORMS**  
-

Product code: 5701.01



### ScanCovert

**Re-usable anti-slip shoe covers — Recycled materials**

**FEATURES**  
Re-usable, durable, water-resistant, anti-slip shoe covers  
Indoor use on slippery floors and/or hygienic use  
Designed to wear in combination with S3 footwear  
Elasticised opening  
Heel strap for easy on/off  
Ambidextrous  
Size indication by colour  
Washable at 40°C (104°F)  
Upper: 100% recycled polyester  
Bottom: 100% rubberised polyester  
Sales quantity: 2 pairs


**SIZES**  
35/38 - 39/42 - 43/46 (EU)  
3/5 - 6/8 - 9/11 (UK)  
4/6 - 7/9 - 10/12 (USA)

**COLOURS**  
Black

**NORMS**  
CE-compliant  
EN ISO 20345:2011 (water penetration and absorption)  
EN 388:2016+A1:2018, abrasion resistance level 2

SRA-tested

Product code: 2510.27



### ScanKryo Shoecover

**Cryogenic Shoe Cover**

**FEATURES**  
CE Category III  
Protection against cryogenic liquids and gases  
Adjustable at back  
Waterproof  
Universal size and fit  
To be worn over safety shoes for added protection  
46% Polyurethane, 46% Nylon, 5% Polyester, 2% Spandex, 1% Rubber  
Sales quantity: 1 pair


**SIZES**  
One size

**COLOURS**  
Blue

**NORMS**  
CE Certified  
EN 388:2016+A1:2018 (4242X) (mechanical risks)  
EN 511:2006, approved to flexing at extremely low temperatures (-50°C/-58°F) (cold protection)  
Tests conducted using liquid nitrogen

*Designed to be worn in combination with ScanKryo Gauntlets & ScanKryo Apron, and also available in the ScanKryo Kit.*

Product code: 2510.12



### ScanLace

**Shoe laces for safety shoes**


**FEATURES**  
Provides high tearing and abrasion resistance  
Design and material guarantee that elasticity remains strong  
Firm knots ensure excellent comfort for wearer  
Length: 90 cm (35.4 in)  
Sales quantity: 12 pairs

**SIZES**  
One size

**COLOURS**  
Black

**NORMS**  
-

Product code: 5700.07



### ScanShoeCover Xtra

**Disposable Shoe Covers**


**FEATURES**  
Welded polyethylene  
Elasticated  
Size: 15 x 41 cm (5.9 x 16.1 in)  
Sales quantity: 2.000 covers

**SIZES**  
One size

**COLOURS**  
Blue

**NORMS**  
-

Product code: 2510.25



### ScanSpike

**Anti-Slip Device**

**FEATURES**  
Suitable for ice and snow  
Highly durable steel Tungsten Carbide studs  
Covers the entire heel for effective slip prevention  
Reflective 3M hi-viz SOLAS strip for additional safety in dark conditions  
Leather velcro strap with extension of 7 cm (2.6 in)  
Cold resistance up to -50°C (-58°F)  
Freeze resistant TR rubber  
Sales quantity: 1 pair

**SIZES**  
EU: M (37/39) - L (40/44) - XL (45/50)  
UK: M (4/6) - L (6.5/10), - XL (10.5/14)  
USA: M (5/7) - L (7.5/11) - XL (11.5/15)

**COLOURS**  
Black

**NORMS**  
CE Certified  
SGS Fimko in-house method PPE-43





**INSULATED IMMERSION SUIT SC-AA**  
Adults — MED Approved, page 168



**INSULATED IMMERSION SUIT SC-AA**  
Adults — MED Approved, page 168







↑  
**UNIVERSAL TESTING DEVICE**  
Including Universal maintenance and repair kit, page 170

→  
**BAG FOR SC-AA IMMERSION SUIT S/M**  
Watertight bag - colour orange, page 172





Product code: 8000.01-C1 S/M  
Product code: 8000.01-C2 L/XL

Insulated Immersion Suit SC-AA Adults — MED Approved



FEATURES

Buoyancy >150N  
Waterproof neoprene (PFC Free)  
Material suitable for limited exposure to fire (max. 2 seconds)  
Fluorescent yellow for optimum visibility  
SOLAS retro reflective tape  
Tizip® closure  
Neck pillow  
Face shield  
Corrosion-resistant whistle  
Three-fingered gloves  
Helicopter rescue belt  
Buddy line in storage pocket  
Ankle tightener  
Anti-slip soles  
Equipped with water-activated emergency light SC-LG4 (billed separately)  
Packed in a storage bag with printed donning instructions  
CR-grade Neoprene 5 mm (0.2 in)

SIZES

S/M – height 170-190 cm (5.5-6.2 ft)  
L/XL – height 190-210 cm (6.2-6.8 ft)  
Weight max. 150 kg (330 lbs)

COLOURS

Fluo Yellow

NORMS

SOLAS 74/78 as amended Reg. III/4, III/7, III/22, III/32, III/34, X/3 Resolution MSC.48(66) LSA Code I, II  
HSC Code 1994 MSC.36(63) and HSC Code 2000 MSC.97(73), 8 IMO Resolution MSC.81(70)  
MSC.207(81) – MSC.218(82) – MSC.226(82) – MSC323(89) – MSC/Circ. 1046

Product code: 8010.01

Insulated Immersion Suit SC-AA/YC Young children — 2-5 years old



FEATURES

Waterproof neoprene (PFC Free)  
Material suitable for limited exposure to fire (max 2 seconds)  
Fluorescent yellow for optimum visibility  
SOLAS retro reflective tape  
Tizip® closure  
Neck pillow  
Face shield  
Corrosion-resistant whistle  
Three-fingered gloves  
Helicopter rescue belt  
Buddy line in storage pocket  
Ankle tightener  
Anti-slip soles  
Equipped with water-activated emergency light SC-LG4 (billed separately)  
Packed in a storage bag with printed donning instructions  
CR-grade Neoprene 5 mm (0.2 in)

SIZES

Height 86-116 cm (2.8-3.8 ft)  
Weight 12-23 kg (26-51 lbs)

COLOURS

Fluo Yellow

NORMS

There is no MED approval for children's suits, however this article is the same as the Immersion Suit SC-AA for Adults.

Product code: 8010.02

Insulated Immersion Suit SC-AA/C Children — 6-10 years old



FEATURES

Waterproof neoprene (PFC Free)  
Material suitable for limited exposure to fire (max. 2 seconds)  
Fluorescent yellow for optimum visibility  
SOLAS retro reflective tape  
Tizip® closure  
Neck pillow  
Face shield  
Corrosion-resistant whistle  
Three-fingered gloves  
Helicopter rescue belt  
Buddy line in storage pocket  
Ankle tightener  
Anti-slip soles  
Equipped with water-activated emergency light SC-LG4 (billed separately)  
Packed in a storage bag with printed donning instructions  
CR-grade Neoprene 5 mm (0.2 in)

SIZES

Height 122-152 cm (4.0-5.0 ft)  
Weight 24-38 kg (53-84 lbs)

COLOURS

Fluo Yellow

NORMS

There is no MED approval for children's suits, however this article is the same as the Immersion Suit SC-AA for Adults.

Product code: 8005.01

Baby/Toddler Insert for Insulated Immersion Suit SC-AA/YC

Young children — 12-24 months old



FEATURES

Sized for children 12-24 months old  
Designed for use with Scandia Gear's Immersion Suit for Young Children (SC-AA/YC)  
Ergonomic design  
Packed in a storage bag, size 12-24 months  
CR-grade Neoprene 5 mm (0.2 in)

SIZES

Height 74-98 cm (2.4-3.2 ft)  
Weight 9,5-15 kg (20.9-33 lbs)

COLOURS

Fluo Yellow

NORMS

–

Product code: 8100.03

Sleeve Cones For use with Universal testing device for immersion suit



FEATURES

Designed to test immersion suits with detachable gloves  
Intended for use with the Universal Testing Device for Immersion Suits  
Cone shape creates a universal fit

SIZES

One size

COLOURS

-

NORMS

MED/SOLAS-verified

Product code: 8100.01

Universal Testing Device Including Universal maintenance and repair kit



FEATURES

Complies with IMO guidelines for periodic testing of seams and closures on immersion suits and anti-exposure suits  
Universal compatibility  
Stainless steel pressure gauge  
Pressing and stable board  
Connecting hose  
Universal maintenance and repair kit contains:  
- 8 pcs neoprene repair fabric  
- Spaluta polyester gauze pad  
- Tube of glue (super repair glue)  
- Sheet of sandpaper  
- Two needles in transparent tube  
- Lubricating stick for zipper  
- Tube of protection gel (parafin)  
- Sleeve cones for detachable gloves are available separately

SIZES

One size

COLOURS

-

NORMS

MED/SOLAS-verified

Product code: 8100.05

Universal Maintenance & Repair Kit For SC-AA Immersion suits



FEATURES

Universal maintenance and repair kit contains:  
- 8 pcs neoprene repair fabric  
- Spaluta polyester gauze pad  
- Tube of glue (super repair glue)  
- Sheet of sandpaper  
- Two needles in transparent tube  
- Lubricating stick for zipper  
- Tube of protection gel (parafin)  
- Sleeve cones for detachable gloves are available separately

SIZES

One size

COLOURS

Orange

NORMS

MED/SOLAS-verified

Product code: 8200.04

Emergency Light SC-LG4 Life jacket - Immersion suit light



FEATURES

Fully automatic water-activated light works in both fresh water and seawater  
Lightweight, compact design for easy storage  
White LED lamp, powered with a constant current and by microchip  
SOLAS approval no. 74/96.LSA.MSC.81/70  
EC Type Approval and MED (Ship's Wheel mark) approval  
Efficient power consumption  
Equipped with an Energize® CR2 lithium battery  
Easy to secure with built-in crocodile clip  
Push-pull switch for setting adjustment and battery check  
Classed as non hazardous transportation

SIZES

One size

COLOURS

High-Viz Yellow

NORMS

SOLAS approval  
MED /1-2C Solas 74 as amended  
Reg. III/4, III/7, III/22, III/26, III/32, III/34, X/3  
LSA Code, 2000 HSC Code 8  
EC Type Approval and MED ("Ship's Wheel" mark) approval



Product code: 8010.30



Bag for SC-AA Immersion suit S/M **Watertight bag - colour orange**

**FEATURES**  
Spare bag for Immersion Suit SC-AA S/M

**SIZES**  
S/M

**COLOURS**  
Orange

**NORMS**  
-

Product code: 8010.36



Bag for SC-AA Immersion suit for children (6-10 years) **Watertight bag - colour yellow**

**FEATURES**  
Spare bag for Immersion Suit for Children SC-AA/C

**SIZES**  
One size

**COLOURS**  
Yellow

**NORMS**  
-

Product code: 8010.31



Bag for SC-AA Immersion suit L/XL **Watertight bag - colour yellow**

**FEATURES**  
Spare bag for Immersion Suit SC-AA L/XL

**SIZES**  
L/XL

**COLOURS**  
Yellow

**NORMS**  
-

Product code: 8010.35



Bag for SC-AA Immersion suit for young children (2-5 years) **Watertight bag - colour orange**

**FEATURES**  
Spare bag for Immersion Suit for Young Children SC-AA/YC

**SIZES**  
One size

**COLOURS**  
Orange

**NORMS**  
-





**SCANRAZORWIRE KIT**

Razorwire PPE safety kit,  
page 178

**SCANPRESSURE KIT**

High pressure PPE safety kit,  
page 179



**SCANRAZORWIRE KIT**

Razorwire PPE safety kit,  
page 178







**SCANCAMBRIAN**  
High-pressure Boiler Suit, page 24

**SCANCALVERLEY**  
High pressure waterproof protective boots,  
page 159



**SCANCALVERLEY**  
High pressure waterproof protective boots,  
page 159





Product code: 5900.37

ScanKryo Kit **Cryogenic PPE safety kit**



- FEATURES**  
ScanKryo Gauntlet Pro  
ScanKryo Shoecover  
ScanKryo Apron  
ScanLuna  
ScanVisor PC  
ScanVigor 40L Cobalt  
ScanBagID

- SIZES**  
-  
  
**COLOURS**  
-  
  
**NORMS**  
-



Product code: 5900.42

ScanPressure Kit **High pressure PPE safety kit**



- FEATURES**  
ScanCambrian  
ScanCalverley  
ScanCompression  
ScanVigor 90L  
ScanBagID

- SIZES**  
-  
  
**COLOURS**  
-  
  
**NORMS**  
-



*Please note this article is only available upon request*

Product code: 5900.40

ScanRazorwire Kit **Razorwire PPE safety kit**



- FEATURES**  
ScanSharp  
ScanSharp Apron RW  
ScanVigor 40L Cobalt  
ScanBagID

- SIZES**  
-  
  
**COLOURS**  
-  
  
**NORMS**  
-











CE Certified



EN 342:2017 - Protective clothing - Ensembles and garments for protection against cold  
*(EN 342:2017 supersedes EN 342:2004)*



EN 343:2019 Protective clothing - Protection against rain  
*(EN 343:2019 supersedes EN 343:2003 +A1:2007)*



EN 465:1995 - Protection against liquid chemicals - Performance requirements for chemical protective clothing with spray-tight seams between different parts of the clothing (type 4 equipment)  
*(EN 14605:2005 supersedes EN 465:1995)*



EN 466-1:1995 - Protection against liquid chemicals - Performance requirements for chemical protective clothing with spray-tight seams between different parts of the clothing (type 3 equipment)  
*(EN 14605:2005 supersedes EN 466-1:1995)*



EN 469:2020 - Protective clothing for firefighters - Performance requirements for protective clothing for firefighting activities  
*(EN 469:2020 supersedes EN 469:2006)*



EN 1149-5:2018 - Protective clothing - Electrostatic properties - Part 5: Material performance and design requirement  
*(EN 1149-5:2018 supersedes EN 1149-5:2008)*



EN ISO 11611:2015 - Protective clothing for use in welding and allied processes  
*(EN 11611:2015 supersedes EN 11611:2007)*



EN ISO 11612:2015 - Protective clothing - Clothing to protect against heat and flame  
*(EN ISO 11612:2015 supersedes EN ISO 11612:2008)*



EN 13034:2005+A1:2009 - Protective clothing against liquid chemicals  
*(EN 13034:2005+A1:2009 supersedes EN 13034:2005)*



EN ISO 13688:2013 - Protective clothing - General requirements



EN 13758-2:2003+A1:2006 - UV protective apparel



EN 13982-1:2004 - Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing that provides full-body protection against airborne solid particulates (type 5 clothing)  
*(EN 13982-1:2004 supersedes EN 13982-1:2000 Development)*



EN 14058:2017 - Protection against cold - Garments for protection in cool environments  
*(EN 14058:2017 supersedes EN 14058:2004)*



EN 14605:2005 - Protective clothing against liquid chemicals - Type 3 or 4  
*(EN 14605:2005 supersedes EN 467:1995, EN 465:1995, EN 466-1:1995)*



EN ISO 14116:2015 - Protection against flame - Limited flame spread materials, material assemblies, and clothing  
*(EN ISO 14116:2015 supersedes EN ISO 14116:2008)*



EN ISO 15025:2016 - Protective clothing - Protection against flame - Method of test for limited flame spread  
*(EN ISO 15025:2016 supersedes EN ISO 15025:2002)*



EN ISO 20471:2013+A1:2016 - High-visibility clothing  
*(EN ISO 20471:2013+A1:2016 supersedes EN ISO 20471:2013)*



IEC 61482-2: 2009 Protective clothing against the thermal hazards of an electric arc



IEC 61482-2:2018 Protective clothing against the thermal hazards of an electric arc



ANSI/ISEA 107-2020 - American National Standard for High visibility safety apparel and accessories



AS/NZS 1906.4:2010 - Retro-reflective materials and devices for road traffic control purposes - High-visibility materials for safety garments



AS/NZS 4399:2017 Sun protective clothing - Evaluation and classification



ASTM F1506 - Protection for electrical workers exposed to momentary electric arc and related thermal hazards



NFPA 70E - Standard for Electrical Safety in the Workplace



NFPA 2112:2012 - Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire



EN ISO 374-1:2016 - Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks  
*(EN ISO 374-1:2016 supersedes EN 374-1:2003)*



EN ISO 374-2:2019 - Protective gloves against dangerous chemicals and micro-organisms - Part 2: Determination of resistance to penetration  
*(EN ISO 374-2:2019 supersedes EN 374-2:2015)*



EN 374-3: 2003 - Gloves providing protection against chemicals and microorganisms - Part 3: Determination of resistance to permeation by chemicals



EN 388:2016+A1:2018 - Protective gloves against mechanical risks  
*(EN 388:2016+A1:2018 supersedes EN 388:2016)*



EN 407:2020 - Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)  
*((EN 407:2020 supersedes EN 407:2004)*



EN 421:2010 - Protective gloves against ionizing radiation and radioactive contamination



EN 511:2006 - Protective gloves against cold



EN 659:2003+A1:2008 - Protective gloves for firefighters



EN ISO 10819:2013 - Mechanical vibration and shock - Hand-arm vibration - Measurement and evaluation of the vibration transmissibility of gloves at the palm of the hand



EN 12477:2001+A1:2005 - Protective gloves for welders



EN 21420:2019 - Protective gloves - General requirements and test methods  
*(EN 21420:2019 supersedes EN 420:2003+A1:2009)*



EN 60903 - Live working - Electrical insulating gloves







































ANSI/ISEA 105-2016 American National Standard for Hand Protection Classification



ASTM D120 -14a - Standard Specification for Rubber Insulating Gloves



			
EN 136:1998 - Respiratory protective devices - Full face masks	EN 140:1998 - Respiratory protective devices - Half masks and quarter masks	EN 143:2000+A1:2006 - Respiratory protective devices - Particle filters	EN 148-1:2019 - Respiratory protective devices - Threads for face-pieces - Part 1: Standard thread connection
			
EN 149:2001+A1:2009 - Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking	EN 166:2001 - Personal eye protection - Specifications	EN 170:2002 - Personal eye protection - Ultraviolet filters - Transmittance requirements and recommended use	EN 172:1995+A2:2001 - Personal eye protection - Sunlight filters for industrial use
			
EN 175:1997 - Personal protection - Equipment for eye and face protection during welding and allied processes	EN 352-1:2020 - Hearing protectors - General requirements - Part 1: Earmuffs <i>(EN 352-1:2020 supersedes EN 352-1:2002)</i>	EN 352-2:2020 - Hearing protectors - General requirements - Part 2: Earplugs <i>(EN 352-2:2020 supersedes EN 352-2:2002)</i>	EN 352-3:2020 - Hearing protectors. General requirements. Earmuffs attached to head protection and/or face protection devices <i>(EN 352-3:2020 supersedes EN 352-2:2002)</i>
			
EN 353-1:2014+A1:2018 - Personal fall protection equipment - Guided type fall arresters including an anchor line - Part 1: Guided type fall arresters including a rigid anchor line <i>(EN 353-1:2014+A1:2018 supersedes EN 353-1:2014)</i>	EN 353-2:2002 - Personal protection against falls - Part 2: Guided type fall arresters with flexible anchor lines	EN 354:2010 - Personal fall protection equipment - Lanyards	EN 355:2002 - Personal protective equipment against falls from a height - Energy absorbers
			
EN 358:2018 - Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning or restraint <i>(EN 358:2018 supersedes EN 358:2000)</i>	EN 360:2002 - Personal protective equipment against falls from a height - Retractable type fall arresters	EN 361:2002 - Personal protective equipment against falls from height - Full body harnesses	EN 362:2004 - Personal protective equipment against falls from a height - Connectors
			
EN 379:2003+A1:2009 - Personal eye-protection - Automatic welding filters	EN 397:2012+A1:2012 - Industrial helmets	EN 443 - Helmets for fire fighting in buildings and other structures	EN 467:1995 - Protective clothing - Protection against liquid chemicals - Performance requirements for protective clothing <i>(EN 14605:2005 supersedes EN 467:1995)</i>

			
EN 795:2012 - Personal fall protection equipment - Anchor devices	EN 812:2012 - Industrial bump caps	EN 813:2008 - Personal fall protection equipment - Sit harnesses	EN 1496:2017 - Personal fall protection equipment - Rescue lifting devices
			
EN 12492:2012 - Mountaineering equipment - Helmets for mountaineers - Safety requirements and test methods	EN ISO 13688:2013 - Protective clothing - General requirements	EN 14387:2004+A1:2008 - Respiratory protective devices - Gas filter(s) and combined filter(s) - Requirements, testing, marking	EN 50365:2002 - Electrically insulating helmets for use on low voltage installations
			
ANSI/ISEA Z87.1-2020 - American National Standard for Occupational and Educational Personal Eye and Face Protection Devices	ANSI/ISEA Z89.1-2014 - Industrial Head Protection	AS/NZS 1337.1:2010 - Personal eye protection, Part 1: Eye and face protectors for occupational applications	CSA Z94.3:2015 - Standard for eye and face protection



**EN 12568:2010 - Foot and leg protectors - Requirements and test methods for toecaps and penetration resistant inserts**



**EN 13832-2:2018 - Footwear protecting against chemicals - Part 2: Requirements for limited contact with chemicals**  
*(EN 13832-2:2018 supersedes EN 13832-2:2006)*




**EN 13832-3:2018 - Footwear protecting against chemicals - Part 3: Requirements for prolonged contact with chemicals**



**EN 15090:2012 - Footwear for firefighters**  
*(EN 15090:2012 supersedes EN 15090:2006)*




**EN 20344:2011 - Personal protective equipment (PPE) – Test methods for footwear**  
*(EN 20344:2011 supersedes EN 20344:2004)*



**EN 20345:2011 - Personal protective equipment – Safety footwear**  
*(EN 20345:2011 supersedes EN 20345:2007)*



**EN 20346:2014 - Personal protective equipment (PPE): Protective footwear**  
*(EN 20346:2014 supersedes NEN-EN-ISO 20346:2004)*




**EN 20347:2011 - Personal protective equipment (PPE): Occupational footwear**  
*(EN 20347:2011 supersedes NEN-EN-ISO 20347:2004)*




**EN 50321-1:2018 - Live working - Footwear for electrical protection - Insulating footwear and overboots**




**ASTM F2413-18 - Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear**  
*(ASTM F2413-18 supersedes ASTM F2413-11)*




**Composite toecap**  
Composite toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N. Composite toe cap is ultra-light, ultra-resistant, thinner and more elastic than steel toe cap. Composite toe cap do not set off metal detectors like steel toe caps, as they are non-metallic.




**Steel toecap**  
Steel toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N.




**Aluminium toecap**




**Carbon toecap**




**Fiber glass toecap**  
Fiber glass toe protects against falling objects and compression, shock-resistant to 200 J and compression-resistant to 15,000 N. Fiber glass toe cap is ultra light, thinner, has excellent tensile strength, does not transmit heat or cold, and distributes shock more effectively than metal. Fiber glass toe cap do not set off metal detectors like steel toe caps, as they are non-metallic.



**200 Joule protection**  
Toe protection against a 200 Joule impact



**Composite midsole**  
Composite Mid-sole protects against sharp objects, penetration-resistant to 1,100 N. Composite Mid-sole is ultra-light, ultra-resistant, thinner and more elastic than steel Mid-sole. Composite Mid-sole does not set off metal detectors like steel Mid-sole do, as they are non-metallic.




**Steel midsole**  
Protects against sharp objects, penetration-resistant to 1,100 N.



**Ballistic midsole (Proflex)**



**PET woven midsole**



**PU / PU outsole**



**PU / TPU outsole**



**PU / Rubber outsole**




**PU / Nitrile Rubber outsole**




**Dual density outsole**




**Metal free**  
This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.




**S1P**  
S1P-designated footwear is evaluated using the same tests as SB footwear with additional tests assessing anti-static properties, penetration resistance (i.e., nail protection), and heel energy absorption (i.e., shock absorption).



**S1**  
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel. Designed for wear in dry working conditions.



**S2**  
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank (60 min.). Designed for wear in wet working conditions.



**S3**  
Safety-tipped shoe, antistatic, with closed, energy-absorbing heel and waterproof shank, penetration-resistant intermediate sole. Designed to protect against penetration and for wear in wet working conditions.



**S4**  
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel.



**S5**  
Safety-tipped boot, designed to protect against 200 J of impact, antistatic, with energy-absorbing heel and contoured, penetration-resistant intermediate sole.



**SB**  
SB-designated footwear is evaluated through 40 compulsory tests including evaluating the tolerance in each shoe's toecap for impact up to 200 J.



**SB-P**  
SB-P-designated footwear is evaluated using the same test as SB footwear with additional tests assessing penetration resistance (i.e. nail protection)



**Anti-static**  
Our PU soles are oil-resistant (meets requirements of EN345 standard) and resistant to most chemicals.




**SRA Grip & Anti-slip**




**SRC Grip & Anti-slip**




**Shock absorption**  
This footwear's sole structure provides wearer with protection against the damage to feet, knees, and back caused by shocks.




**Heat resistance (HRO)**  
Designed for wear in hot climates and conditions up to 300°C.



**Cold insulation (CI)**  
Designed for wear in cold climates and conditions, insulated with either lamb's wool or artificial material. Some designs in this range of footwear are lined with Thinsulate.



**Fuel oil resistance**



**Water resistance**



**ESD protection (Electrostatic Discharge)**



**Zipper closure**



**Smart lacing system**

A complete list of applicable EN standards is available on our website [www.scandiegear.com](http://www.scandiegear.com)








# Sizes & measurement

## Measuring instructions for coveralls, trousers and tops

Measurements should be taken by another person.  
Do not tighten the measuring tape too much.  
Person being measured should be wearing only underwear (i.e. no shoes).

1. **Chest/Bust width**  
Measure under your arms around the fullest part of your chest/bust
2. **Waist width**  
Measure around natural waistline
3. **Hip width**  
Stand with your heels together and measure around the fullest part of your hips



## ♂ COVERALL SIZES FOR MEN

EU	Asia		UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
42	XS	S/M	32	32	82 – 85	32 – 33	70 – 73	27 – 28	85 – 89	33 – 35
44	S	L	34	34	86 – 89	34 – 35	74 – 77	29 – 31	90 – 94	35 – 37
46	S	L	36	36	90 – 93	35 – 37	78 – 81	31 – 32	95 – 98	37 – 39
48	M	XL	38	38	94 – 97	37 – 38	82 – 85	32 – 33	99 – 102	39 – 40
50	M	XL	40	40	98 – 101	39 – 40	86 – 89	34 – 35	103 – 106	41 – 42
52	L	2XL	42	42	102 – 105	40 – 41	90 – 94	35 – 37	107 – 110	42 – 43
54	L	2XL	44	44	106 – 109	42 – 43	95 – 99	37 – 39	111 – 114	44 – 45
56	XL	3XL	46	46	110 – 113	43 – 44	100 – 104	39 – 41	115 – 118	45 – 46
58	XL	3XL	48	48	114 – 117	45 – 46	105 – 109	41 – 43	119 – 122	47 – 48
60	2XL	4XL	50	50	118 – 121	46 – 48	110 – 114	43 – 45	123 – 126	48 – 50
62	2XL	4XL	52	52	122 – 125	48 – 49	115 – 119	45 – 47	127 – 130	50 – 51
64	3XL	5XL	54	54	126 – 129	50 – 51	120 – 124	47 – 49	131 – 134	52 – 53
66	3XL	5XL	56	56	130 – 134	51 – 53	125 – 129	49 – 51	135 – 138	53 – 54

## ♀ COVERALL SIZES FOR WOMEN

EU		Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
34	XS	S/M	8	4	78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	10	6	82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	12	8	86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	14	10	90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	16	12	94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	18	14	98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	20	16	103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	22	18	108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46

## ♂ TROUSERS SIZES FOR MEN

EU	Asia		UK	USA	Inch sizes	WAIST WIDTH		HIP WIDTH	
						cm	inches	cm	inches
42	XS	S/M	32	32	26/27	70 – 73	27 – 28	85 – 89	33 – 35
44	S	L	34	34	28/29	74 – 77	29 – 31	90 – 94	35 – 37
46	S	L	36	36	30/31	78 – 81	31 – 32	95 – 98	37 – 39
48	M	XL	38	38	32/33	82 – 85	32 – 33	99 – 102	39 – 40
50	M	XL	40	40	34	86 – 89	34 – 35	103 – 106	41 – 42
52	L	2XL	42	42	36	90 – 94	35 – 37	107 – 110	42 – 43
54	L	2XL	44	44	38	95 – 99	37 – 39	111 – 114	44 – 45
56	XL	3XL	46	46	40	100 – 104	39 – 41	115 – 118	45 – 46
58	XL	3XL	48	48	42	105 – 109	41 – 43	119 – 122	47 – 48
60	2XL	4XL	50	50	44	110 – 114	43 – 45	123 – 126	48 – 50
62	2XL	4XL	52	52	46	115 – 119	45 – 47	127 – 130	50 – 51
64	3XL	5XL	54	54	48	120 – 124	47 – 49	131 – 134	52 – 53
66	3XL	5XL	56	56	50	125 – 129	49 – 51	135 – 138	53 – 54

## ♀ TROUSERS SIZES FOR WOMEN

EU	Asia	UK	USA	Inch sizes	WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches
34	XS	S/M	8	4	26 – 27	64 – 66	25 – 26	88 – 91
36	S	L	10	6	28 – 29	67 – 70	26 – 28	92 – 95
38	M	XL	12	8	29 – 30	71 – 74	28 – 29	96 – 98
40	L	2XL	14	10	31 – 32	75 – 78	29 – 31	99 – 101
42	XL	3XL	16	12	32 – 33	79 – 82	31 – 32	102 – 104
44	2XL	4XL	18	14	33 – 34	83 – 87	33 – 35	105 – 108
46	3XL	5XL	20	16	34 – 35	88 – 93	35 – 37	109 – 112
48	4XL	6XL	22	18	36	94 – 99	37 – 39	113 – 116

## ♂ TOP SIZES FOR MEN

EU		Asia	UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
36	XS	S/M	14	14	82 – 85	32 – 33	70 – 73	27 – 28	85 – 89	33 – 35
37	S	L	14.5	14.5	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
38	S	L	15	15	86 – 93	34 – 37	74 – 81	29 – 32	90 – 98	35 – 39
39	M	XL	15.5	15.5	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
40	M	XL	16	16	94 – 01	37 – 40	82 – 89	32 – 35	99 – 106	39 – 42
41	L	2XL	16	16	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
42	L	2XL	16.5	16.5	102 – 09	40 – 43	90 – 99	35 – 39	107 – 114	42 – 45
43	XL	3XL	17	17	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
44	XL	3XL	17.5	17.5	110 – 17	43 – 46	100 – 109	39 – 43	115 – 122	45 – 48
45	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
46	2XL	4XL	18	18	118 – 25	46 – 49	110 – 119	43 – 47	123 – 130	48 – 51
47	3XL	5XL	18.5	18.5	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
48	3XL	5XL	19	19	126 – 34	50 – 53	120 – 129	47 – 51	131 – 138	52 – 54
49	4XL	6XL	19.5	19.5	135 – 43	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57
50	4XL	6XL	20	20	135 – 143	53 – 56	130 – 139	51 – 55	139 – 146	54 – 57

## ♀ TOP SIZES FOR WOMEN

EU	Asia		UK	USA	CHEST WIDTH		WAIST WIDTH		HIP WIDTH	
					cm	inches	cm	inches	cm	inches
34	XS	S/M	28	26	78 – 81	30 – 32	64 – 66	25 – 26	88 – 91	34 – 35
36	S	L	30	28	82 – 85	32 – 34	67 – 70	26 – 28	92 – 95	36 – 37
38	M	XL	32	30	86 – 89	34 – 35	71 – 74	28 – 29	96 – 98	37 – 39
40	L	2XL	34	32	90 – 93	35 – 37	75 – 78	29 – 31	99 – 101	39 – 40
42	XL	3XL	36	34	94 – 97	37 – 38	79 – 82	31 – 32	102 – 104	40 – 41
44	2XL	4XL	38	36	98 – 102	38 – 40	83 – 87	33 – 35	105 – 108	41 – 43
46	3XL	5XL	40	38	103 – 107	40 – 42	88 – 93	35 – 37	109 – 112	43 – 44
48	4XL	6XL	42	40	108 – 113	42 – 44	94 – 99	37 – 39	113 – 116	44 – 46



Measuring instructions for shoes


**Step 1**  
Place a piece of blank paper taped to the floor on a hard flat surface. Stand up straight and press your heel against the wall. Have someone mark the longest part of your foot (referred to as "heel to toe length") on the paper with a pen or pencil.

Repeat the process with the other foot, as the right and left foot may differ.

**Step 2**  
Use a ruler or measuring tape to measure the "heel to toe" distance you marked for each foot. Determine your own shoe size with the foot sizing chart.

SHOE SIZES

EU	UK	USA MEN	USA WOMEN	FOOT LENGTH	
				cm	inches
35	3	4	5	22	8.7
36	3.5	4.5	6	22.5	8.9
37	4	5	6.5	23.5	9.3
38	5	6	7.5	24	9.4
39	6	7	8.5	25	9.8
40	6.5	7.5	9	25.5	10
41	7	8	9.5	26	10.2
42	8	9	10.5	27	10.6
43	9	10	12	28	11
44	10	11		28.5	11.2
45	10.5	11.5		29	11.4
46	11	12		30	11.8
47	12	13		30.5	12
48	13	14		31	12.2
49	14	15		31.5	12.4
50	14.5	15.5		32	12.6
51	15	16		32.5	12.8




Measuring instructions for gloves

**Palm circumference**  
To calculate this, wrap a measuring tape once around the knuckles on your dominant hand (i.e., if you are right handed, take the measurement on your right hand).

GLOVE SIZES

EU	EU	PALM CIRCUMFERENCE	
		cm	inches
7	S	< 17.8 – 20.2	< 7 – 8
8	M	20.3 – 22.8	8 – 9
9	L	22.9 – 25.3	9 – 10
10	XL	25.4 – 27.8	10 – 11
11	2XL	27.9 – 30.4	11 – 12
12	3XL	30.5 >	12 >











INDEX >

3M 1271EAR Earplugs Corded	116	Peltor G3000D Ratchet helmet	101	ScanFiresafe	158	ScanSafari Stretch 001 L/S	44
3M Earplug with Head Band	117	Peltor V4F Visor PC (10)	112	ScanFix	87	ScanSafari Stretch 002	45
3M EAR-Soft Corded	116	Petzl Vertex Best	102	ScanFleece	29	ScanSafari Stretch 005	45
3M EAR-Soft Uncorded	116	Petzl Vertex Vent	102	ScanFlexor	70	ScanSafari Stretch Women L/S	44
3M EAR-UltraFit Corded	117	Petzl Vizen for Petzl helmets	110	ScanFlexTect 27	78	ScanSafari Tropic 001 S/S	44
3M Protecta Automatic Snap Hook (Steel)	134	Pneumatic Glove Tester	87	ScanFlexTect 40	78	ScanSafeStep	158
3M Protecta Comfort Belt Style Fall Arrest Harness	124	Portable Air Compressor	171	ScanFlow 001	60	ScanSafeWeld	97
3M Protecta Comfort Belt-Style Fall Arrest Suspension Harness	124	ScanAdapt Clear	93	ScanFlow 002	60	ScanSandal	152
3M Protecta Lifeline (galvanised)	132	ScanAdapt Grey	93	ScanFluo	76	ScanSensor	112
3M Protecta Lifeline (stainless steel)	131	ScanAdapt Night	94	ScanFoundry	137	ScanSentry	154
3M Protecta Manucroche Connector	127	ScanAlliance 001	38	ScanFroze Pro	76	ScanServe Men	47
3M Protecta Mobile Tripod Anchorage System	132	ScanAlliance 002	31	ScanGarrison	45	ScanServe Women	47
3M Protecta Pro Line Temporary Lifelines 20 m	133	ScanAlliance	19	ScanGazer	94	ScanSfera	119
3M Protecta Pro Welders Harness	125	ScanAlliance FR	19	ScanGlobal	20	ScanSharp Apron RW	136
3M Protecta Pro Welders Single Leg Shock Absorbing Lanyard with Scaffolding Hook	128	ScanAlliance FR 001	38	ScanGlow	82	ScanSharp	81
3M Protecta Pro Welders Twin Leg Shock Absorbing Lanyard with Scaffolding Hook	129	ScanAlliance FR 002	32	ScanGourmet	83	ScanShoeCover Xtra	162
3M Protecta Rebel Leading Edge 12 m	131	ScanAlumin	82	ScanGrey	92	ScanShower	29
3M Protecta Rebel Self-Retracting Lifeline 2 m	131	ScanAnsari	147	ScanInferno	138	ScanSierra 001 L/S	39
3M Protecta Rebel SLR with Sling 1.5 m	132	ScanArctic	24	ScanInsert for OBX	105	ScanSierra Reflect 001 L/S	39
3M Protecta Rescue Winch Pulley 20 m	135	ScanArxx	73	ScanInsulate	106	ScanSierra Reflect 002	37
3M Protecta Rope Lanyard 1.3 m	128	ScanAstern	156	ScanJogging	59	ScanSierra Women L/S	40
3M Protecta Shock Absorbing Lanyard	130	ScanAway	139	ScanKinetic	85	ScanSierra Women S/S	40
3M Protecta Shock Absorbing Lanyard 2 m	129	ScanBagID	147	ScanKneePad	140	ScanSightWeld	97
3M Protecta Shock Absorbing Lanyard Elastic Webbing Twin legs	130	ScanBamboo	161	ScanKneePad with strap	140	ScanSignal	30
3M Protecta Shock Absorbing Lanyard Rope 1.8 m Twin Legs	129	ScanBaseball Reflect	16	ScanKnit	77	ScanSignet FR AS	30
3M Protecta Sling Galvanised steel 1 m	127	ScanBdry	49	ScanKristoff	76	ScanSilence Clip	115
3M Protecta Standard Vest Style Fall Arrest Harness	124	ScanBdry FR/ARC/AS	49	ScanKryo Apron	137	ScanSilence HK2	115
3M Protecta Steel Carabiner Hook	127	ScanBionic AC visor clear	108	ScanKryo Gauntlet Pro	75	ScanSilence HK3	115
3M Protecta Viper Rope Grab & Viper LT Kernmantle Rope	133	ScanBionic adapter	109	ScanKryo Kit	178	ScanSilence L2	113
3M Protecta Work Positioning Belt	126	ScanBionic PC visor clear	109	ScanKryo Shoecover	162	ScanSilence L3	114
3M Protecta Work Positioning Rope Lanyard	128	ScanBionic PC visor dark	109	ScanLace	163	ScanSilence ML2	113
3M Push-to-Fit Uncorded	117	ScanBionic Shell	108	ScanLaTect	73	ScanSilence ML3	114
Activated Carbon	160	ScanBlade	80	ScanLuna	110	ScanSingle	71
Baby/Toddler Insert for Insulated Immersion Suit SC-AA/YC	169	ScanBlaze	103	ScanMariner	58	ScanSkull Advanced	48
Bag for SC-AA Immersion suit for children (6-10 years)	173	ScanBlizzard	75	ScanMask 100/2	119	ScanSlice	80
Bag for SC-AA Immersion suit for young children (2-5 years)	172	ScanBlockade	84	ScanMask 330	119	ScanSokket	162
Bag for SC-AA Immersion suit L/XL	172	ScanBoot	157	ScanMicroFlex	72	ScanSoniX	95
Bag for SC-AA Immersion suit S/M	172	ScanBrigade	155	ScanMoccasin	154	ScanSoniX Replacement Lens	95
Bamboo Comfort	160	ScanBro	154	ScanName	50	ScanSpecStrap	97
Centurion 1100 Classic Non-Vented	99	ScanBumpcap	106	ScanNaperon Bib Advanced	47	ScanSpex Grey	94
Centurion 1100 Classic Vented	99	ScanCadet	155	ScanNato 150	42	ScanSpike	163
Centurion 1125 Classic Non-Vented	100	ScanCalverley	159	ScanNero	152	ScanStation	98
Centurion 1125 Classic Vented	99	ScanCambrian	24	ScanNexus	95	ScanStrap	103
Centurion Concept Non-Vented	100	ScanCargo	36	ScanNovaya	96	ScanSupport 002	140
Centurion Concept Vented	100	ScanCargo 005	36	ScanNovaya Faceshield	96	ScanSurveyor	58
Centurion Concept Vented SP	101	ScanChain	81	ScanOculus	93	ScanSweatShirt	59
Centurion Kalis Dry Cooling System	104	ScanChem Green	139	ScanOnce	74	ScanSwingBack	112
DBI Sala Choking Girder Loop Heavy Duty Temporary Anchorage Point 2 m	126	ScanChemsafe	159	ScanOzone	153	ScanTarga Fleece	108
DBI Sala Delta Comfort harness with quick connect buckles comfort padding	125	ScanChemTect	79	ScanPalladium Pro	84	ScanTarga FR/AS	107
DBI Sala Delta Harness with quick connect buckles	125	ScanChill Pro	77	ScanPalm	70	ScanTechTouch	71
DBI Sala Digital Winch	135	ScanChloroTect	78	ScanParis Women's	64	ScanTee	61
DBI Sala Girder Loop Heavy Duty Temporary Anchorage Point 0.83 m	126	ScanClava FR/AS	107	ScanPetroTect	79	ScanTee L/S	62
DBI Sala Lift light weight winch 36 m	135	ScanClavaS	107	ScanPhoenix	40	ScanTerry	161
DBI Sala Nano Lok for Hot Work Use Single Leg 2 m	134	ScanClean	74	ScanPilot Advanced L/S	43	ScanTiarat Women's	63
DBI Sala Nano Lok for Hot Work Use Twin Leg 2 m	134	ScanClear	92	ScanPilot Advanced S/S	43	ScanTie	42
DBI Sala Suspension Trauma Safety Strap	133	ScanClick Pro	98	ScanPilot Women L/S	43	ScanTight	72
DPI Mask C701	119	ScanClip	110	ScanPique	64	ScanTitan	158
Emergency Light SC-LG4	171	ScanClipper	35	ScanPiqueEpaulets L/S	65	ScanToronto	61
Insert + sweatband for Centurion Concept (Slip)	104	ScanCommodore	155	ScanPiqueEpaulets S/S	64	ScanTorres	62
Insert for Centurion 1100 Classic	105	ScanConverter HV	26	ScanPique HV Tropic	41	ScanToX	96
Insulated Immersion Suit SC-AA	168	ScanConveyance	42	ScanPique L/S	65	ScanTraction	153
Insulated Immersion Suit SC-AA/C	168	ScanCorePro Apron	136	ScanPolar HV 001	27	ScanTrainer	156
Insulated Immersion Suit SC-AA/YC	169	ScanCovert	163	ScanPolar HV 002	34	ScanTrilTect	79
Lambskin Insole	160	ScanCuisine Advanced 001	46	ScanPolarised	94	ScanTriple HV 001	27
OBX helmet	102	ScanCuisine Advanced 002	46	ScanPressure Kit	179	ScanTriple HV 002	33
Peli 3315Z0 Medium Light	141	ScanDana Advanced	50	ScanPyro Anchor Pro	22	ScanTriple HV 003	23
Peli HeadsUp Light 2755	141	ScanDefender	48	ScanPyro Anchor Pro 001	25	ScanTristate	61
Peltor G3000D helmet	101	ScanDeterrence	83	ScanPyro Anchor Pro 002	32	ScanTriStrap	103
		ScanDot	71	ScanPyro Anchor Pro 003	23	ScanTropic Reflect	18
		ScanDriver	70	ScanPyro AS 001	25	ScanTurtle	41
		ScanDyad	106	ScanPyro AS 002	31	ScanTyler	63
		ScanElbowPad with strap	140	ScanPyro AS ZP	20	ScanUtility	37, 48
		ScanElectrosafe	159	ScanPyro Tropic AS ZP	21	ScanVedette Pro	26
		ScanEpaulets	51	ScanPyro Tropic AS ZP Women	22	ScanVibe	29
		ScanEssence Reflect	16	ScanRadix Inherent FR	21	ScanVigor 40L	146
		ScanExplorer	138	ScanRaider	157	ScanVigor 70L	146
		ScanEyewashing	98	ScanRain HDR 001	28	ScanVigor 90L	146
		ScanFarox	153	ScanRain HDR 003	35	ScanVisor AC	111
		ScanFilter 100/2 A1B1	120	ScanRain Reflect FR/AS 001	28	ScanVisor EA	111
		ScanFilter 100/2 A1B1E1K1	120	ScanRain Reflect FR/AS 003	34	ScanVisor PC	111
		ScanFilter 100/2 A1B1E1K1P3	120	ScanRally	17	ScanVolt 03	86
		ScanFilter 100/2 A1P3	120	ScanRally Reflect	17	ScanWeld	82
		ScanFilter Dirin A2	121	ScanRally Reflect Women	18	ScanWhistle	141
		ScanFilter Dirin A2B2	121	ScanRank	50	ScanXtreMittens	75
		ScanFilter Dirin A2B2E2K1P3	123	ScanRazorwire Kit	178	Sleeve Cones	170
		ScanFilter Dirin A2B2E2K2	123	ScanResolute	72	Streamlight HeadsUp Light	141
		ScanFilter Dirin A2B2P3	122	ScanRespi FFP2/V	118	Sweatband (Centurion 1100 & 1125)	104
		ScanFilter Dirin A2P2	122	ScanRespi FFP3/V	118	Thermo Soft Insole	160
		ScanFilter Dirin A2P3	122	ScanRix FR/AS 001	28	Universal Maintenance & Repair Kit	170
		ScanFilter Dirin K2	121	ScanRix FR/AS 002	33	Universal Testing Device	170
		ScanFilter Dirin P2	121	ScanRugged	152		



# OUR LOCATIONS

## Europe (HQ)

Scandia Gear Europe B.V.

Lorentzweg 31  
3208 LJ Spijkenisse  
The Netherlands

Phone:  
+31 (0)181 600 955

Email:  
inquiries@scandiagear.com

## South-America

Scandia Gear The Caribbean Ltd.

Corner Wilhelminastraat and  
David Simonsstraat 85B  
Paramaribo, Suriname

Phone:  
+597 876 6633

Email:  
inquiries@scandiagear.com

## Asia

Scandia Gear Asia Pte Ltd.

28 Pioneer Crescent  
#03-13 West Park BizCentral  
Singapore 628559

Phone:  
+65 6795 3080

Email:  
inquiries@scandiagear.com

## Middle East

Scandia Gear Middle East Trading L.L.C.

Dubai Investment Park 2 (DIP2)  
Warehouse no. 3 Plot 597-249  
Dubai, UAE

Phone:  
+971 4 883 4931

Email:  
inquiries@scandiagear.com

## North-America

Scandia Gear The Americas Corp.

4500 N. Sam Houston Parkway W.  
Suite 130  
Houston, Texas, 77086, USA

Phone:  
+1 888 391 3363

Email:  
inquiries@scandiagear.com


## E-Com

Scandia Gear E-Com B.V.

Lorentzweg 31  
3208 LJ Spijkenisse  
The Netherlands

Phone:  
+31 (0)181 745 132

Email:  
inquiries@scandiagear.com





On a different note.

We've printed this catalogue on 100%-recycled FSC-certified paper. This paper requires 50% less energy and uses only 30% of the water used in standard paper production.

It also reduces CO<sub>2</sub> emission by at least 23% and is whitened without chlorine. And last but not least, the raw materials that go into it are sourced locally without logging. All of this matters to us.

Let's make a difference together!

